



Weekly Report on the Epidemiology of COVID-19 in Ireland Week 48

Health Protection Surveillance Centre

COVID-19 Epidemiology Team, HPSC, 30/11/2020

Dates to note:


- Week 48 (22nd to 28th November 2020)
- Week 32 (2nd to 8th August 2020)
- Week 10 (1st to 7th March 2020) The beginning of the pandemic in Ireland

Note: The epidemiological weeks in this report, run from Sunday to Saturday, please refer to appendix 1 for a complete list of epidemiological weeks with start and end dates.

Note: Data were extracted from Computerised Infectious Disease Reporting (CIDR) system on 30/11/2020 and are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.

Summary characteristics of COVID-19 cases notified in Ireland





* Total deaths reported include deaths from all case classifications
(confirmed, probable and possible cases)

2,053*

		ital -week 48)	Wee	k 48
	Number	Percent	Number	Percent
Total number of confirmed cases	72,238		1,814	
Incidence rate of confirmed cases per 100,000 population	1517.0		38.1	
Number of cases hospitalised	5,208	7.2	122	6.7
Number of cases admitted to ICU	619	0.9	4	0.2
Number of deaths among confirmed cases	1,794	2.5	4	0.2
Case fatality ratio (CFR %)	2.5		0.2	
Incidence rate of confirmed deaths per 100,000 population	37.7		0.1	
Number of cases associated with clusters	39,526	54.7	368	20.3
Number of imported cases	659	0.9		
Number of cases in healthcare workers	11,895	16.5	198	10.9
Males	34,021	47.1	913	50.3
Females	38,184	52.9	895	49.3
M:F ratio	0.9		1.0	
Mean age (years)	41		37	
Median (years)	39		35	
Age range (years)	0 - 108		0 - 98	




Figure 1: Number of confirmed COVID-19 cases by notification week and epidemiological week in Ireland between week 8 and week 48.

Between week 15 and 16 (05/04/2020 – 19/04/2020) the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates

^{*}Epidemiological date is based on the earliest of dates available on the case and taken from date of onset of symptoms, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date or event creation date/notification date on CIDR. By using this date rather than event creation/ notification date, adjusts for any delays in testing/notification




Figure 2: Number of confirmed COVID-19 cases by notification week and weekly incidence rate per 100,000 population in Ireland between week 10 and week 48.

*population data were taken from Census 2016




Figure 3: Number of confirmed cases of COVID-19, and 7-day moving average, by notification date in Ireland between week 32 and week 48.




Figure 4a: Cumulative 14-day incidence rate of confirmed COVID-19 cases per 100,000 population notified in Ireland by notification and epidemiological date* between week 8 and week 48.

^{*}Epidemiological date: is based on the earliest of dates available on the case and taken from date of onset of symptoms, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date or event creation date/notification date on CIDR. By using this date rather than event creation/notification date, adjusts for any delays in testing/notification. Please note that the trend in cases by epidemiological date will show a lag for recent days and therefore should be interpreted with caution.




Figure 4b: Cumulative 14-day incidence rate of confirmed COVID-19 cases per 100,000 population notified in Ireland by notification and epidemiological date between week 32 and week 48.


Characteristic		Week 48	Percent
Total number of confirmed cases		1,814	100
Sex	Male:Female ratio	1.0	
	Male	913	50.3
	Female	895	49.3
	Unknown	6	0.3
Age	Mean age (years)	35	
	Median age (years)	37	
	Age range (years)	0 - 98	
	0-4 yrs	78	4.3
	5-12 yrs	164	9.0
	13-18 yrs	153	8.4
	19-24 yrs	240	13.2
	25-34 yrs	259	14.3
	35-44 yrs	282	15.5
	45-54 yrs	250	13.8
	55-64 yrs	157	8.7
	65-74 yrs	90	5.0
	75-84 yrs	89	4.9
	85+ yrs	51	2.8
	Unknown	1	0.1
Underlying clinical conditions	Yes	509	28.1
	No	1,072	59.1
	Unknown	233	12.8
Symptomatic*	Yes	1,088	60.0
	No	453	25.0
	Unknown	273	15.0



Table 1: Characteristics of confirmed COVID-19 cases notified in Ireland during week 48

^{*}Symptom status is recorded at the time of test and is not updated; therefore, a proportion of the asymptomatic cases may subsequently develop symptoms however this will not be captured in the data.






Cumulative age- and sex-specific rate per 100,000 population from week 10 to week 48

■ Female
■ Male

Figure 5a: Cumulative age- and sex-specific incidence rates of confirmed COVID-19 cases per 100,000 population notified in Ireland between week 10 and week 48.

(excluding 33 cases for whom age is unknown and 32 cases for whom sex is unknown and 1 case for whom both are unknown)






Cumulative age- and sex-specific rate per 100,000 population from week 32 to week 48

■ Female ■ Male

Figure 5b: Cumulative age- and sex-specific incidence rates of confirmed COVID-19 cases per 100,000 population notified in Ireland between week 32 and week 48.

(excluding 13 cases for whom age is unknown and 30 cases for whom sex is unknown)





Cumulative age- and sex-specific rate per 100,000 population during week 48

■ Female
■ Male

Figure 5c: Cumulative age- and sex-specific incidence rates of confirmed COVID-19 cases per 100,000 population notified in Ireland during week 48.

(excluding 1 case for whom age is unknown and 6 cases for whom sex is unknown)




Figure 6a: Weekly age-specific incidence rates of confirmed cases of COVID-19 per 100,000 population in Ireland between week 32 and week 48.




Figure 6b: Weekly age-specific incidence rates of confirmed cases of COVID-19 per 100,000 population in Ireland between week 32 and week 48.






Figure 6c: Weekly age-specific incidence rates of confirmed cases of COVID-19 per 100,000 population in Ireland between week 32 and week 48.



					, , , , , , , , , , , , , , , , , , ,	Age Range						
	0-4	5-12	13-18	19-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	National
32	6.0	4.0	8.6	16.6	23.5	15.1	13.1	8.1	4.0	2.0	1.5	11.3
33	5.4	7.8	9.4	26.6	16.2	12.1	13.1	8.4	7.5	3.1	8.9	11.5
34	8.1	8.2	15.9	35.9	24.1	15.5	14.4	12.4	5.6	4.6	4.4	14.9
35	6.3	8.9	17.2	43.8	23.7	16.9	18.0	12.2	7.5	12.7	7.4	16.7
36	10.3	12.4	14.8	48.0	25.5	19.0	17.9	14.9	11.8	14.8	35.5	19.2
≼ 37	18.1	18.4	23.7	58.9	38.5	26.8	25.1	24.2	20.1	14.2	32.6	27.4
¥ 37 ₩ 38	20.5	23.3	47.1	95.1	46.3	38.2	45.5	37.3	34.8	24.4	28.1	40.9
	13.9	23.3	37.7	127.1	60.4	38.8	42.3	35.8	28.6	29.5	37.0	43.3
<u>ij</u> 40	24.7	23.7	57.9	178.4	83.4	63.1	67.6	62.9	38.3	36.1	51.8	63.7
Notification 40 42	36.5	41.7	107.4	275.4	115.0	80.1	93.8	86.1	56.2	63.1	121.4	93.7
2 42	66.4	77.8	190.8	449.9	194.0	137.9	153.3	141.7	89.2	79.9	121.4	155.6
43	87.2	98.1	178.7	366.2	158.8	128.5	150.1	151.9	96.7	97.7	176.2	149.1
44	62.4	76.7	125.1	201.7	105.5	91.4	113.1	96.3	71.8	77.9	139.1	101.9
45	45.2	48.5	73.5	113.2	90.5	73.0	77.6	61.3	52.5	72.8	131.7	72.1
46	31.1	35.7	58.9	95.7	61.1	52.5	58.0	47.7	38.8	59.5	131.7	54.3
47	34.7	39.2	71.3	98.4	60.4	55.4	56.5	40.9	32.9	45.3	100.7	54.1
48	23.5	29.9	41.2	72.5	39.3	37.8	39.9	30.8	24.1	45.3	75.5	38.1

Figure 7: Heat map of weekly age-specific incidence rates of confirmed cases of COVID-19 per 100,000 population in Ireland between week 32 and week 48.

O	Ca	ses	M:F ratio	Median age	Incidence Rate per
County	N	%		(years)	100,000
Donegal	178	9.8	0.9	40	111.8
Kilkenny	81	4.5	0.8	37	81.6
Louth	96	5.3	8.0	36	74.5
Limerick	120	6.6	8.0	33	61.6
Wicklow	78	4.3	0.8	41.5	54.8
Tipperary	72	4.0	1.0	40.5	45.1
Dublin	597	32.9	1.1	34	44.3
Longford	18	1.0	1.3	27.5	44.0
Waterford	50	2.8	1.3	35	43.0
Mayo	48	2.6	1.8	33	36.8
Monaghan	19	1.0	0.4	50	31.0
Laois	26	1.4	1.0	42.5	30.7
Carlow	17	0.9	2.0	43	29.9
Meath	48	2.6	1.4	39.5	24.6
Cork	133	7.3	1.3	20	24.5
Roscommon	15	0.8	1.8	38	23.2
Offaly	17	0.9	0.5	41	21.8
Sligo	14	0.8	3.7	47	21.4
Kildare	47	2.6	1.1	32	21.1
Kerry	31	1.7	0.8	33	21.0
Galway	52	2.9	1.1	30.5	20.2
Cavan	15	0.8	0.4	44	19.7
Clare	17	0.9	1.1	21	14.3
Westmeath	12	0.7	2.0	35	13.5
Wexford	12	0.7	0.5	36.5	8.0
Leitrim	<5	0.1			3.1



Table 2: Characteristics of confirmed cases of COVID-19 by county notified in Ireland, during week 48.



	Carlow	Cavan	Clare	Cork	Donegal	Dublin	Galway	Kerry	Kildare	Kilkenny	Laois	Leitrim	Limerick	Longford	Louth	Мауо	Meath	Monaghan	Offaly	Roscommon	Sligo	Tipperary	Waterford	Westmeath	Wexford	Wicklow	National
32	10.5	6.6	10.1	2.6	10.1	4.8	0.8	0.7	107.4	2.0	39.0	3.1	5.1	0.0	3.9	0.8	7.7	1.6	103.9	1.5	6.1	1.3	0.0	1.1	13.4	2.8	11.3
33	35.1	0.0	23.6	2.4	7.5	9.8	2.7	2.0	76.9	12.1	20.1	0.0	18.5	2.4	5.4	0.8	9.7	9.8	32.1	3.1	4.6	11.3	1.7	0.0	2.0	5.6	11.5
34	33.4	1.3	10.1	3.5	5.0	19.1	0.8	2.0	71.5	21.2	16.5	0.0	21.0	7.3	7.0	1.5	7.7	4.9	11.5	6.2	0.0	44.5	11.2	2.3	12.0	4.2	14.9
35	36.9	11.8	16.8	4.4	15.7	26.3	2.3	2.7	31.9	6.0	16.5	0.0	22.1	9.8	7.0	0.8	10.8	29.3	20.5	13.9	1.5	38.9	6.9	5.6	19.4	10.5	16.7
36	12.3	10.5	13.5	4.2	6.3	33.5	7.4	8.1	34.6	17.1	15.3	15.6	38.0	19.6	11.6	3.1	10.8	13.0	25.7	4.6	1.5	20.7	18.9	7.9	10.0	15.4	19.2
☆ 37	7.0	5.3	18.5	3.9	20.1	55.1	10.9	6.1	23.4	12.1	22.4	49.9	27.2	36.7	41.1	7.7	13.3	13.0	30.8	13.9	1.5	5.6	35.3	28.2	17.4	28.8	27.4
¥ 37	29.9	17.1	21.0	18.6	63.4	80.0	17.4	12.9	36.4	11.1	21.3	15.6	20.0	9.8	61.3	17.6	20.5	26.1	33.4	20.1	15.3	11.3	51.6	22.5	17.4	42.1	40.9
	12.3	30.2	26.9	43.5	121.2	71.9	36.8	10.2	40.0	16.1	10.6	12.5	12.8	29.4	43.4	11.5	26.7	66.8	23.1	55.8	10.7	9.4	15.5	29.3	8.7	26.7	43.3
it 40	31.6	59.1	73.2	61.2	143.2	89.4	51.5	34.5	54.4	29.2	64.9	18.7	52.3	102.8	32.6	19.9	40.0	110.8	51.3	105.4	44.3	32.0	18.9	36.0	32.1	51.3	63.7
Notification 41 42	28.1	279.6	186.0	96.5	201.6	83.1	100.0	74.5	86.3	43.3	68.5	81.1	106.7	105.2	76.0	52.1	134.8	205.3	82.1	79.0	114.4	37.0	44.8	89.0	79.5	37.9	93.7
ž 42	123.0	530.4	135.5	178.1	142.0	139.2	172.1	139.5	158.2	100.8	106.3	149.8	143.7	124.8	111.7	98.8	330.2	167.8	103.9	142.5	175.5	72.1	84.4	227.6	192.4	87.1	155.6
43	158.1	441.1	127.1	166.9	178.4	114.5	200.0	149.6	147.9	72.6	131.1	96.7	149.3	141.9	173.8	147.1	314.3	203.6	88.5	131.7	253.3	61.4	118.8	203.9	118.9	63.2	149.1
44	105.4	157.5	103.5	136.7	142.6	102.3	97.7	69.7	92.6	55.4	77.9	15.6	118.5	100.3	119.5	95.0	148.7	71.7	59.0	74.4	103.8	67.7	86.1	110.4	52.8	59.7	101.9
45	61.5	48.6	59.8	60.8	152.6	80.4	47.7	93.4	48.5	84.7	89.7	25.0	100.1	56.3	55.9	78.2	94.9	70.0	51.3	82.1	79.3	54.5	62.0	85.6	30.1	37.2	72.1
46	31.6	55.1	36.2	29.8	123.1	58.4	38.4	34.5	41.3	45.3	41.3	53.1	100.6	53.8	95.4	36.8	52.8	55.4	84.7	83.7	32.0	48.3	92.1	84.5	19.4	31.6	54.3
47	45.7	42.0	53.9	49.0	108.0	59.9	24.4	25.7	42.2	50.4	20.1	18.7	105.2	41.6	110.2	43.7	74.3	52.1	35.9	82.1	39.7	42.6	60.3	31.5	18.0	30.2	54.1
48	29.9	19.7	14.3	24.5	111.8	44.3	20.2	21.0	21.1	81.6	30.7	3.1	61.6	44.0	74.5	36.8	24.6	31.0	21.8	23.2	21.4	45.1	43.0	13.5	8.0	54.8	38.1

Figure 8: Heat map of weekly incidence rates of confirmed cases of COVID-19 per 100,000 population, by county, notified in Ireland between week 32 and week 48.

	HSE-E	HSE-M	HSE-MW	HSE-NE	HSE-NW	HSE-SE	HSE-S	HSE-W	National
32	17.9	39.3	6.0	5.6	8.1	5.7	2.2	0.9	11.3
33	18.2	14.7	17.4	7.0	5.8	10.2	2.3	2.2	11.5
34	24.6	10.3	16.4	6.1	3.1	25.5	3.2	1.8	14.9
35	25.8	16.4	17.4	12.4	10.1	22.1	4.1	3.5	16.7
36	32.2	16.4	25.2	11.3	6.2	17.0	5.1	5.7	19.2
¥ 37 ≥ 38	48.8	28.4	20.3	19.8	19.0	17.4	4.3	10.4	27.4
≥ 38	71.2	23.6	18.7	32.2	45.0	24.1	17.4	17.9	40.9
<u>5</u> 39	64.0	22.2	16.1	37.4	79.1	12.5	36.3	32.2	43.3
04 gg	81.7	58.2	53.2	50.6	102.0	29.6	55.5	50.1	63.7
Notification 40 41	79.7	84.2	116.6	152.1	163.6	52.3	91.8	83.2	93.7
42	137.4	145.7	128.3	281.3	150.8	120.7	169.9	146.8	155.6
43	114.6	148.5	130.4	282.0	186.5	98.2	163.2	175.0	149.1
44	97.5	89.3	111.9	132.1	116.3	61.7	122.4	93.6	101.9
45	72.7	73.9	82.6	73.2	117.5	52.9	67.8	61.4	72.1
46	54.0	68.4	66.8	65.6	90.7	50.2	30.8	44.4	54.3
47	55.1	30.8	76.6	76.3	79.1	42.1	44.0	38.2	54.1
48	42.2	25.0	41.0	38.7	74.8	41.3	23.7	25.4	38.1



Figure 9: Weekly Incidence rates each week of confirmed cases of COVID-19 per 100,000 population, by HSE area, notified in Ireland between week 32 and week 48.



	CHO1	CHO2	CHO3	CHO4	CHO5	CHO6	CHO7	CHO8	CHO9
32	6.9	0.9	6.0	2.2	5.7	3.7	37.0	21.8	5.0
33	5.4	2.2	17.4	2.3	10.2	5.7	29.0	11.1	13.5
34	3.1	1.8	16.4	3.2	25.5	9.1	36.9	8.7	20.3
35	13.5	3.5	17.4	4.1	22.1	18.8	31.4	12.6	23.7
36	8.2	5.7	25.2	5.1	17.0	27.1	35.7	13.6	31.2
\ 37	15.6	10.4	20.3	4.3	17.4	37.6	40.0	26.2	65.8
¥ 37 ≥ 38	37.1	17.9	18.7	17.4	24.1	55.6	65.7	30.4	87.1
<u>5</u> 39	68.5	32.2	16.1	36.3	12.5	52.5	56.8	27.9	79.3
Notification 40 41	96.1	50.1	53.2	55.5	29.6	75.2	72.6	46.8	96.1
₩ 41	194.5	83.2	116.6	91.8	52.3	56.9	80.3	98.0	93.2
Z 42	229.0	146.8	128.3	169.9	120.7	91.6	143.8	196.0	158.2
43	240.5	175.0	130.4	163.2	98.2	80.9	115.3	205.4	134.5
44	118.6	93.6	111.9	122.4	61.7	68.4	94.7	113.8	118.6
45	97.9	61.4	82.6	67.8	52.9	49.3	63.6	76.4	97.4
46	79.0	44.4	66.8	30.8	50.2	51.2	54.7	69.0	54.9
47	68.5	38.2	76.6	44.0	42.1	46.7	52.0	60.9	63.9
48	58.0	25.4	41.0	23.7	41.3	59.2	30.4	35.0	45.1

Figure 10: Weekly Incidence rates of confirmed COVID-19 cases by CHO notified in Ireland between week 32 and week 48.

	CCA1	CCA2	CCA3	CCA4	CCA5	CCA6	CCA7	CCA8
	Dublin South	Dublin South East	Dublin South City	Dublin South West	Dublin West	Dublin North West	Dublin North Central	Dublin North
32	5.9	2.4	4.7	6.2	3.2	4.8	5.8	4.6
33	4.4	6.5	5.3	10.6	5.8	13.5	12.3	14.3
34	7.3	15.4	11.3	17.4	36.7	23.1	34.3	9.6
35	25.0	20.2	32.7	29.8	33.5	32.8	22.6	17.0
36	16.9	48.5	32.7	38.5	41.2	29.9	31.7	32.0
ਰੁੱ 37	22.8	58.2	49.4	47.9	51.5	85.3	60.2	53.6
≥ 38	35.3	84.9	70.0	92.6	83.7	117.5	83.5	64.8
<u> </u>	33.1	97.0	57.4	72.1	70.2	82.4	95.1	67.5
<u>is</u> 40	54.4	117.2	67.4	89.5	92.7	111.3	119.7	69.8
Notification Week 38 39 40 41	33.8	98.6	60.7	65.3	113.3	106.0	113.2	71.0
42	57.3	122.9	92.7	118.1	215.0	222.1	152.7	110.4
43	50.0	125.3	73.4	96.3	141.0	168.1	142.3	103.0
44	48.5	93.0	62.7	105.7	126.2	137.3	108.0	110.0
45	25.7	81.6	48.7	74.6	95.9	117.0	95.7	82.6
46	41.2	82.5	58.0	47.9	81.8	73.2	62.1	35.9
47	35.3	75.2	36.7	65.9	72.1	69.8	103.5	35.5
48	44.8	78.4	31.3	42.9	32.8	43.8	67.9	32.4




Figure 11: Weekly Incidence rates of confirmed COVID-19 cases by Dublin Local Health Offices (LHOs) notified in Ireland between week 32 and week 48.

Note: Local health offices (LHOs) came into operation on 1st September 2005, replacing Community Care Areas (CCAs). LHO population denominators are used in this report rather than CCA population denominators. The LHO rates were calculated using Census 2016 LHO denominator data extracted from the HSE Health Atlas and are not a direct match to the corresponding CCAs.

Laboratory data for COVID-19 cases





120000 - Negative Positive —% Positive —%

Figure 12a: Number of SARS-CoV-2 tests and positive tests* in Ireland between week 13 and week 48.

Figure 12b: Number of SARS-CoV-2 negative and positive tests* completed in Ireland between week 13 and week 48.

^{*}positive test refers to all positive specimens and includes duplicates and individuals who were retested

Hospitalisations and ICU admissions among COVID-19 cases






Figure 13: Number of hospitalised COVID-19 cases based on ICU admission status in Ireland between week 10 and week 48.*

^{*}Please note that the most recent weeks may not yet reflect all admissions.





T	Number	Percent
Total number of deaths	2,053	
confirmed	1,794	87.4
probable	95	4.6
possible	164	8.0
Number hospitalised who died	924	45.0
admitted to ICU who died	137	6.7
not admitted to ICU who died	787	38.3
Number of imported cases who died	6	0.3
Number of HCWs who died	8	0.4
Number with underlying conditions who died	1,910	93.0
Males who died	1044	50.9
M:F ratio	1.03	
Median age (years)	83	
Mean age (years)	81	
Age range (years)	17 - 105	

Table 3: Summary of deaths in all COVID-19 cases notified in Ireland between week 10 and week 48.






Figure 14a: Daily and 7-day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total between week 10 and week 48.

^{*} Date of death is not yet available for eight cases






Figure 14b: Daily and 7-day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total, between week 32 and week 48.

Please note: a lag in time between reporting of deaths and data extraction is expected and as such most recent dates will not yet reflect all deaths on that date.



Please refer to the Health Protection Surveillance (HPSC) website for specific reports on

- 14 Day report epidemiology of COVID-19 in Ireland
- Outbreaks/clusters in Ireland COVID-19 weekly report
- <u>Underlying Conditions</u> in confirmed cases of COVID-19 in Ireland weekly report
- <u>Healthcare Workers</u> in Ireland COVID-19 weekly report

Acknowledgements

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in these reports. This includes the HSE COVID-19 Contact Management Programme (CMP), staff in ICU units, notifying clinicians, laboratory staff, public health doctors, nurses, surveillance scientists, microbiologists and administrative staff.

Report prepared by COVID-19 Epidemiology Team, HPSC

Technical Notes



1. Data Source

• Data are based on statutory notifications and were extracted from Computerised Infectious Disease Reporting (CIDR) system at 13:26 on 20/09/2020. Data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.

2. Epidemiological date

• Epidemiological date is based on the earliest of dates available on the case and taken from date of onset of symptoms, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date or event creation date/notification date on CIDR. By using this date rather than event creation/ notification date, adjusts for any delays in testing/notification.

3. Population data

Population data were taken from Census 2016. Data were aggregated into the following age groups for the analysis: 0-4 years, 5-12 years, 13-18 years, 19-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years and ≥ 85 years.

Appendix 1: Epidemiological weeks, start and end dates, 2020

Note: Epidemiological week is from Sunday to Saturday in line with the <u>Infectious Disease Regulations 1981</u> and subsequent amendments

		~	
Year	Week	Start date	End date
2020	1	29/12/2019	04/01/2020
2020	2	05/01/2020	11/01/2020
2020	3	12/01/2020	18/01/2020
2020	4	19/01/2020	25/01/2020
2020	5	26/01/2020	01/02/2020
2020	6	02/02/2020	08/02/2020
2020	7	09/02/2020	15/02/2020
2020	8	16/02/2020	22/02/2020
2020	9	23/02/2020	29/02/2020
2020	10	01/03/2020	07/03/2020
2020	11	08/03/2020	14/03/2020
2020	12	15/03/2020	21/03/2020
2020	13	22/03/2020	28/03/2020
2020	14	29/03/2020	04/04/2020
2020	15	05/04/2020	11/04/2020
2020	16	12/04/2020	18/04/2020
2020	17	19/04/2020	25/04/2020
2020	18	26/04/2020	02/05/2020
2020	19	03/05/2020	09/05/2020
2020	20	10/05/2020	16/05/2020
2020	21	17/05/2020	23/05/2020
2020	22	24/05/2020	30/05/2020
2020	23	31/05/2020	06/06/2020
2020	24	07/06/2020	13/06/2020
2020	25	14/06/2020	20/06/2020
2020	26	21/06/2020	27/06/2020

Year	Week	Start date	End date
2020	27	28/06/2020	04/07/2020
2020	28	05/07/2020	11/07/2020
2020	29	12/07/2020	18/07/2020
2020	30	19/07/2020	25/07/2020
2020	31	26/07/2020	01/08/2020
2020	32	02/08/2020	08/08/2020
2020	33	09/08/2020	15/08/2020
2020	34	16/08/2020	22/08/2020
2020	35	23/08/2020	29/08/2020
2020	36	30/08/2020	05/09/2020
2020	37	06/09/2020	12/09/2020
2020	38	13/09/2020	19/09/2020
2020	39	20/09/2020	26/09/2020
2020	40	27/09/2020	03/10/2020
2020	41	04/10/2020	10/10/2020
2020	42	11/10/2020	17/10/2020
2020	43	18/10/2020	24/10/2020
2020	44	25/10/2020	31/10/2020
2020	45	01/11/2020	07/11/2020
2020	46	08/11/2020	14/11/2020
2020	47	15/11/2020	21/11/2020
2020	48	22/11/2020	28/11/2020
2020	49	29/11/2020	05/12/2020
2020	50	06/12/2020	12/12/2020
2020	51	13/12/2020	19/12/2020
2020	52	20/12/2020	26/12/2020
2020	53	27/12/2020	02/01/2021

