

Influenza, RSV and Other Respiratory Viruses Surveillance Report

Week 15-16 2024 (8th – 21st April 2024)



This report presents data on the epidemiology of influenza, respiratory syncytial virus (RSV) and other respiratory viruses (ORVs). For further information on the epidemiology of COVID-19, please refer to COVID-19 surveillance [reports](#). Data for this report were extracted on 22/04/2024.

Summary Week 15 and 16 2024

Most indicators of influenza activity were at low levels during weeks 15 and 16 2024. Influenza A viruses have predominated this season, with A(H3) and A(H1)pdm09 viruses co-circulating. In recent weeks, the proportion of circulating influenza B viruses has increased to 45% of all detections but numbers remain low.

- **Influenza-like illness (ILI):** The sentinel GP influenza-like illness (ILI) consultation rate was 2.5/100,000 population during week 16 2024 and 2.8/100,000 population during week 15 2024, which is below the Irish baseline threshold (18.1/100,000). ILI age specific rates have remained below the age specific baseline for all age groups since week 3 2024.
- **National Virus Reference Laboratory (NVRL):** Of 55 sentinel GP ARI specimens tested and reported by the NVRL during week 16 2024, 3 (5.5%) were positive for influenza (one A(H1)pdm09 and two B), and 7 (12.7%) for rhino/enterovirus. During week 15 2024, of 74 sentinel GP ARI specimens tested and reported by the NVRL, five (6.8%) were positive for influenza (one A(H3) and four B) and 10 (13.5%) for rhino/enterovirus.
- Of 126 non-sentinel respiratory specimens tested and reported by the NVRL during week 16 2024, four (3.2%) were positive for influenza (two A(H3), one A(H1)pdm09 and one influenza B), three (2.4 %) for SARS-CoV-2 and 18 (14.3%) for rhino/enterovirus. Of 169 non-sentinel respiratory specimens tested during week 15 2024, 12 (7.1%) were positive for influenza (three A(H3), three A(H1) pdm09 and six B), one (0.6 %) for SARS-CoV-2, two (1.2%) for RSV and 13 (7.7 %) for rhino/enterovirus.
- **GP Out of hours (OOHs):** Cough calls comprised 18.8% (1373/7299) of all reported GP OOHs calls during week 16 2024 (above the baseline threshold of 10.8%); 36.6% (502/1373) of cough calls were in those aged 0-4 years. Flu calls comprised 0.9% (69/7299) of all calls in week 16 2024, which is below the baseline threshold level (2.3%).
- **Influenza notifications:** 163 laboratory confirmed influenza cases were notified during week 16 2024: 4 A(H3), two A(H1)pdm09, 86 A (not subtyped) and 71 B. This is a decrease compared to 216 (8 A(H3), five A(H1)pdm09, 104 A (not subtyped) and 99 B) cases notified during week 15 2024. Influenza B accounted for 44% (71/163) of all notifications in week 16 2024 and 46% (99/216) in week 15 2024. The proportion of influenza B viruses has increased in recent weeks although the overall number of notifications remains low. The highest number of influenza notifications occurred in those aged 65 years and older at 26% (43/163) of all influenza notifications in week 16 2024.
- **RSV notifications:** Low numbers of sporadic RSV cases continue to be notified each week.
- **Hospitalisations:** 38 laboratory confirmed influenza hospitalised cases (two A(H3), one A(H1)pdm09, 23 A (not subtyped and 12 B) were notified in week 16 2024, compared to 36 (one A(H3), 23 A (not subtyped) and 12 B) in week 15 2024. The number and proportion of hospitalisations attributable to influenza B has been declining in recent weeks. During the 2023/2024 season to date, 3,988 laboratory confirmed influenza hospital inpatients were reported: 364 A(H3), 131 A(H1) pdm09, 3,161 A (not subtyped), 328 B, two A and B coinfections and two influenza A (H1)pdm09 and A(H3) coinfections. RSV hospitalisations remained at low levels during weeks 15 and 16 2024, with only sporadic cases notified. For the 2023/2024 season to date, 3,305 RSV hospitalisations were reported.
- **Intensive care admissions:** There was no laboratory confirmed influenza case admitted to intensive care unit (ICU) and notified to HPSC during week 16 and one influenza A (not subtyped) was notified during week 15 2024. For the season to date, 115 influenza ICU cases (32 A(H3), 17 A(H1)pdm09, 64 A (not subtyped) and two influenza B) were notified.
- **Mortality:** There were no deaths in influenza cases notified to HPSC during weeks 15 and 16 2024. For the season to date, 205 influenza deaths were reported – 48 A(H3), 16 A(H1)pdm09 and 138 A (not-subtyped) and three influenza B.
- **Outbreaks:** During weeks 15 and 16 2024, six ARI outbreaks (one human metapneumovirus in a nursing home, one coronavirus HQU1 in a residential institution, one coronavirus 229E in a nursing home and three unidentified pathogens other setting) and two influenza A (not subtyped) outbreaks (one in a nursing home and one in a community hospital) were reported to HPSC.
- **International:** In the EU/EEA during week 15 2024, influenza activity is steadily decreasing across the region.

1. GP consultations for influenza-like illness - GP sentinel surveillance system

- During week 16 2024, 21 sentinel GP influenza-like illness (ILI) consultations were reported from the Irish sentinel GP network, corresponding to an ILI consultation rate of 2.5 per 100,000 population which is below the sentinel GP ILI baseline threshold (18.1/100,000 population). This is similar to an updated rate of 2.8 per 100,000 population during week 15 2024 (Figure 1).
- Of the 98 GP practices in the Irish sentinel GP network, 90 reported clinical consultation data (including data on non-respiratory clinical consultations) during week 16 2024 and 15 practices reported ILI consultations.
- Age specific ILI consultation rates were below the age specific baseline thresholds in all age groups during weeks 15 and 16 2024 (Figure 2, Table 1).
- The Irish sentinel baseline ILI threshold for the 2023/2024 influenza season is 18.1 per 100,000 population. ILI rates above this baseline threshold combined with sentinel GP influenza positivity >10% indicate the likelihood that influenza is circulating in the community. The Moving Epidemic Method (MEM) is used to calculate thresholds for GP ILI consultations in a standardised approach across Europe. The baseline ILI threshold (18.1/100,000 population), low (57.5/100,000 population), medium (86.5/100,000 population) and high (103.6/100,000 population) intensity ILI thresholds are shown in Figure 1. The age specific baseline threshold for those aged <15 is 17.1/100,000, for those aged 15-64 is 12.6/100,000 and for those aged ≥65 years is 11.6/100,000.




Figure 1: Sentinel GP Influenza-like illness (ILI) consultation rates per 100,000 population, baseline, low, medium and high intensity ILI thresholds and number of positive influenza A and B specimens tested by the NVRL, by influenza week for the 2023/2024 season. Source: ICGP and NVRL




Figure 2: Age specific sentinel GP ILI consultation rate per 100,000 population by week (week 40 2023 to week 16 2024). *Source: ICGP.*

Table 1: Age specific sentinel GP ILI consultation rate per 100,000 population by week (week 40 2023 to week 16 2024), colour coded by sentinel GP ILI age specific Moving Epidemic Method (MEM) threshold levels. *Source: ICGP.*

MEM Threshold Levels	2023/2024																												
	40	41	42	43	44	45	46	47	48	49	50	51	52	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
All Ages	5.1	5.1	3.6	4.3	4.8	5.5	6.4	5.2	4.5	9.4	8.8	13.5	8.9	16.4	18.5	16.7	17.1	13.5	10.2	7.8	8.9	6.2	7.5	5.3	3.6	3.7	3.6	2.8	2.5
<15 yrs	4.0	4.0	3.4	3.4	4.0	5.1	11.2	6.7	4.4	14.4	10.0	18.8	8.3	9.6	10.7	16.4	19.1	8.9	8.1	8.7	4.9	3.8	6.7	1.3	0.6	3.9	2.3	1.7	2.3
15-64 yrs	6.1	4.6	3.9	3.9	4.8	6.2	4.9	5.2	4.9	7.7	8.8	12.6	8.4	18.9	20.7	17.0	17.0	13.2	11.5	7.9	10.2	6.8	8.6	6.6	4.9	4.2	4.4	2.9	2.8
≥65 yrs	1.6	8.7	2.4	6.4	5.6	2.4	5.5	2.3	2.3	8.5	6.2	7.8	7.8	13.5	18.1	14.5	12.3	17.6	6.1	5.3	8.3	6.1	3.1	4.5	2.3	0.8	1.6	3.2	1.6
Reporting practices (N=98)	92	94	92	90	92	93	94	96	95	96	95	97	97	96	95	94	94	98	97	98	97	97	96	84	95	93	93	92	90

2. Influenza and Other Respiratory Virus Detections - NVRL

The data reported in this section for the 2023/2024 influenza season refers to sentinel GP ARI and non-sentinel respiratory specimens routinely tested for influenza, SARS-CoV-2, respiratory syncytial virus (RSV), adenovirus, parainfluenza virus types 1-4 (PIV-1-4), human metapneumovirus (hMPV) and rhino/enteroviruses by the National Virus Reference Laboratory (NVRL) (Tables 2 & 3, Figure 3a, 3b, 4).

- A lag time with testing and reporting is noted for the most recent surveillance week.
- During week 16 2024, of 55 sentinel GP ARI specimens tested and reported by the NVRL, three (5.5%) were positive for influenza (one A(H1pdm09) and two B), seven (12.7%) for rhino/enterovirus and 3(5.5%).
- In comparison during week 15 2024, of 74 sentinel GP ARI specimens tested and reported by the NVRL, five (6.8%) were positive for influenza (one A(H3) and four B), 10 (13.5%) for rhino/enterovirus and nine (12.2%) hMPV.
- For the 2023/2024 season to date (week 40 2023 to week 16 2024), of 4,063 sentinel GP ARI specimens tested and reported by the NVRL, 785 (19.3%) were positive for influenza (435 A(H3), 192 A(H1)pdm09, 45 A (not subtyped) and 113 influenza B, 261 (6.4%) for RSV, 229 (5.6%) for SARS-CoV-2, and 617 (15.2%) for rhino/enterovirus (Table 4).
- During week 16 2024, of 126 non-sentinel respiratory specimens tested and reported by the NVRL, four (3.2%) were positive for influenza (two A(H3), one A(H1)pdm09 and one influenza B), three (2.4 %) for SARS-CoV-2, 18 (14.3%) for rhino/enterovirus and four(3.2%) hMPV.
- During week 15 2024 of 169 non-sentinel respiratory specimens tested, 12 (7.1%) were positive for influenza (three A(H3), three A(H1) pdm09 and six B), one (0.6 %) for SARS-CoV-2, two (1.2%) for RSV, 13 (7.7 %) for rhino/enterovirus and 15(8.9%) (Figure 3b) hMPV.
- For the 2023/2024 season to date (week 40 2023 to week 16 2024), of 6,964 non-sentinel respiratory specimens tested and reported by the NVRL, 1,526 (22%) were positive for influenza (1004 A(H3), 389 A(H1)pdm09, 63 A (not subtyped) and 70 influenza B), 285 (4.1%) for RSV, 420 (6.1%) for SARS-CoV-2, and 651 (9.3%) for rhino/enterovirus (Table 5).
- Other respiratory viruses (ORVs) are being detected at lower levels (Figure 3a and 3b).
- Of 2,311 sentinel GP ARI specimens and non-sentinel specimens positive for influenza and reported by the NVRL during the 2023/2024 season, 143 (6.2%) were coinfecting with other viruses.




Figure 3a: Percentage positive results for **sentinel GP ARI** specimens tested by the NVRL for influenza, SARS-CoV-2, RSV and other respiratory viruses by week specimen was taken for the 2023/2024 season. *Source: NVRL*




Figure 3b: Percentage positive results for **non-sentinel respiratory** specimens tested by the NVRL for influenza, SARS-CoV-2, RSV and other respiratory viruses by week specimen was taken for the 2023/2024 season. *Source: NVRL*




Figure 4: Number of positive influenza specimens (from sentinel GP ARI and non-sentinel respiratory sources) tested by the NVRL by influenza type/subtype and by week specimen was taken for the 2023/2024 season. *Source: NVRL*

Table 2: Number of sentinel GP ARI and non-sentinel respiratory specimens tested by the NVRL and positive **influenza** results, overall and by influenza type and subtype, for week 15 and week 16 2024, and the 2023/2024 Season. *Source: NVRL*

Surveillance period	Specimen type	Total tested	Number influenza positive	% Influenza positive	Influenza A				Influenza B			Total influenza B
					A(H1)pdm09	A(H3)	A (not subtyped)	Total influenza A	B (unspecified)	B Victoria lineage	B Yamagata lineage	
Week 16 2024	Sentinel GP ARI	55	3	5.5	1	0	0	1	2	0	0	2
	Non-sentinel respiratory	126	4	3.2	1	2	0	3	1	0	0	1
	Total	181	7	3.9	2	2	0	4	3	0	0	3
Week 15 2024	Sentinel GP ARI	74	5	6.8	0	1	0	1	4	0	0	4
	Non-sentinel respiratory	169	12	7.1	3	3	0	6	5	1	0	6
	Total	243	17	7.0	3	4	0	7	9	1	0	10
2023/2024	Sentinel GP ARI	4063	785	19.3	192	435	45	672	113	0	0	113
	Non-sentinel respiratory	6964	1526	21.9	389	1004	63	1456	55	15	0	70
	Total	11027	2311	21.0	581	1439	108	2128	168	15	0	183

Table 3: Number of sentinel GP ARI and non-sentinel respiratory specimens tested by the NVRL and positive **RSV** results, overall and by RSV type, for week 15 and week 16 2024, and the 2023/2024 Season. *Source: NVRL*

Surveillance period	Specimen type	Total tested	Number RSV positive	% RSV positive	RSV A	RSV B	RSV (unspecified)
Week 16 2024	Sentinel GP ARI	55	0	0.0	0	0	0
	Non-sentinel	126	0	0.0	0	0	0
	Total	181	0	0.0	0	0	0
Week 15 2024	Sentinel GP ARI	74	0	0.0	0	0	0
	Non-sentinel	169	2	1.2	2	0	0
	Total	243	2	0.8	2	0	0
2023/2024	Sentinel GP ILI/ARI	4063	261	6.4	196	65	0
	Non-sentinel	6964	285	4.1	220	64	1
	Total	11027	546	5.0	416	129	1

Table 4: Number and percentage positive sentinel GP ARI specimens by **respiratory virus**, week 15 and week 16 2024, and the 2023/2024 season. *Source: NVRL*

Virus	Week 16 2024 (N=55)		Week 15 2024 (N=74)		2023/2024 (N=4063)	
	Total positive	% positive	Total positive	% positive	Total positive	% positive
SARS-CoV-2	0	0.0	2	2.7	229	5.6
Influenza virus	3	5.5	5	6.8	785	19.3
Respiratory Syncytial Virus (RSV)	0	0.0	0	0.0	261	6.4
Rhino/enterovirus	7	12.7	10	13.5	617	15.2
Adenovirus	1	1.8	1	1.4	14	0.3
Bocavirus	2	3.6	2	2.7	23	0.6
Human metapneumovirus (hMPV)	3	5.5	9	12.2	120	3.0
Parainfluenza virus type 1 (PIV-1)	1	1.8	0	0.0	52	1.3
Parainfluenza virus type 2 (PIV-2)	0	0.0	0	0.0	11	0.3
Parainfluenza virus type 3 (PIV-3)	5	9.1	5	6.8	52	1.3
Parainfluenza virus type 4 (PIV-4)	0	0.0	0	0.0	42	1.0

Table 5: Number and percentage positive non-sentinel respiratory specimens, by **respiratory virus**, week 15 and week 16 2024, and the 2023/2024 season. *Source: NVRL*

Virus	Week 16 2024 (N=126)		Week 15 2024 (N=169)		2023/2024 (N=6964)	
	Total positive	% positive	Total positive	% positive	Total positive	% positive
SARS-CoV-2	3	2.4	1	0.6	420	6.0
Influenza virus	4	3.2	12	7.1	1526	21.9
Respiratory Syncytial Virus (RSV)	0	0.0	2	1.2	285	4.1
Rhino/enterovirus	18	14.3	13	7.7	651	9.3
Adenovirus	0	0.0	3	1.8	71	1.0
Bocavirus	2	1.6	2	1.2	31	0.4
Human metapneumovirus (hMPV)	4	3.2	15	8.9	190	2.7
Parainfluenza virus type 1 (PIV-1)	2	1.6	3	1.8	28	2.7
Parainfluenza virus type 2 (PIV-2)	2	1.6	1	0.6	16	0.2
Parainfluenza virus type 3 (PIV-3)	7	5.6	7	4.1	95	1.4
Parainfluenza virus type 4 (PIV-4)	0	0.0	0	0.0	28	0.4

3. Influenza genetic characterisation data

- The National Virus Reference Laboratory (NVRL) conducted genetic characterisation on 84 influenza positive cases detected between week 40 2023 and week 2 2024. This included 70 non-sentinel respiratory samples and 14 sentinel GP ARI samples. Of these, 55 were positive for influenza A(H3), 26 A(H1)pdm09 and three influenza B/Victoria viruses.
- Globally, all A(H1N1)pdm09 viruses detected recently descend from the 6B.1A.5a clade and therefore, new nomenclature has been introduced which drops the prefix 6B.1A. Clade 5a has split into two antigenically distinct clusters: Clade 5a.1 carries amino acid substitutions D187A, Q189E and is represented by the northern hemisphere 2020-2021 vaccine virus A/Guangdong-Maonan/SWL1536/2019 and Clade 5a.2 viruses carries amino acid substitutions K130N, N156K, A187D, L161I and V250A and is represented by the 2021/2022 and 2022/2023 northern hemisphere and 2021/2022 southern hemisphere vaccine virus A/Victoria/2570/2019.
- In Ireland the hemagglutinin genes of influenza A(H1)pdm09 viruses characterised (n=26) since week 40 2022 were all attributed to clade 5a.2a of which 13 (50%) was represented by A/Sydney/5/2021 and 13 (50%) of which clustered with 5a.2a.1 virus represented by AH1/Wisconsin/67/2022 virus. A/Sydney/5/2021 group carries the same amino acid substitutions as the A/Victoria/2570/2019 group but with additional HA1 K54Q, D94N, A186T, Q189E, E224A, R259K, T261A and K308R substitutions and AH1/Wisconsin/67/2022 carrying P137S, K142R, D260E and T277A substitutions in the haemagglutinin.
- Globally recent antigenic analysis of viruses collected post-September 2023 found most viruses within subclades 5a.2a and 5a.2a.1 were effectively inhibited by post-ferret antisera raised against the 2024 Southern Hemisphere and 2023/2024 Northern Hemisphere influenza vaccine strains. This includes all Irish influenza A(H1)pdm09 viruses sequenced, which fall into these subclades, indicating that these strains are well protected by the current influenza vaccines for both the Southern and Northern Hemisphere seasons.
- Worldwide, all A(H3) viruses detected recently belong to clade 3C.2a1b.2a which has split into two clades, 3C.2a1b.2a.1 and 3C.2a1b.2a.2. The new nomenclature drops the prefix 3C.2a1b.2a, renaming these clades as 1 and 2. In particular, clade 2 has evolved further into clade 2a carrying Y159N, T160I (-CHO), L164Q, N171K, S186D, D190N, P198S with an additional H156S amino acid substitution and represented by A/Darwin/9/2021 virus which was recommended for use 2022/2023 northern hemisphere vaccine composition. Clade 2a viruses have further evolved into subclades 2a.1, 2a.2, and 2a.3. In particular clades 2a.3a and 2a.3a.1 have been circulating in Europe since the beginning of this year's influenza season. 2a.3a viruses carry an amino acid substitution E50K and is represented by A/Finland/402/2023 virus, while 2a.3a.1 virus carry additional I140K, I223V amino acid substitutions and are represented by the A/Thailand/8/2022 virus.

- Among the A(H3) viruses n=55 characterised in Ireland up to week 2 2024, all were attributed to clade 2a.3a.1, represented by the A/Thailand/8/2022 virus and contained the signature amino acid substitutions characterised by this clade. The 2023/2024 Northern Hemisphere influenza vaccine strains effectively recognized many clade 2 viruses but showed reduced effectiveness against viruses with HA genes from subclades 2a.3a.1 such as A/Thailand/8/2022 virus which were observed in Ireland.
- In recent months, the influenza B/Victoria virus landscape has primarily consisted of viruses from clade V1A.3a.2, characterised by a set of signature amino acid substitutions and represented by the B/Austria/1359417/2021 virus the recommended vaccine virus for Northern and southern hemisphere. Additionally, there have been several notable subclades of the influenza B virus, each identified by unique amino acid substitutions that contribute to the genetic diversity of the virus, such as the B/Connecticut/01/2021, B/Catalonia/2279261NS/2023, and B/Moldova/2030521/2023 viruses.
- In Ireland, all three characterised influenza B/Victoria viruses up to week 48 were classified under clade V1A.3a.2, represented by B/Catalonia/2279261NS/2023 virus and characterised by its key amino acid substitutions of D197E and E183K. Antigenic analysis showed that the ferret antisera produced for the B/Austria/1359417/2021-like vaccines, designed for the 2024 Southern Hemisphere and the 2023/2024 Northern Hemisphere influenza seasons, effectively neutralized these V1A.3a.2 subclade viruses, confirming the vaccine's protection against these currently circulating strains.
- Genetic characterisation suggests that the current vaccine will protect against the influenza A(H1)pdm09 viruses circulating in Ireland, however there may be reduced effectiveness against A(H3) viruses.

4. GP Out-Of-Hours Surveillance

National data on calls to GP Out-of-Hours services in Ireland are collated by HPSC. Five out of 14 Out-of-Hours GP services currently participate in this programme. Records of calls with clinical symptoms self-reported as ‘flu’ or ‘cough’ are included in the analysis. This information may act as an early indicator of circulation of influenza viruses, SARS-CoV-2, or other respiratory viruses.

- Four out of five participating GP OOH services provided data for week 16 2024 and all five services provided data for week 15 2024.
- Out of a total of 7,299 calls made to the participating GP OOHs in week 16 2024:
 - 1,373 (18.8%) were for self-reported ‘cough’, which is above the baseline threshold of 10.8% for cough calls and is stable compared 17.3% (2059/11935) of calls in week 15 2024 (Figures 5 and 6). The greatest burden of cough calls was in those aged 0-4 years in weeks 15 and 16 2024 at 30.6% and 29.6% respectively.
 - 203 (1.2%) were for self-reported ‘flu’, which is below the baseline threshold of 2.3% for ‘flu’ calls (Figures 7 and 8). This is stable compared recent weeks.




Figure 5: Percentage of self-reported **COUGH** calls for all ages and by age group as a proportion of total calls to GP Out-of-Hours services by week of call for the 2023/2024 season. The baseline % cough calls for all ages calculated using the MEM method on historic data is shown. *Source: GP Out-Of-Hours services in Ireland (collated by HSE & ICGP).*




Figure 6: Number of self-reported **COUGH** calls for all ages and by age group to GP Out-of-Hours services by week of call for the 2023/2024 season. *Source: GP Out-Of-Hours services in Ireland (collated by HSE & ICGP).*




Figure 7: Percentage of self-reported **FLU** calls for all ages and by age group as a proportion of total calls to GP Out-of-Hours services by week of call for the 2023/2024 season. The baseline % flu calls for all ages calculated using the MEM method on historic data is shown. *Source: GP Out-Of-Hours services in Ireland (collated by HSE & ICGP)*




Figure 8: Number of self-reported FLU calls for all ages and by age group to GP Out-of-Hours services by week of call for the 2023/2024 season. *Source: GP Out-Of-Hours services in Ireland (collated by HSE & ICGP).*

5. Influenza & RSV notifications

Influenza and RSV case notifications are reported on Ireland’s Computerised Infectious Disease Reporting System (CIDR), including all laboratory-confirmed influenza/RSV specimens reported from all laboratories testing for influenza/RSV. Influenza and RSV notifications are reported in the [Weekly Infectious Disease Report for Ireland](#).

- 163 laboratory confirmed influenza cases were notified during week 16 2024 (Table 6); corresponding to an overall notification rate of 3.2/100,000 population: 4 A(H3), two A(H1)pdm09, 86 A (not subtyped) and 71 B. This is a decrease compared to 216 cases notified during week 15 2024 (8 A(H3), five A(H1)pdm09, 104 A (not subtyped) and 99 B. (Figure 10).
- The number of influenza notifications continues to decline for both influenza A and B. The number of influenza B cases decreased with 71 cases notified in week 16, compared to 99 in week 15.
- 16,172 laboratory confirmed influenza cases were notified for the 2023/2024 season to date (week 40 2023 to week 16 2024): 1,752 A(H3), 701 A(H1)pdm09, 12,180 A (not subtyped), 1,526 B and thirteen influenza coinfections.
- Notification rates decreased in all age groups during weeks 15 and 16 2024 (Figure 11).
- The number and rate of influenza notifications were highest in the Dublin and Northeast health region (Table 6).
- RSV notifications remain at low levels in weeks 15 and 16, with 19 and 12 cases notified each week, respectively (Figure 12).
- 7,783 RSV notifications have been reported for the 2023/2024 season to date.
- RSV notification rates were low in all age groups (Figure 13) and across all regions (Table 7) during weeks 15 and 16 2024.




Figure 9: Number of laboratory confirmed **Influenza** notifications to HPSC by week of notification, 2019/2020 to 2023/2024 seasons. *Source: Ireland’s Computerised Infectious Disease Reporting System*




Figure 10: Number of laboratory confirmed **influenza** notifications by influenza type/subtype and week for the 2023/2024 season. *Source: Ireland’s Computerised Infectious Disease Reporting System*




Figure 11: Age specific rates/100,000 population of laboratory confirmed **influenza** notifications to HPSC by week of notification for the 2023/2024 season. *Source: Ireland’s Computerised Infectious Disease Reporting System.*

Table 6: Number and rate per 100,000 population of laboratory confirmed **influenza** notifications by HSE Health Region for week 16 2024 and the 2023/2024 season to date. *Source: CIDR*

HSE Health Region	Week 16 2024		2023/2024 season (Week 40 2023 - Week 16 2024)	
	Number	Rate/100,000 population	Number	Rate/100,000 population
Dublin and North East	80	6.7	3975	334.9
Dublin and Midlands	22	2.0	3022	280.4
Dublin and South East	27	2.8	2889	297.5
South West	6	0.8	2129	287.5
Mid West	9	2.2	916	221.8
West and North West	19	2.5	3239	426.4
Unknown	0		2	
Total	163	3.2	16172	314.1




Figure 12: Number of laboratory confirmed RSV notifications to HPSC by week of notification, 2019/2020 to 2023/2024 seasons. *Source: Ireland’s Computerised Infectious Disease Reporting System.*




Figure 13: Age specific rates/100,000 population for laboratory confirmed RSV notifications to HPSC by week of notification for the 2023/2024 season. *Source: Ireland’s Computerised Infectious Disease Reporting System.*

Table 7: Number and rate/100,000 population of laboratory confirmed **RSV** notifications by HSE Health Region for week 16 2024 and the 2023/2024 season to date. *Source: CIDR*

HSE Health Region	Week 16 2024		2023/2024 season (Week 40 2023 - Week 16 2024)	
	Number	Rate/100,000 population	Number	Rate/100,000 population
Dublin and North East	8	0.7	1525	128.5
Dublin and Midlands	1	0.1	1646	152.7
Dublin and South East	0	0.0	1164	119.9
South West	0	0.0	954	128.8
Mid West	1	0.2	642	155.4
West and North West	2	0.3	1852	243.8
Total	12	0.2	7783	151.2

6. Hospitalisations

- During week 16 2024, 38 laboratory confirmed influenza hospital inpatients were notified (two A(H3), one A(H1)pdm09 23 A (not subtyped) and 12 B), compared to 36 (one A(H3), 23 A (not subtyped) and 12 B) in week 15 2024. (Figures 14 and 15).
- During the 2023/2024 season to date, 3,988 laboratory confirmed influenza hospital inpatients were reported: 364 A(H3), 131 A(H1)pdm09, 3,161 A (not subtyped), 328 B and two A and B coinfections and two influenza A(H1)pdm09 and A(H3) coinfections.
- Influenza B accounted for 32% (12/38) of all hospitalisations during week 16 2024 and 33% (12/36) in week 15 2024.
- During weeks 15 and 16 2024, the number and rate of age specific influenza hospitalisation rates were low in all age groups (Figure 16) (Table 8).
- RSV hospitalisations remained low during weeks 15 and 16 2024, seven laboratory confirmed RSV hospitalised cases were notified in week 16 2024 and four in week 15 2024 (Figure 17).
- 3,305 RSV hospitalisations were reported for the 2023/2024 season to date.
- The number of laboratory confirmed influenza and RSV notifications by patient type and week for the 2023/2024 season are reported in Tables 9 and 11.




Figure 14: Number of notified **influenza** hospital inpatients, by week of notification and season, for the 2019/2020 to 2023/2024 seasons. *Source: Ireland’s Computerised Infectious Disease Reporting System.*




Figure 15: Number of notified laboratory confirmed **influenza** hospital inpatients by influenza type/subtype by week for the 2023/2024 season. *Source: Ireland’s Computerised Infectious Disease Reporting System.*




Figure 16: Age specific rates/100,000 population for laboratory confirmed **influenza** cases reported as **hospital inpatients** by week of notification for the 2023/2024 season. *Source: Ireland's Computerised Infectious Disease Reporting System.*

Table 8: Number, percentage and rate per 100,000 population of notified laboratory-confirmed **influenza hospitalised cases notified** in week 16 2024 and the 2023/2024 season (week 40 2023 onwards). *Source: Ireland's Computerised infectious Disease Reporting System*

Age (years)	Hospitalised Week 16			Season to date (Week 40 2023 - Week 16 2024)		
	Number	% of all Hospitalisations	Rate/ 100,000	Number	% of all Hospitalisations	Rate/ 100,000
<1	1	2.6	1.7	118	3.0	204.2
1-4	4	10.5	1.7	441	11.1	185.6
5-14	4	10.5	0.6	490	12.3	68.4
15-24	2	5.3	0.3	163	4.1	25.3
25-34	2	5.3	0.3	227	5.7	36.1
35-44	5	13.2	0.6	253	6.3	31.8
45-54	2	5.3	0.3	206	5.2	28.9
55-64	4	10.5	0.7	331	8.3	57.1
≥65	14	36.8	1.8	1759	44.1	226.6
Total	38	100	0.7	3988	100	77.4

Table 9: Number of notified laboratory-confirmed **influenza** cases by patient type and week of notification 2023/2024 season (week 40 2023 onwards). *Source: Ireland's Computerised infectious Disease Reporting System*

	Patient Type							Total
	GP Patient	ED patient	Hospital Inpatient	Hospital Day Patient	Hospital Outpatient	Other	Unknown	
Week 16	4	70	38	2	6	4	39	163
Week 15	9	105	36	5	14	2	45	216
Week 14	8	134	49	4	10	7	16	228
Week 13	23	168	84	2	28	4	43	352
Week 12	30	183	91	1	21	4	52	382
Week 11	21	228	108	6	10	6	87	466
Week 10	26	176	92	3	24	9	28	358
Week 9	59	235	139	4	29	14	86	566
Week 8	74	408	183	6	30	5	133	839
Week 7	92	407	197	9	57	30	130	922
Week 6	75	544	259	9	71	18	114	1090
Week 5	130	645	275	8	50	30	242	1380
Week 4	139	683	399	12	82	47	200	1562
Week 3	117	591	344	16	49	32	134	1283
Week 2	111	803	318	17	55	30	110	1444
Week 1	95	809	444	14	73	28	161	1624
Week 52	56	450	246	11	33	14	65	875
Week 51	66	535	215	7	53	13	75	964
Week 50	40	309	205	5	35	3	35	632
Week 49	11	136	98	1	17	7	14	284
Week 48	19	63	56	1	11	6	14	170
Week 47	9	39	23	1	9	2	7	90
Week 46	8	28	16	0	5	1	5	63
Week 45	9	26	19	0	6	4	2	66
Week 44	2	15	16	1	1	0	1	36
Week 43	8	16	21	0	0	0	1	46
Week 42	8	9	9	0	1	0	1	28
Week 41	6	15	3	1	2	0	2	29
Week 40	0	6	5	0	3	0	0	14
Total	1255	7836	3988	146	785	320	1842	16172




Figure 17: Number of notified RSV hospitalised cases notified, by week of notification and season, for the 2019/2020 to 2023/2024 seasons. *Source: Ireland’s Computerised Infectious Disease Reporting System.*




Figure 18: Age specific notification rates/100,000 population for laboratory confirmed RSV hospitalised cases notified by week of notification for the 2023/2024 season. *Source: Ireland’s Computerised Infectious Disease Reporting System*

Table 10: Number, percentage and rate per 100,000 population of notified laboratory-confirmed RSV hospitalised cases notified in week 16 2024 and the 2023/2024 season (week 40 2023 onwards). *Source: Ireland's Computerised infectious Disease Reporting System*

Age (years)	Hospitalised (Week 16 2024)			Season to date (Week 40 2023 - Week 16 2024)		
	Number	% of all Hospitalisations	Rate/ 100,000 population	Number	% of all Hospitalisations	Rate/ 100,000 population
<1	0	0.0	0.0	1430	43.3	2474.2
1-4	2	40.0	0.8	896	27.1	377.1
5-14	0	0.0	0.0	189	5.7	26.4
15-24	0	0.0	0.0	29	0.9	4.5
25-34	1	20.0	0.2	31	0.9	4.9
35-44	0	0.0	0.0	39	1.2	4.9
45-54	0	0.0	0.0	50	1.5	7.0
55-64	0	0.0	0.0	93	2.8	16.0
≥65	2	40.0	0.3	548	16.6	70.6
Total	5	100	0.1	3305	100	64.2

Table 11: Number of notified laboratory confirmed RSV cases by patient type and week of notification, 2023/2024 season (week 40 2023 onwards). *Source: Ireland's Computerised infectious Disease Reporting System*

	Patient Type							Total
	GP Patient	ED patient	Hospital Inpatient	Hospital Day Patient	Hospital Outpatient	Other	Unknown	
Week 16	0	3	4	0	0	0	5	12
Week 15	0	8	7	0	1	1	2	19
Week 14	0	4	9	0	0	0	2	15
Week 13	1	6	4	0	0	0	5	16
Week 12	0	8	7	0	1	1	1	18
Week 11	0	10	11	0	1	1	3	26
Week 10	0	6	5	0	1	0	2	14
Week 9	1	10	7	4	0	1	3	26
Week 8	4	8	22	0	0	0	8	42
Week 7	6	12	14	1	0	1	13	47
Week 6	7	17	24	1	3	0	8	60
Week 5	3	18	31	2	1	1	20	76
Week 4	16	55	50	3	7	6	18	155
Week 3	18	60	67	2	9	26	29	211
Week 2	14	115	109	7	10	12	36	303
Week 1	17	144	158	10	14	16	106	465
Week 52	7	136	136	7	5	17	34	342
Week 51	33	263	274	8	13	9	71	671
Week 50	33	325	350	6	33	12	39	798
Week 49	26	343	352	8	19	9	68	825
Week 48	20	479	376	11	15	11	72	984
Week 47	14	283	342	3	18	17	52	729
Week 46	7	258	296	8	8	1	37	615
Week 45	7	166	246	5	6	2	22	454
Week 44	6	212	187	3	12	3	10	433
Week 43	2	74	94	0	4	2	21	197
Week 42	2	32	69	2	1	6	8	120
Week 41	1	23	33	1	1	1	7	67
Week 40	1	15	21	1	2	0	3	43
Total	246	3093	3305	93	185	156	705	7783

7. Intensive Care Surveillance

The Intensive Care Society of Ireland (ICSI) and the HSE Critical Care Programme conducts enhanced surveillance (established during the 2009 pandemic), on all intensive care patients with laboratory confirmed influenza. HPSC processes and reports on this information on behalf of the regional Directors of Public Health/Medical Officers of Health.

- There was one laboratory confirmed influenza (not subtyped) case admitted to intensive care unit (ICU) and notified to HPSC during week 15 2024 and none during week 16 2024.
- One-hundred and fifteen influenza cases (113 influenza A (32 A(H3), 17 A(H1)pdm09 and 64 A (not subtyped)), two influenza B) have been notified for the season to date (weeks 40 2023- 16 2024).

Table 12: Cumulative number and age specific rate per 100,000 population of laboratory confirmed notified influenza hospitalised and intensive care cases, week 40 2023 – week 16 2024. *Source: Ireland's Computerised infectious Disease Reporting System*

Age-group (years)	Hospitalised		Admitted to ICU	
	Number	Rate/100,000 population	Number	Rate/100,000 population
<1	118	204.2	4	6.9
1-4	441	185.6	4	1.7
5-14	490	68.4	8	1.1
15-24	163	25.3	3	0.5
25-34	227	36.1	5	0.8
35-44	253	40.3	5	0.6
45-54	206	28.9	17	2.4
55-64	331	57.1	21	3.6
≥65	1759	226.6	48	6.2
Total	3988	77.4	115	2.2

8. Mortality Surveillance

Influenza deaths include all deaths in notified influenza cases. HPSC receives daily mortality data from the General Register Office (GRO) on all deaths from all causes registered in Ireland. These data have been used to monitor excess all-cause and influenza and pneumonia mortality as part of the influenza surveillance system and the European Mortality Monitoring Project. Excess mortality analyses are corrected for reporting delays with the standardised EuroMOMO algorithm. Due to delays in death registrations in Ireland, excess mortality data included in this report are reported with a one-week lag time. These data are provisional due to the time delay in deaths' registration in Ireland. <http://www.euromomo.eu/>

- There were no deaths in notified influenza cases reported to HPSC during weeks 15 and 16 2024.
- For the season to date (weeks 40 2023 - 16 2024), 205 deaths in notified influenza cases; 48 A(H3), 16 A(H1)pdm09, 138 A (not-subtyped) and three influenza B.
- There was no excess all-cause mortality for the entire population reported for week 15 2024.

9. Outbreak Surveillance

In this surveillance report, ARI outbreaks refer to outbreaks of acute respiratory infection caused by pathogens other than influenza, SARS-CoV-2 or RSV. COVID-19 outbreaks are not included in this report; surveillance data on COVID-19 outbreaks are detailed on the HPSC website. <https://www.hpsc.ie/a-z/respiratory/coronavirus/novelcoronavirus/casesinireland/>

- During week 16 2024, three ARI outbreaks (one (hMPV) in a nursing home and two unidentified pathogens in community hospital and other settings) were notified to HPSC (Tables 13 & 14).
- During week 15 2024, two influenza A (not subtyped) outbreaks (one in a nursing home and one in a community hospitals) and three ARI outbreaks (one coronavirus 229E in a nursing home, one coronavirus HQU1 in a residential institution and one unidentified pathogen in a hospital) were reported to HPSC.
- There have been 309 ARI/influenza/RSV (excluding COVID-19) outbreaks notified to HPSC to date this season, including 223 influenza outbreaks, 37 RSV outbreaks and 49 other ARI outbreaks.

Table 13: Summary of influenza, RSV and other ARI (influenza/RSV/SARS-CoV-2 negative) outbreaks by HSE Health Region during week 16 2024 and the 2023/2024 season (week 40 2023 – week 16 2024) *Source: CIDR*

HSE Health Region	Influenza		RSV		ARI		Total	
	Week 16	2023/2024	Week 16	2023/2024	Week 16	2023/2024	Week 16	2023/2024
Dublin and North East	0	37	0	7	2	25	2	69
Dublin and Midlands	0	33	0	12	0	0	0	45
Dublin and South East	0	49	0	3	0	11	0	63
South West	0	28	0	1	0	5	0	34
Mid West	0	9	0	3	0	0	0	12
West and North West	0	66	0	9	1	8	1	83
Unknown	0	1	0	2	0	0	0	3
Total	0	223	0	37	3	49	3	309

Table 14: Summary of influenza, RSV and other ARI (influenza/RSV/SARS-CoV-2 negative) outbreaks by outbreak setting during week 16 2024 and the 2023/2024 season (week 40 2023 – week 16 2024). *Source: CIDR*

Setting	Influenza		RSV		ARI		Total	
	Week 16	2023/2024	Week 16	2023/2024	Week 16	2023/2024	Week 15	2023/2024
Community hospital/Long-stay unit	0	18	0	2	1	4	1	24
Nursing Home	0	81	0	15	1	33	1	129
Hospital	0	72	0	10	0	1	0	83
Residential Institution	0	27	0	4	0	6	0	37
Childcare facility	0	2	0	2	0	0	0	4
Other settings	0	23	0	4	1	5	1	32
Total	0	223	0	37	3	49	3	309

10. International Summary

According to the [European Respiratory Virus Surveillance Summary](#), in the WHO European region during week 15 2024 (including data up to 14/04/2024), influenza activity is steadily decreasing; all three influenza virus types/subtypes - A(H1)pdm09, A(H3) and B - are co-circulating, A(H1)pdm09 continues to be dominant in most countries. While the proportion of influenza B detections has increased relative to type A, influenza B detections remain low overall. During the 2023/2024 season, RSV activity began increasing around week 41, reaching a peak in week 50 and has been declining to baseline levels in recent weeks.

As of 14th April 2024, WHO has reported that globally influenza detections continue to decrease in most countries in the Northern Hemisphere. In the countries of North Africa and Central America and the Caribbean, small increases were reported. Influenza A(H1N1)pdm09 viruses predominated among the subtyped influenza A viruses, with differences by influenza transmission zone. Influenza activity in the Southern Hemisphere is generally low, although South America reported increases in activity recently. Detections of influenza A viruses predominate with differences by influenza transmission zone.

See [ECDC](#) and [WHO](#) influenza surveillance reports for further information.

11. WHO recommendations on the composition of influenza virus vaccines

The WHO vaccine strain selection committee recommends that quadrivalent egg-based vaccines for use in the 2024/2025 northern hemisphere influenza season contain the following:

- an A/Victoria/4897/2022 (H1N1)pdm09-like virus;
- an A/Thailand/8/2022 (H3N2)-like virus; and
- a B/Austria/1359417/2021 (B/Victoria lineage)-like virus.

[Recommended composition of influenza virus vaccines for use in the 2024-2025 northern hemisphere influenza season \(who.int\)](#)

- Further information on influenza is available on the following websites:
 - European respiratory virus surveillance summary <https://erviss.org/>
 - Europe – ECDC <http://ecdc.europa.eu/>
 - UK Health Security Agency <https://www.gov.uk/government/collections/weekly-national-flu-reports>
 - United States CDC <http://www.cdc.gov/flu/weekly/fluactivitysurv.htm>
 - Public Health Agency of Canada <http://www.phac-aspc.gc.ca/fluwatch/index-eng.php>
- Influenza case definition in Ireland <https://www.hpsc.ie/a-z/respiratory/influenza/casedefinitions/>
- COVID-19 case definition in Ireland <https://www.hpsc.ie/a-z/respiratory/coronavirus/novelcoronavirus/casedefinitions/>
- Avian influenza overview May – August 2020 <https://www.ecdc.europa.eu/en/publications-data/avian-influenza-overview-may-august-2020>
- Avian influenza: EU on alert for new outbreaks <https://www.ecdc.europa.eu/en/news-events/avian-influenza-eu-alert-new-outbreaks>
- Information on COVID-19 in Ireland is available on the HPSC website <https://www.hpsc.ie/a-z/respiratory/coronavirus/novelcoronavirus/>
- The WHO categorised COVID-19 as a pandemic on 11 March 2020. For more information about the situation in the WHO European Region visit:
 - WHO website: <https://www.who.int/emergencies/diseases/novel-coronavirus-2019>

- ECDC website: <https://www.ecdc.europa.eu/en/novel-coronavirus-china>

Further information on influenza in Ireland is available at www.hpsc.ie

Acknowledgements

This report was prepared by the HPSC influenza epidemiology team: Nancy Somi, Eva Kelly, Adele McKenna, Karen O'Reilly, Amy Griffin, Pamela Lima, Maureen O'Leary, Lisa Domegan and Joan O'Donnell. HPSC wishes to thank the sentinel GPs, the ICGP, NVRL, Departments of Public Health, ICSI and HSE-Healthlink for providing data for this report.