

Summary Immunisation Uptake Statistics

The immunisation uptake data presented relate to children who reached their first or second birthday (uptake at 12 and 24 months, respectively) during the quarter in question and who have received the following (as appropriate i.e. depending on their age/birth cohort):

BCG- one dose of BCG vaccine

D₃ - three doses of vaccine against diphtheria

HepB₃- three doses of vaccine against hepatitis B

Hib₃- three doses of vaccine against *Haemophilus influenzae* type b

Hib_b-one booster dose of vaccine against *Haemophilus influenzae* type b on or after 12 months of age

MenC₂- two doses of vaccine against meningococcal group C

MenC₃- three doses of vaccine against meningococcal group C

P₃- three doses of vaccine against pertussis

PCV₂- two doses of pneumococcal conjugate vaccine

PCV₃- three doses of pneumococcal conjugate vaccine

Polio₃- three doses of vaccine against polio

MMR₁- one dose of vaccine against measles, mumps and rubella

T₃- three doses of vaccine against tetanus

Please see www.immunisation.ie and for complete information on the Irish childhood immunisation schedule.

Please see www.hpsc.ie for detailed quarterly and annual immunisation uptake reports.

National Immunisation Uptake Statistics at 12 months

Uptake at 12 months ~ ROI										
	BCG*	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q3 2000		77	76	77	77	77				
Q4 2000		76	74	76	76	76				
Q1 2001		74	73	74	74	74				
Q2 2001		67	65	67	67	67				
Q3 2001		67	66	67	68	67				
Q4 2001		70	68	70	69	69				
Q1 2002		72	71	72	72	71		68		
Q2 2002		72	71	72	72	72		73		
Q3 2002		77	76	77	77	77		76		
Q4 2002		79	79	79	79	79		78		
Q1 2003		80	80	80	80	80		81		
Q2 2003		80	79	80	80	80		80		
Q3 2003	87	81	80	81	81	81		80		
Q4 2003	91	82	81	82	82	82		81		
Q1 2004	88	82	81	82	82	81		81		
Q2 2004	90	82	82	82	82	82		82		
Q3 2004	92	84	84	84	84	84		83		
Q4 2004	93	84	84	84	84	84		84		
Q1 2005	92	84	84	84	84	84		83		
Q2 2005	94	84	83	84	84	84		83		
Q3 2005	92	86	86	86	86	86		86		
Q4 2005	93	87	87	87	87	87		87		
Q1 2006	94	85	85	85	85	85		85		
Q2 2006	92	86	86	86	86	86		86		
Q3 2006	92	86	86	86	86	86		85		
Q4 2006	94	87	87	87	86	87		86		
Q1 2007	93	86	86	86	86	86		86		
Q2 2007	94	87	87	87	87	87		87		
Q3 2007	92	87	87	87	87	87		87		
Q4 2007	93	88	88	88	87	88		87		
Q1 2008	94	87	87	87	87	87		87		
Q2 2008	93	88	88	88	88	88		87		
Q3 2008†	94	89	89	89	89	89		88		
Q4 2008	93	89	89	89	89	89		89		
Q1 2009‡	95	88	88	88	88	88		87		
Q2 2009	96	88	88	88	88	88		86		
Q3 2009§	96	90	90	90	90	90	89		89	89
Q4 2009	95	89	89	89	89	89	89		89	89
Q1 2010¶	96	89	89	89	89	89	89		88	89
Q2 2010**	97	89	89	89	89	89	89		89	89
Q3 2010	95	90	90	90	90	90	90		89	89
Q4 2010††	93	89	89	89	89	89	89		89	89
Q1 2011	93	90	90	90	90	90	90		89	89
Q2 2011	93	90	90	90	90	90	90		89	90
Q3 2011	79	91	91	91	91	91	91		90	90
Q4 2011	80	90	90	90	90	90	90		90	90

* BCG uptake data were available for only five of the eight HSE-Areas (this includes data from the HSE-Southern Area which relates to Kerry data only) from Q3 2003 to Q2 2009, for three HSE-Areas in Q3 2009, for two HSE-Areas in Q4 2009, for three HSE-Areas in Q1 2010 and Q2 2010, from five HSE-Areas in Q4 2010, Q1 2011 and Q2 2011 and from six HSE-Areas in Q3 2011.

† MenC₃ uptake figures were only available for six of the eight HSE Areas in Q3-2008

‡ The Q1 2009 HSE-Eastern Area D₃, T₃, P₃ and Polio₃ uptake data do not include those born on the 31/03/2008

§ In Q3 2009 the HSE-Eastern Area were unable to provide MenC₂ and PCV₂ data; the HSE-Midland and Southern Areas were unable to provide data; and the HSE-Mid Western Area were unable to provide MenC₂ data. BCG uptake data were available for three of the eight HSE-Areas only.

|| In Q4 2009 the HSE-Midland, Mid-Western and Southern Areas were not in a position to provide data

¶ In Q1 2010 the HSE-Midland and Southern Areas were not in a position to provide data and the HSE-Mid Western Area were not in a position to provide MenC₂ data

**In Q2 2010 the HSE-Midland and Southern Areas were not in a position to provide data

††In Q4 2010 the HSE-North Eastern Area were not in a position to provide data

National Immunisation Uptake Statistics at 24 months

Uptake at 24 months - ROI										
	D ₃	P ₃	T ₃	Hib ₃	Hib ₆	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 1999	86	83	86	86		86				79
Q2 1999	86	82	86	86		86				77
Q3 1999	86	81	86	85		86				76
Q4 1999	86	82	86	85		86				76
Q1 2000	85	82	85	85		85				76
Q2 2000	85	82	85	85		85				77
Q3 2000	87	83	87	86		86				80
Q4 2000	87	83	87	86		87				83
Q1 2001	85	82	85	85		85				79
Q2 2001	86	83	86	85		85				75
Q3 2001	83	81	83	83		83				70
Q4 2001	83	80	83	82		83				69
Q1 2002	83	81	83	82		83				70
Q2 2002	83	81	83	82		82				72
Q3 2002	83	81	83	82		82		71		73
Q4 2002	85	83	85	84		84		79		75
Q1 2003	85	84	85	85		85		81		77
Q2 2003	86	85	86	85		86		83		77
Q3 2003	87	86	87	87		87		85		80
Q4 2003	87	86	87	87		87		86		80
Q1 2004	88	88	88	88		88		87		80
Q2 2004	89	88	89	89		89		87		81
Q3 2004	90	89	90	89		90		88		81
Q4 2004	91	90	91	90		90		89		83
Q1 2005	90	90	90	90		90		89		83
Q2 2005	90	90	90	90		90		89		83
Q3 2005	91	90	91	91		91		90		84
Q4 2005 *	91	90	91	90		91		89		88
Q1 2006 †	91	91	91	91		91		90		86
Q2 2006	91	90	91	90		91		90		86
Q3 2006	91	91	91	91		91		91		86
Q4 2006	92	92	92	92		92		91		86
Q1 2007 ‡	91	91	91	91	77	91		91		86
Q2 2007	91	91	91	91	73	91		91		86
Q3 2007 §	93	92	93	92	73	92		92		88
Q4 2007	93	93	93	92	73	93		92		88
Q1 2008	92	92	92	92	78	92		92		88
Q2 2008 ¶	93	93	93	93	82	93		92		89
Q3 2008 § ¶	93	93	93	93	83	93		93		89
Q4 2008	94	94	94	93	86	94		93		90
Q1 2009 **	93	93	93	93	86	93		93		90
Q2 2009 ††	94	94	94	93	88	94		93		90
Q3 2009	94	94	94	94	89	94		93		91
Q4 2009 ‡‡	93	93	93	93	87	93		93		90
Q1 2010 §	94	94	94	93	87	94		93		90
Q2 2010 ^	94	94	94	93	87	94		91		90
Q3 2010	94	94	94	94	84	94	93	80	88	90
Q4 2010 &	94	94	94	94	84	94	94	82	89	90
Q1 2011	95	95	95	95	86	95	94	83	90	91
Q2 2011	95	95	95	95	87	95	95	83	90	91
Q3 2011	96	96	96	95	88	96	95	85	91	93
Q4 2011	95	95	95	95	90	95	95	85	91	92

* In Q4-2005 only seven of the eight HSE-Areas were in a position to provide MMR₁ data

† The Q1-2006 MMR₁ figure includes the HSE-Eastern MMR₁ uptake figure, which is an estimate only (due to technical problems with extracting MMR₁ data from the HSE-Eastern Area database)

‡ In Q1-2007 only seven out of the eight HSE Areas were in a position to provide Hib₆ data; the HSE-North Western Hib₆ figures were revised since the Q1-2007 report was first produced and consequently the national Hib₆ figure for Q1-2007 was revised (national figure previously reported as 76%)

§ Only seven out of the eight HSE Areas only were in a position to provide Hib₆ data

|| In Q1-2008 the HSE-South Eastern Area changed their Hib₆ data extraction method compared to previous quarters; in Q1-2008 the uptake of Hib₆ in the HSE-South Eastern Area was 83% compared to 53% in Q4-2007.

¶ In Q3-2008 only six out of the eight HSE Areas were in a position to provide MenC₃ data

** The Q1 2009 HSE-Eastern Area D₃, T₃, P₃ and Polio₃ uptake data do not include those born on the 31/03/2007

†† Q2 2009 Hib₆ uptake figures do not include HSE-Eastern Area Dublin North Hib₆ uptake

‡‡ In Q4 2009 the HSE Mid Western Area were not in a position to provide data and Dublin North were unable to provide Hib₆ data.

§ In Q1 2010 the HSE Midland and Southern Areas were not in a position to provide data and Dublin North were unable to provide Hib₆ data

^ In Q2 2010 the HSE Midland Area were not in a position to provide data

& In Q4 2010 the HSE North Eastern Area were not in a position to provide data

Immunisation Uptake Statistics at 12 months by HSE Area

Uptake at 12 months – HSE-Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q3 2000		75	73	75	75	75				
Q4 2000		73	72	73	73	73				
Q1 2001		69	67	69	69	69				
Q2 2001		53	52	53	53	53				
Q3 2001		61	60	61	60	59				
Q4 2001		60	59	60	60	59				
Q1 2002		63	63	63	63	61	60			
Q2 2002		63	63	63	64	63	68			
Q3 2002		71	70	71	70	70	69			
Q4 2002		75	75	75	75	75	74			
Q1 2003		77	77	77	77	77	80			
Q2 2003		76	76	76	76	76	78			
Q3 2003	na	76	76	76	76	77	76			
Q4 2003	na	79	78	79	78	78	78			
Q1 2004	na	78	78	78	78	78	77			
Q2 2004	na	78	78	78	78	78	78			
Q3 2004	na	79	79	79	79	79	79			
Q4 2004	na	81	81	81	81	81	80			
Q1 2005	na	79	79	79	79	79	78			
Q2 2005	na	78	78	78	78	78	77			
Q3 2005	na	82	82	82	82	82	82			
Q4 2005	na	84	84	84	84	84	84			
Q1 2006	na	80	80	80	80	80	80			
Q2 2006	na	82	82	82	82	83	82			
Q3 2006	na	82	82	82	82	82	82			
Q4 2006	na	83	83	83	83	83	83			
Q1 2007	na	85	85	85	85	85	84			
Q2 2007	na	86	86	86	86	86	86			
Q3 2007	na	86	86	86	86	86	86			
Q4 2007	na	87	87	87	87	87	87			
Q1 2008	na	86	86	86	86	86	86			
Q2 2008	na	88	88	88	88	88	87			
Q3 2008	na	88	88	88	88	88	na			
Q4 2008	na	87	87	87	87	87	87			
Q1 2009*	na	86	86	86	85	86	85			
Q2 2009	na	86	86	86	86	86	82			
Q3 2009	na	89	89	89	89	89	88	na	na	
Q4 2009	na	88	88	88	87	88	87	87	87	
Q1 2010	na	86	86	86	86	86	86	86	86	
Q2 2010	na	87	87	87	87	87	87	87	87	
Q3 2010	na	89	89	89	89	89	89	88	89	
Q4 2010	na	88	88	88	88	88	87	87	88	
Q1 2011	na	89	89	89	89	89	89	89	89	
Q2 2011	na	88	88	88	88	88	88	88	88	
Q3 2011	na	90	90	90	90	90	90	89	89	
Q4 2011	na	88	88	88	88	88	88	88	88	

*The Q1 2009 HSE-Eastern Area D₃, T₃, P₃ and Polio₃ uptake data do not include those born on the 31/03/2008

Uptake at 12 months – HSE-North Western Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q3 2000		69	**	69	69	69				
Q4 2000		74	**	74	74	74				
Q1 2001		71	**	71	71	71				
Q2 2001		83	**	83	83	82				
Q3 2001		82	**	82	82	80				
Q4 2001		80	**	80	79	78				
Q1 2002		81	81	81	81	81		73		
Q2 2002		84	84	84	82	84		79		
Q3 2002		87	84	87	87	87		87		
Q4 2002		87	86	87	87	87		86		
Q1 2003		87	85	87	86	87		84		
Q2 2003		89	88	89	89	89		86		
Q3 2003	89	89	88	89	88	89		87		
Q4 2003	94	89	88	89	89	89		86		
Q1 2004	89	89	89	89	88	89		89		
Q2 2004	92	89	89	89	89	89		89		
Q3 2004	93	91	90	91	91	91		90		
Q4 2004	90	88	88	88	88	88		87		
Q1 2005	91	90	89	90	89	90		89		
Q2 2005	89	90	90	90	90	90		89		
Q3 2005	88	90	90	90	90	90		89		
Q4 2005	93	91	90	91	90	91		89		
Q1 2006	91	90	90	90	89	90		89		
Q2 2006	94	92	92	92	92	92		91		
Q3 2006	93	92	91	92	91	91		91		
Q4 2006	92	94	94	94	93	94		92		
Q1 2007	95	93	93	93	93	93		92		
Q2 2007	95	92	92	92	92	92		91		
Q3 2007	93	90	90	90	90	90		89		
Q4 2007	92	91	91	91	91	91		90		
Q1 2008	94	92	92	92	91	91		91		
Q2 2008	93	92	92	92	92	92		91		
Q3 2008	95	92	92	92	92	92		91		
Q4 2008	94	94	94	94	94	94		93		
Q1 2009	95	94	94	94	94	94		94		
Q2 2009	94	92	92	92	92	92		88		
Q3 2009	95	91	91	91	92	91		91	90	91
Q4 2009	95	90	90	90	90	90		89	89	90
Q1 2010	95	93	93	93	93	93		92	92	93
Q2 2010	96	93	93	93	0	93		93	93	93
Q3 2010	95	93	93	93	93	93		93	93	93
Q4 2010	96	94	94	94	94	94		93	93	93
Q1 2011	95	94	94	94	94	94		94	93	94
Q2 2011	96	94	94	94	94	94		94	93	94
Q3 2011	95	94	94	94	93	94		93	93	94
Q4 2011	95	92	92	92	92	92		92	92	93

** Uptake cannot be accurately calculated as DTaP/DT provided as combined value

Immunisation Uptake Statistics at 12 months by HSE Area continued

Uptake at 12 months - HSE-Mid Western Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q3 2000		74	72	74	74	74				
Q4 2000		72	71	72	72	72				
Q1 2001		77	74	77	74	74				
Q2 2001		69	67	69	69	69				
Q3 2001		64	62	64	64	63				
Q4 2001		70	68	70	70	70				
Q1 2002		78	76	78	77	77		76		
Q2 2002		81	80	81	80	81		80		
Q3 2002		86	85	86	86	86		87		
Q4 2002		86	85	86	85	86		85		
Q1 2003		80	79	80	80	80		79		
Q2 2003		82	81	82	82	82		80		
Q3 2003		88	82	82	82	82		82		
Q4 2003	91	86	86	86	86	86		86		
Q1 2004	88	85	85	85	85	85		85		
Q2 2004	85	86	85	86	86	86		86		
Q3 2004	92	88	88	88	88	88		88		
Q4 2004	93	86	86	86	86	86		85		
Q1 2005	95	86	86	86	86	86		85		
Q2 2005	95	86	86	86	86	86		86		
Q3 2005	90	87	87	87	87	87		87		
Q4 2005	92	88	88	88	88	88		88		
Q1 2006	93	88	88	88	88	88		88		
Q2 2006	91	90	90	90	90	90		90		
Q3 2006	92	88	88	88	88	88		88		
Q4 2006	97	89	89	89	89	89		89		
Q1 2007	97	88	88	88	88	88		88		
Q2 2007	97	88	88	88	88	88		88		
Q3 2007	97	90	90	90	90	90		90		
Q4 2007	98	89	89	89	89	89		89		
Q1 2008	97	89	89	89	89	89		89		
Q2 2008	95	89	89	89	89	89		88		
Q3 2008	97	90	90	90	90	90		na		
Q4 2008	97	91	91	91	91	91		91		
Q1 2009	96	89	89	89	89	89		89		
Q2 2009	97	91	91	91	91	91		88		
Q3 2009	97	92	92	92	92	92		na	na	92
Q4 2009	na	na	na	na	na	na	na	na	na	na
Q1 2010	97	92	92	92	92	92	92	na	na	92
Q2 2010	99	92	92	92	92	92	92	92	92	92
Q3 2010	96	92	92	92	92	92	92	92	92	92
Q4 2010	96	93	93	93	93	93	93	93	93	93
Q1 2011	96	91	91	91	91	91	91	91	91	92
Q2 2011	97	93	93	93	93	93	93	93	93	93
Q3 2011	97	92	92	92	92	92	92	92	92	92
Q4 2011	98	93	93	93	93	93	93	93	93	93

Uptake at 12 months - HSE-Southern Area										
	BCG†	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q3 2000		na	na	na	na	na				
Q4 2000		78	76	78	78	78				
Q1 2001		76	74	76	76	75				
Q2 2001		73	70	73	72	72				
Q3 2001		68	66	68	69	67				
Q4 2001		76	74	76	75	75				
Q1 2002		77	76	77	77	77		74		
Q2 2002		76	75	76	75	76		74		
Q3 2002		78	77	78	78	78		77		
Q4 2002		79	78	79	79	79		78		
Q1 2003		84	84	84	84	84		84		
Q2 2003		81	80	81	81	81		80		
Q3 2003	88	84	83	84	84	84		83		
Q4 2003	85	81	81	81	81	81		81		
Q1 2004	83	83	82	83	83	81		83		
Q2 2004	86	82	82	82	82	82		82		
Q3 2004	na	84	83	84	83	83		83		
Q4 2004	89	85	85	85	85	85		84		
Q1 2005	90	84	84	84	84	84		83		
Q2 2005	91	85	85	85	85	85		85		
Q3 2005	92	85	85	85	85	85		85		
Q4 2005	87	86	86	86	86	86		86		
Q1 2006	86	87	87	87	87	87		86		
Q2 2006	88	86	86	86	86	86		86		
Q3 2006	87	87	87	87	87	87		86		
Q4 2006	90	87	87	87	87	87		86		
Q1 2007	90	84	84	84	84	84		84		
Q2 2007	93	84	84	84	84	84		83		
Q3 2007	88	83	83	83	83	83		83		
Q4 2007	90	85	85	85	85	85		84		
Q1 2008	91	83	83	83	83	83		83		
Q2 2008	92	84	84	84	84	84		84		
Q3 2008	90	86	86	86	86	86		87		
Q4 2008	88	87	87	87	87	87		87		
Q1 2009	91	86	86	86	86	86		86		
Q2 2009	94	85	85	85	85	85		85		
Q3 2009	na	na	na	na	na	na	na	na	na	na
Q4 2009	na	na	na	na	na	na	na	na	na	na
Q1 2010	na	na	na	na	na	na	na	na	na	na
Q2 2010	na	na	na	na	na	na	na	na	na	na
Q3 2010	na	88	88	88	89	88	88	85	85	85
Q4 2010	88	86	86	86	86	86	86	86	86	86
Q1 2011	87	87	87	87	87	87	87	83	83	83
Q2 2011	88	89	89	89	89	89	89	85	85	85
Q3 2011	91	89	89	89	89	89	88	85	84	84
Q4 2011	92	91	91	91	91	91	90	89	88	88

†HSE-Southern - part coverage of neonatal BCG (i.e. Kerry only) from Q3 2003 to Q2 2009

Immunisation Uptake Statistics at 12 months by HSE Area continued

Uptake at 12 months – HSE-North Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q3 2000		na	na	na	na	na				
Q4 2000		na	na	na	na	na				
Q1 2001		na	na	na	na	na				
Q2 2001		79	78	79	78	78				
Q3 2001		74	73	74	76	75				
Q4 2001		79	78	79	79	78				
Q1 2002		84	82	84	83	84		78		
Q2 2002		76	76	76	76	78		73		
Q3 2002		80	80	80	80	81		78		
Q4 2002		82	82	82	81	82		81		
Q1 2003		81	81	81	81	81		80		
Q2 2003		81	81	81	81	81		81		
Q3 2003	na	82	81	82	81	82		81		
Q4 2003	na	82	82	82	82	82		81		
Q1 2004	na	82	82	82	82	82		81		
Q2 2004	na	86	86	86	86	86		86		
Q3 2004	na	89	88	89	89	89		88		
Q4 2004	na	88	88	88	88	88		87		
Q1 2005	na	89	89	89	89	89		88		
Q2 2005	na	90	89	90	90	90		89		
Q3 2005	na	90	90	90	90	90		90		
Q4 2005	na	91	90	91	91	91		90		
Q1 2006	na	90	90	90	90	90		87		
Q2 2006	na	87	87	87	87	87		86		
Q3 2006	na	89	89	89	89	89		86		
Q4 2006	na	88	88	88	88	88		86		
Q1 2007	na	89	89	89	89	89		86		
Q2 2007	na	90	90	90	90	90		90		
Q3 2007	na	90	90	90	90	90		88		
Q4 2007	na	90	90	90	90	90		88		
Q1 2008	na	89	89	89	89	89		88		
Q2 2008	na	90	90	90	90	90		88		
Q3 2008	na	89	89	89	89	89		87		
Q4 2008	na	90	90	90	90	90		89		
Q1 2009	na	90	90	90	90	90		87		
Q2 2009	na	91	91	91	91	91		87		
Q3 2009	na	92	92	92	92	92	91		91	87
Q4 2009	na	93	93	93	93	93	93		91	91
Q1 2010	na	94	94	94	94	94	94		92	92
Q2 2010	na	92	92	92	92	92	92		90	90
Q3 2010	na	93	93	93	93	93	93		91	91
Q4 2010	na	na	na	na	na	na	na		na	na
Q1 2011	na	91	91	91	91	91	91		90	90
Q2 2011	na	91	91	91	91	91	91		90	90
Q3 2011	na	89	89	89	89	89	89		88	88
Q4 2011	na	87	87	87	87	87	87		86	86

Uptake at 12 months – HSE-Western Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q3 2000		85	83	85	85	85				
Q4 2000		79	77	79	79	79				
Q1 2001		80	78	80	80	80				
Q2 2001		77	74	77	77	76				
Q3 2001		73	71	73	71	72				
Q4 2001		71	70	71	66	70				
Q1 2002		68	67	68	na	68		66		
Q2 2002		76	75	76	76	76		72		
Q3 2002		75	74	75	75	75		72		
Q4 2002		72	72	72	72	72		71		
Q1 2003		71	71	71	71	71		69		
Q2 2003		74	74	74	74	74		72		
Q3 2003	na	78	78	78	78	78		76		
Q4 2003	na	79	78	79	79	79		77		
Q1 2004	na	76	76	76	76	76		74		
Q2 2004	na	81	80	81	81	81		79		
Q3 2004	na	83	82	83	83	83		82		
Q4 2004	na	85	84	85	85	85		82		
Q1 2005	na	86	86	86	86	86		84		
Q2 2005	na	84	84	84	84	84		82		
Q3 2005	na	89	89	89	89	89		86		
Q4 2005	na	88	88	88	88	88		87		
Q1 2006	na	88	88	88	88	88		88		
Q2 2006	na	89	89	89	89	89		88		
Q3 2006	na	87	87	87	87	87		86		
Q4 2006	na	86	86	86	86	86		86		
Q1 2007	na	86	86	86	86	86		87		
Q2 2007	na	87	87	87	87	87		86		
Q3 2007	na	86	86	86	86	86		87		
Q4 2007	na	86	86	86	86	86		86		
Q1 2008	na	88	88	88	88	88		87		
Q2 2008	na	87	87	87	87	87		87		
Q3 2008	na	89	89	89	89	89		89		
Q4 2008	na	89	89	89	89	89		89		
Q1 2009	na	89	89	89	89	89		89		
Q2 2009	na	87	87	87	87	87		85		
Q3 2009	na	87	87	87	87	87	87		87	88
Q4 2009	na	89	89	89	89	89	89		88	89
Q1 2010	na	88	88	88	88	88	87		87	88
Q2 2010	na	87	87	87	87	87	87		87	88
Q3 2010	na	89	89	89	89	89	89		88	89
Q4 2010	na	89	89	89	89	89	89		89	89
Q1 2011	na	90	90	90	90	90	90		90	90
Q2 2011	na	91	91	91	91	91	91		90	91
Q3 2011	4	92	92	92	92	92	92		92	92
Q4 2011	4	92	92	92	92	92	92		92	92

Immunisation Uptake Statistics at 24 months by HSE Area

Uptake at 24 months – HSE-Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib ₆	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 1999	86	82	86	85		85				78
Q2 1999	85	81	85	84		85				77
Q3 1999	85	81	85	84		85				76
Q4 1999	84	80	84	84		84				76
Q1 2000	84	81	84	84		84				75
Q2 2000	84	81	84	84		84				74
Q3 2000	85	82	85	84		85				81
Q4 2000	85	82	85	84		84				81
Q1 2001	82	80	82	81		82				77
Q2 2001	82	80	82	82		82				67
Q3 2001	79	77	79	78		79				59
Q4 2001	78	76	78	78		78				60
Q1 2002	78	76	78	77		77				60
Q2 2002	78	76	78	77		77				63
Q3 2002	78	77	78	77		76		59		64
Q4 2002	81	80	81	81		79		72		68
Q1 2003	82	81	82	82		80		77		71
Q2 2003	83	83	83	83		83		79		74
Q3 2003	84	84	84	84		84		81		75
Q4 2003	84	84	84	84		84		82		77
Q1 2004	85	84	85	84		84		84		75
Q2 2004	86	86	86	86		86		84		76
Q3 2004	86	86	86	86		86		85		76
Q4 2004	87	87	87	87		87		85		78
Q1 2005	88	88	88	88		88		86		79
Q2 2005	87	87	87	87		87		85		78
Q3 2005	87	87	87	88		87		87		79
Q4 2005	88	87	88	88		88		87		*
Q1 2006	88	88	88	88		88		87		82*
Q2 2006	87	87	87	87		87		87		82
Q3 2006	89	89	89	89		89		89		82
Q4 2006	89	89	89	89		89		89		82
Q1 2007	88	88	88	88	72	88		87		82
Q2 2007	89	89	89	89	68	89		88		83
Q3 2007	90	90	90	90	67	90		90		85
Q4 2007	91	91	91	91	71	91		90		85
Q1 2008	91	91	91	91	71	91		90		86
Q2 2008	92	92	92	92	75	92		91		87
Q3 2008	92	92	92	92	77	92		na		88
Q4 2008	93	93	93	92	80	93		92		88
Q1 2009†	92	92	92	91	81	92		92		89
Q2 2009§	93	93	93	92	83	93		92		89
Q3 2009	93	93	93	93	85	93		92		89
Q4 2009§	93	93	93	92	83	93		92		88
Q1 2010	93	93	93	92	80	93		92		87
Q2 2010	93	93	93	92	82	93		89		88
Q3 2010	94	94	94	94	84	94	94	79	87	90
Q4 2010	94	94	94	94	84	94	94	81	88	90
Q1 2011	94	94	94	94	85	94	93	81	88	89
Q2 2011	94	94	94	94	85	94	94	81	88	90
Q3 2011	94	94	94	94	86	94	94	82	89	91
Q4 2011	94	94	94	94	92	94	94	84	90	92

Uptake at 24 months – HSE-North Western Area†										
	D ₃	P ₃	T ₃	Hib ₃	Hib ₆	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 1999	87	**	87	86		87				76
Q2 1999	87	**	87	87		87				75
Q3 1999	86	**	86	86		86				74
Q4 1999	88	**	88	88		88				73
Q1 2000	86	**	86	86		86				74
Q2 2000	82	**	82	82		82				72
Q3 2000	83	**	83	83		83				72
Q4 2000	85	**	85	84		84				77
Q1 2001	85	**	85	85		85				75
Q2 2001	91	**	91	91		91				83
Q3 2001	90	**	90	90		90				77
Q4 2001	88	**	88	87		88				75
Q1 2002	89	**	89	88		89				81
Q2 2002	92	**	92	91		91				80
Q3 2002	93	**	93	91		91		75		79
Q4 2002	94	**	94	92		93		89		79
Q1 2003	94	**	94	92		93		85		79
Q2 2003	93	**	93	91		93		90		82
Q3 2003	95	**	95	93		94		94		85
Q4 2003	95	**	95	94		94		94		86
Q1 2004	95	**	95	93		94		95		85
Q2 2004	95	**	95	94		95		94		87
Q3 2004	95	**	95	94		95		92		87
Q4 2004	95	**	95	95		95		93		90
Q1 2005	93	**	93	92		93		91		88
Q2 2005	93	**	93	91		93		92		89
Q3 2005	96	**	96	95		96		94		88
Q4 2005	94	**	94	93		94		91		90
Q1 2006	96	**	96	95		96		94		92
Q2 2006	95	**	95	95		95		94		91
Q3 2006	94	**	94	94		94		92		90
Q4 2006	96	**	96	95		96		92		92
Q1 2007	97	**	97	95	86	97		94		91
Q2 2007	97	**	97	95	86	97		93		92
Q3 2007	97	**	97	95	na	96		93		92
Q4 2007	98	**	98	96	90	98		94		94
Q1 2008	98	**	98	96	95	97		94		93
Q2 2008	96	**	96	95	94	96		93		93
Q3 2008	96	**	96	94	95	96		93		91
Q4 2008	96	**	96	95	92	96		93		92
Q1 2009	96	**	96	96	94	96		95		93
Q2 2009	97	**	97	96	93	97		94		94
Q3 2009	95	**	95	95	92	95		93		90
Q4 2009	97	**	97	97	93	97		96		93
Q1 2010	97	**	97	96	94	97		96		93
Q2 2010	95	**	95	94	91	96		92		91
Q3 2010	96	**	96	96	88	96	94	81	88	92
Q4 2010	96	**	96	96	86	96	95	81	89	92
Q1 2011	97	**	97	96	92	97	96	85	89	93
Q2 2011	96	**	96	96	93	96	95	87	91	95
Q3 2011	97	**	97	97	92	97	96	86	90	94
Q4 2011	97	**	97	97	95	97	96	87	90	95

* HSE-E Area were unable to provide MMR₁ uptake data in Q4 2005 and the Q1-2006 MMR₁ HSE-E figure is an estimate only due to technical problems with extraction of MMR₁ data from the HSE-E database. † Q1 2009 HSE-E Area D₃, T₃, P₃, Polio₃ and MMR₁ uptake data do not include those born on the 31/03/2007. ** Uptake cannot be accurately calculated as DTaP/DT provided as combined value. ‡ The Q2-2009 and Q4-2009 HSE-Eastern Area Hib uptake figures exclude uptake figures from Dublin North. †HSE-NW Hib₃ Q1-2007 figures were revised since the Q1-2007 report was first produced. HSE-NW Q1 2007-Q2 2010 Hib₆ figures were those who received four doses of Hib (i.e. including a booster dose =>12 months). The Q3 2010 figures are those who received the Hib booster =>12 months regardless of the number of previous doses.

Immunisation Uptake Statistics at 24 months by HSE Area continued

Uptake at 24 months - HSE-Midland Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 1999	83	77	83	82		82				72
Q2 1999	85	80	85	83		84				72
Q3 1999	81	77	81	80		81				68
Q4 1999	81	77	81	80		81				69
Q1 2000	83	78	83	83		84				73
Q2 2000	80	76	80	80		80				73
Q3 2000	81	77	81	80		80				75
Q4 2000	83	79	83	83		83				80
Q1 2001	82	77	82	81		81				77
Q2 2001	83	80	83	83		83				75
Q3 2001	81	79	81	81		81				68
Q4 2001	81	77	81	81		81				70
Q1 2002	78	75	78	78		78				64
Q2 2002	75	73	75	73		75				71
Q3 2002	83	80	83	82		83		74		73
Q4 2002	87	86	87	87		87		84		79
Q1 2003	89	86	89	89		89		85		87
Q2 2003	92	89	92	92		92		92		88
Q3 2003	92	91	92	92		92		92		88
Q4 2003	93	92	93	93		93		93		89
Q1 2004	94	92	94	94		94		94		90
Q2 2004	93	92	93	93		93		93		91
Q3 2004	95	94	95	95		95		95		92
Q4 2004	95	93	95	95		95		95		92
Q1 2005	96	95	96	96		96		97		93
Q2 2005	96	96	96	96		96		96		93
Q3 2005	96	96	96	96		96		96		93
Q4 2005	96	96	96	96		96		96		95
Q1 2006	97	97	97	97		97		97		95
Q2 2006	95	95	95	95		95		95		93
Q3 2006	97	97	97	97		97		97		94
Q4 2006	97	97	97	97		97		97		94
Q1 2007	98	98	98	98	88	98		98		95
Q2 2007	97	97	97	97	87	97		97		94
Q3 2007	97	97	97	97	93	97		97		95
Q4 2007	97	97	97	97	91	97		97		94
Q1 2008	96	96	96	96	91	96		96		94
Q2 2008	97	97	97	97	87	97		97		94
Q3 2008	96	96	96	96	92	96		96		94
Q4 2008	97	97	97	97	93	97		97		93
Q1 2009	95	95	95	95	93	95		95		94
Q2 2009	97	97	97	97	95	97		97		94
Q3 2009	95	95	95	95	91	95		95		91
Q4 2009	97	97	97	97	92	97		97		93
Q1 2010	na	na	na	na	na	na		na		na
Q2 2010	na	na	na	na	na	na		na		na
Q3 2010	91	91	91	91	80	91	91	80	88	88
Q4 2010	95	95	95	95	87	95	95	83	90	91
Q1 2011	97	97	97	97	91	97	97	87	93	95
Q2 2011	97	97	97	97	94	97	97	89	93	95
Q3 2011	98	98	98	98	98	98	98	90	94	97
Q4 2011	98	98	98	98	95	98	98	91	95	97

Uptake at 24 months - HSE-South Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 1999	92	87	92	92		92				90
Q2 1999	90	84	90	89		89				86
Q3 1999	88	85	88	87		88				85
Q4 1999	87	83	87	87		86				85
Q1 2000	89	85	89	88		88				86
Q2 2000	89	85	89	89		89				89
Q3 2000	91	87	91	90		91				92
Q4 2000	90	85	90	90		90				92
Q1 2001	91	87	91	91		91				90
Q2 2001	89	85	89	88		89				88
Q3 2001	90	88	90	90		90				87
Q4 2001	87	84	87	87		87				82
Q1 2002	89	86	89	88		88				82
Q2 2002	87	85	87	86		87				81
Q3 2002	86	84	86	85		85		83		81
Q4 2002	89	87	89	89		89		85		82
Q1 2003	86	84	86	86		86		83		82
Q2 2003	86	86	86	86		86		85		82
Q3 2003	90	89	90	90		89		88		84
Q4 2003	89	88	89	88		88		88		84
Q1 2004	91	90	91	91		91		89		86
Q2 2004	91	90	91	91		91		90		86
Q3 2004	91	90	91	91		91		90		86
Q4 2004	93	93	93	93		93		92		88
Q1 2005	92	91	92	91		91		91		88
Q2 2005	91	91	91	91		91		90		86
Q3 2005	92	91	92	92		92		90		84
Q4 2005	90	90	90	90		90		89		86
Q1 2006	92	91	92	91		91		91		87
Q2 2006	90	89	90	90		90		89		87
Q3 2006	91	90	91	90		90		90		88
Q4 2006	92	92	92	92		92		91		87
Q1 2007	90	90	90	90	66	90		89		85
Q2 2007	89	89	89	89	62	89		88		85
Q3 2007	92	92	92	91	69	92		90		87
Q4 2007	92	92	92	91	53	91		90		88
Q1 2008	89	89	89	89	83	89		88		86
Q2 2008	91	91	91	91	na	91		90		86
Q3 2008	91	91	91	91	87	91		90		88
Q4 2008	92	92	92	90	92	92		91		89
Q1 2009	92	92	92	91	89	91		91		88
Q2 2009	93	93	93	92	91	93		92		89
Q3 2009	92	92	92	92	92	92		91		90
Q4 2009	93	92	93	92	88	92		91		91
Q1 2010	94	94	94	94	95	94		93		93
Q2 2010	94	94	94	94	95	94		93		93
Q3 2010	95	95	95	95	92	95	95	84	90	94
Q4 2010	94	94	94	94	91	94	94	84	90	93
Q1 2011	95	95	95	94	93	94	94	85	90	92
Q2 2011	95	95	95	95	95	95	95	85	90	92
Q3 2011	97	97	97	97	96	97	96	88	93	94
Q4 2011	95	95	95	95	93	95	95	88	92	94

In Q1-2008 the HSE-SE changed their Hib_b data extraction method compared to previous quarters
 The Q1 2009 HSE-SE Waterford Hib_b figure may be low as personnel were required to work on the MMR campaign (in secondary schools)

Immunisation Uptake Statistics at 24 months by HSE Area continued

Uptake at 24 months - HSE-Mid Western Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 1999	82	79	82	81		82				74
Q2 1999	81	79	81	80		81				72
Q3 1999	79	77	79	79		79				73
Q4 1999	80	78	80	80		80				72
Q1 2000	76	73	76	76		76				70
Q2 2000	80	77	80	80		80				75
Q3 2000	83	80	83	82		83				78
Q4 2000	83	80	83	83		82				83
Q1 2001	82	80	82	81		82				78
Q2 2001	86	84	86	84		84				76
Q3 2001	82	80	82	81		82				71
Q4 2001	83	80	83	82		82				70
Q1 2002	86	83	86	85		86				76
Q2 2002	85	83	85	85		85				82
Q3 2002	88	85	88	87		87		83		82
Q4 2002	87	85	87	86		87		87		81
Q1 2003	86	84	86	85		87		81		78
Q2 2003	86	84	86	85		86		83		78
Q3 2003	88	86	88	87		87		86		82
Q4 2003	86	85	86	86		86		85		82
Q1 2004	88	87	88	88		88		87		83
Q2 2004	89	88	89	89		89		88		84
Q3 2004	89	88	89	88		89		87		84
Q4 2004	91	90	91	90		91		90		85
Q1 2005	88	88	88	88		89		88		80
Q2 2005	90	89	90	89		89		89		85
Q3 2005	92	91	92	92		91		91		90
Q4 2005	90	90	90	90		90		90		87
Q1 2006	91	90	91	91		91		91		88
Q2 2006	92	91	92	92		92		91		86
Q3 2006	91	91	91	91		92		92		89
Q4 2006	92	92	92	92		92		92		87
Q1 2007	92	92	92	92	89	92		92		89
Q2 2007	91	91	91	91	82	91		91		89
Q3 2007	93	93	93	92	82	92		92		90
Q4 2007	94	94	94	94	86	94		94		93
Q1 2008	93	93	93	93	67	93		93		92
Q2 2008	93	93	93	93	88	93		93		91
Q3 2008	94	94	94	93	na	93		na		88
Q4 2008	93	93	93	93	89	93		93		90
Q1 2009	93	93	93	93	86	93		93		90
Q2 2009	93	93	93	93	88	93		92		91
Q3 2009	95	95	95	94	92	95		94		93
Q4 2009	na	na	na	na	na	na		na		na
Q1 2010	93	93	93	93	91	93		92		91
Q2 2010	95	95	95	95	90	95		93		91
Q3 2010	95	95	95	95	87	95	95	82	91	92
Q4 2010	95	95	95	95	89	95	95	86	91	93
Q1 2011	96	96	96	96	90	96	96	86	92	93
Q2 2011	95	95	95	95	89	95	95	85	91	92
Q3 2011	96	96	96	96	90	96	96	87	92	94
Q4 2011	95	95	95	95	89	95	95	85	92	93

Uptake at 24 months - HSE-Southern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 1999	87	83	87	87		87				75
Q2 1999	86	81	86	86		86				72
Q3 1999	84	81	84	83		84				70
Q4 1999	86	81	86	85		86				73
Q1 2000	84	80	84	83		84				72
Q2 2000	84	80	84	83		84				76
Q3 2000	86	82	86	85		85				77
Q4 2000	87	83	87	86		86				82
Q1 2001	86	83	86	86		86				80
Q2 2001	85	82	85	85		85				77
Q3 2001	84	82	84	84		84				74
Q4 2001	84	81	84	83		84				74
Q1 2002	85	82	85	84		84				75
Q2 2002	83	81	83	82		83				74
Q3 2002	84	82	84	83		83		77		76
Q4 2002	84	83	84	84		84		81		80
Q1 2003	85	83	85	84		84		82		80
Q2 2003	85	84	85	85		85		84		79
Q3 2003	86	84	86	86		86		85		79
Q4 2003	85	84	85	85		85		85		80
Q1 2004	88	87	88	87		88		87		82
Q2 2004	87	86	87	87		87		86		82
Q3 2004	92	92	92	92		92		91		85
Q4 2004	91	91	91	91		91		90		85
Q1 2005	91	91	91	91		91		90		85
Q2 2005	91	91	91	91		91		90		85
Q3 2005	91	91	91	91		91		90		86
Q4 2005	92	91	92	91		91		90		85
Q1 2006	92	92	92	92		92		91		88
Q2 2006	94	93	94	93		93		93		89
Q3 2006	94	94	94	94		94		94		88
Q4 2006	93	93	93	93		93		93		87
Q1 2007	94	94	94	94	76	94		93		87
Q2 2007	94	94	94	94	72	94		93		87
Q3 2007	94	94	94	94	72	94		94		88
Q4 2007	93	93	93	93	78	93		93		88
Q1 2008	93	93	93	93	80	93		93		87
Q2 2008	93	93	93	93	82	93		93		89
Q3 2008	93	93	93	93	82	93		92		88
Q4 2008	94	94	94	94	87	94		94		90
Q1 2009	94	94	94	94	88	94		94		91
Q2 2009	94	94	94	94	88	94		94		91
Q3 2009	95	95	95	95	89	95		95		92
Q4 2009	92	92	92	92	85	92		92		88
Q1 2010	na	na	na	na	na	na		na		na
Q2 2010	93	93	93	93	87	93		93		91
Q3 2010	93	93	93	93	76	93	91	75	85	86
Q4 2010	93	93	93	93	79	93	93	81	88	89
Q1 2011	96	96	96	95	80	96	94	83	91	92
Q2 2011	97	97	97	96	81	97	95	83	91	92
Q3 2011	97	97	97	96	84	97	95	85	92	94
Q4 2011	96	96	96	96	84	96	95	85	91	93

Immunisation Uptake Statistics at 24 months by HSE Area continued

Uptake at 24 months – HSE-North Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 1999	84	**	84	84		84				80
Q2 1999	94	**	94	94		94				78
Q3 1999	95	**	95	95		95				78
Q4 1999	94	**	94	94		94				78
Q1 2000	91	**	91	91		91				81
Q2 2000	89	**	89	89		89				78
Q3 2000	95	**	95	95		95				79
Q4 2000	97	**	97	97		97				82
Q1 2001	94	**	94	94		94				77
Q2 2001	91	90	91	91		90				81
Q3 2001	89	88	89	89		89				76
Q4 2001	93	93	93	93		94				80
Q1 2002	91	90	91	90		90				78
Q2 2002	92	92	92	91		91				82
Q3 2002	91	90	91	91		90		78		80
Q4 2002	89	88	89	89		89		84		79
Q1 2003	90	88	90	90		93		84		79
Q2 2003	89	89	89	89		92		86		78
Q3 2003	93	92	93	91		93		89		83
Q4 2003	93	93	93	92		93		92		83
Q1 2004	93	92	93	92		92		92		83
Q2 2004	95	94	95	94		94		93		84
Q3 2004	92	92	92	92		92		92		82
Q4 2004	93	93	93	93		93		92		82
Q1 2005	92	92	92	92		92		91		84
Q2 2005	93	92	93	92		92		92		88
Q3 2005	93	93	93	93		92		92		91
Q4 2005	94	93	94	93		93		93		92
Q1 2006	94	93	94	93		93		91		90
Q2 2006	91	91	91	91		91		91		88
Q3 2006	92	92	92	92		92		92		89
Q4 2006	94	94	94	94		94		94		88
Q1 2007	93	93	93	93	88	93		92		90
Q2 2007	92	92	92	92	87	92		92		90
Q3 2007	94	94	94	94	87	94		93		91
Q4 2007	93	93	93	93	91	93		93		91
Q1 2008	94	94	94	94	90	94		93		90
Q2 2008	95	95	95	95	89	95		95		90
Q3 2008	93	93	93	93	86	92		92		89
Q4 2008	94	94	94	94	91	94		94		91
Q1 2009	93	93	93	93	90	93		94		90
Q2 2009	94	94	94	94	91	94		95		91
Q3 2009	95	95	95	95	95	95		96		92
Q4 2009	95	95	95	95	92	95		96		94
Q1 2010	94	94	94	94	93	94		95		93
Q2 2010	95	95	95	95	92	95		95		93
Q3 2010	96	96	96	96	90	96	95	87	92	92
Q4 2010	na	na	na	na	na	na	na	na	na	na
Q1 2011	96	96	96	96	90	96	96	87	93	93
Q2 2011	96	96	96	96	88	96	96	85	92	93
Q3 2011	95	95	95	95	88	95	95	85	91	92
Q4 2011	95	95	95	95	87	95	95	84	90	90

** Uptake cannot be accurately calculated as DTaP/DT provided as combined value

Uptake at 24 months – HSE-Western Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 1999	92	89	92	92		92				86
Q2 1999	90	87	90	89		90				83
Q3 1999	91	87	91	90		90				81
Q4 1999	95	90	95	90		90				80
Q1 2000	92	87	92	91		92				82
Q2 2000	91	87	91	90		91				82
Q3 2000	92	87	92	91		91				84
Q4 2000	91	87	91	90		91				85
Q1 2001	91	88	91	90		91				84
Q2 2001	87	85	87	87		87				78
Q3 2001	87	85	87	86		87				74
Q4 2001	83	81	83	82		82				68
Q1 2002	84	81	84	83		83				68
Q2 2002	84	81	84	84		83				78
Q3 2002	82	81	82	82		81		71		74
Q4 2002	81	80	81	81		81		75		75
Q1 2003	83	81	83	83		82		80		74
Q2 2003	83	82	83	83		83		80		71
Q3 2003	86	85	86	86		86		82		77
Q4 2003	87	86	87	86		86		83		76
Q1 2004	88	88	88	88		88		85		74
Q2 2004	90	90	90	90		90		86		76
Q3 2004	90	90	90	90		90		87		79
Q4 2004	91	91	91	91		91		88		81
Q1 2005	90	90	90	90		90		88		82
Q2 2005	92	91	92	92		92		89		84
Q3 2005	92	92	92	92		92		90		82
Q4 2005	93	92	93	93		93		90		85
Q1 2006	92	92	92	92		92		89		86
Q2 2006	92	92	92	92		92		90		87
Q3 2006	93	93	93	93		93		91		85
Q4 2006	93	93	93	93		93		91		85
Q1 2007	94	94	94	94	na	94		93		85
Q2 2007	93	93	93	92	72	93		93		85
Q3 2007	94	94	94	93	67	94		93		85
Q4 2007	92	92	92	92	65	92		92		85
Q1 2008	92	92	92	92	78	92		92		86
Q2 2008	93	93	93	93	82	93		93		87
Q3 2008	94	94	94	94	82	94		94		88
Q4 2008	94	94	94	94	85	94		94		90
Q1 2009	94	94	94	94	86	94		94		90
Q2 2009	95	95	95	95	86	95		93		90
Q3 2009	94	94	94	94	87	94		94		90
Q4 2009	93	93	93	93	85	93		93		88
Q1 2010	94	94	94	94	86	94		94		90
Q2 2010	93	93	93	93	83	93		92		88
Q3 2010	93	93	93	93	75	93	93	75	84	86
Q4 2010	94	94	94	94	78	94	94	79	87	88
Q1 2011	93	93	93	93	77	93	93	77	87	88
Q2 2011	94	94	94	94	81	94	94	81	89	90
Q3 2011	95	95	95	95	83	95	95	84	91	91
Q4 2011	94	94	94	94	84	94	94	84	90	91

Immunisation Uptake Statistics at 12 months by LHO continued

Uptake at 12 months – Dublin South City– HSE-Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	78	78	78	78	78		78		
Q2 2007	na	84	84	84	84	84		84		
Q3 2007	na	81	81	81	81	81		80		
Q4 2007	na	79	79	79	79	79		79		
Q1 2008	na	76	76	76	76	76		77		
Q2 2008	na	83	83	83	83	83		84		
Q3 2008	na	83	83	83	83	83		na		
Q4 2008	na	80	80	80	80	80		80		
Q1 2009	na	76	76	76	75	76		74		
Q2 2009	na	82	82	82	81	82		77		
Q3 2009	na	92	92	92	92	92	91		na	na
Q4 2009	na	90	90	90	90	90	89		89	89
Q1 2010	na	90	90	90	90	90	90		90	90
Q2 2010	na	94	94	94	94	94	93		94	93
Q3 2010	na	93	93	93	93	93	93		92	92
Q4 2010	na	92	92	92	92	92	92		91	92
Q1 2011	na	95	95	95	95	95	95		94	94
Q2 2011	na	93	93	93	93	93	93		93	94
Q3 2011	na	94	94	94	94	94	94		92	94
Q4 2011	na	95	95	95	95	95	95		95	95

The Q1 2009 HSE-Eastern Area D₃, T₃, P₃ and Polio₃ uptake data do not include those born on the 31/03/2008

Uptake at 12 months – Dublin North– HSE-Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	86	86	86	86	86		86		
Q2 2007	na	87	87	87	87	87		87		
Q3 2007	na	87	87	87	87	87		87		
Q4 2007	na	88	88	88	88	88		88		
Q1 2008	na	88	88	88	88	88		88		
Q2 2008	na	89	89	89	89	89		88		
Q3 2008	na	89	89	89	89	89		na		
Q4 2008	na	90	90	90	90	90		90		
Q1 2009	na	89	89	89	88	89		89		
Q2 2009	na	89	89	89	89	89		86		
Q3 2009	na	90	90	90	90	90	90		na	na
Q4 2009	na	89	89	89	89	89	88		88	89
Q1 2010	na	90	90	90	90	90	90		90	90
Q2 2010	na	91	91	91	91	91	90		90	91
Q3 2010	na	90	90	90	90	90	90		90	90
Q4 2010	na	90	90	90	90	90	90		90	91
Q1 2011	na	93	93	93	93	93	93		93	93
Q2 2011	na	92	92	92	92	92	92		91	92
Q3 2011	na	93	93	93	93	93	93		92	93
Q4 2011	na	92	92	92	92	92	92		92	92

Uptake at 12 months – Dublin South West– HSE-Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	92	92	92	91	92		90		
Q2 2007	na	91	91	91	91	91		90		
Q3 2007	na	91	91	91	91	91		90		
Q4 2007	na	91	91	91	90	91		90		
Q1 2008	na	91	91	91	91	91		90		
Q2 2008	na	92	92	92	91	92		91		
Q3 2008	na	91	91	91	90	91		na		
Q4 2008	na	91	91	91	91	91		89		
Q1 2009	na	93	93	93	92	93		90		
Q2 2009	na	93	93	93	93	93		89		
Q3 2009	na	94	94	94	93	94	92		na	na
Q4 2009	na	92	92	92	91	92	91		91	92
Q1 2010	na	90	90	90	89	90	89		89	90
Q2 2010	na	93	93	93	93	93	93		93	93
Q3 2010	na	93	93	93	93	93	92		92	93
Q4 2010	na	88	88	88	88	88	88		88	89
Q1 2011	na	91	91	91	91	91	91		91	91
Q2 2011	na	92	92	92	92	92	92		91	92
Q3 2011	na	91	91	91	91	91	91		90	92
Q4 2011	na	95	95	95	95	95	95		95	95

Uptake at 12 months – Kildare/West Wicklow– HSE-Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	84	84	84	84	84		84		
Q2 2007	na	83	83	83	83	83		83		
Q3 2007	na	83	83	83	83	83		83		
Q4 2007	na	84	84	84	84	84		84		
Q1 2008	na	80	80	80	80	80		80		
Q2 2008	na	84	84	84	84	84		84		
Q3 2008	na	85	85	85	85	85		na		
Q4 2008	na	82	82	82	82	82		82		
Q1 2009	na	77	77	77	77	77		77		
Q2 2009	na	78	78	78	78	78		77		
Q3 2009	na	85	85	85	85	85	84		na	na
Q4 2009	na	87	87	87	87	87	87		86	86
Q1 2010	na	83	83	83	83	83	83		83	83
Q2 2010	na	89	89	89	89	89	89		89	88
Q3 2010	na	91	91	91	91	91	91		90	91
Q4 2010	na	92	92	92	92	92	92		92	92
Q1 2011	na	92	92	92	92	92	92		91	92
Q2 2011	na	91	91	91	91	91	91		90	91
Q3 2011	na	91	91	91	91	91	91		90	90
Q4 2011	na	91	91	91	91	91	91		91	91

Immunisation Uptake Statistics at 12 months by LHO continued

Uptake at 12 months ~ Dublin West ~ HSE-Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	84	84	84	84	84		84		
Q2 2007	na	86	86	86	86	86		85		
Q3 2007	na	84	84	84	84	84		83		
Q4 2007	na	88	88	88	88	88		88		
Q1 2008	na	85	85	85	85	85		84		
Q2 2008	na	90	90	90	90	90		90		
Q3 2008	na	91	91	91	91	91		na		
Q4 2008	na	85	85	85	85	85		84		
Q1 2009	na	84	84	84	82	84		82		
Q2 2009	na	85	85	85	85	85		81		
Q3 2009	na	87	87	87	87	87	86		na	na
Q4 2009	na	86	86	86	86	86	86		86	85
Q1 2010	na	83	83	83	83	83	83		83	83
Q2 2010	na	88	88	88	88	88	88		88	88
Q3 2010	na	89	89	89	89	89	89		89	89
Q4 2010	na	87	87	87	87	87	87		87	87
Q1 2011	na	88	88	88	88	88	88		88	88
Q2 2011	na	81	81	81	81	81	81		81	81
Q3 2011	na	84	84	84	84	84	84		84	84
Q4 2011	na	70	70	70	70	70	70		71	71

The Q1 2009 HSE-Eastern Area D₃, T₃, P₃ and Polio₃ uptake data do not include those born on the 31/03/2008

Uptake at 12 months ~ Wicklow ~ HSE-Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	83	83	83	83	83		83		
Q2 2007	na	86	86	86	86	86		86		
Q3 2007	na	88	88	88	88	88		87		
Q4 2007	na	91	91	91	91	91		91		
Q1 2008	na	90	90	90	90	90		89		
Q2 2008	na	89	89	89	89	89		89		
Q3 2008	na	87	87	87	87	87		na		
Q4 2008	na	87	87	87	88	87		88		
Q1 2009	na	88	88	88	87	88		87		
Q2 2009	na	86	86	86	86	86		84		
Q3 2009	na	87	87	87	87	87	87		na	na
Q4 2009	na	87	87	87	87	87	86		87	87
Q1 2010	na	87	87	87	87	87	87		87	87
Q2 2010	na	83	83	83	83	83	83		83	83
Q3 2010	na	86	86	86	86	86	86		85	85
Q4 2010	na	83	83	83	83	83	83		83	83
Q1 2011	na	85	85	85	85	85	85		84	84
Q2 2011	na	90	90	90	90	90	90		90	90
Q3 2011	na	90	90	90	90	90	90		90	91
Q4 2011	na	90	90	90	90	90	90		90	90

Uptake at 12 months ~ Laois/Offaly ~ HSE-Midland Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	91	89	89	89	89	89		89		
Q2 2007	94	90	90	90	90	90		90		
Q3 2007	90	92	92	92	92	92		92		
Q4 2007	92	93	93	93	93	93		93		
Q1 2008	94	89	89	89	89	89		89		
Q2 2008	93	92	92	92	92	92		92		
Q3 2008	91	92	92	92	92	92		92		
Q4 2008	91	92	92	92	92	92		92		
Q1 2009	93	91	91	91	91	91		91		
Q2 2009	96	92	92	92	92	92		92		
Q3 2009	na	na	na	na	na	na	na		na	na
Q4 2009	na	na	na	na	na	na	na		na	na
Q1 2010	na	na	na	na	na	na	na		na	na
Q2 2010	na	na	na	na	na	na	na		na	na
Q3 2010	90	86	86	86	86	86	86		86	86
Q4 2010	95	90	90	90	90	90	90		90	90
Q1 2011	95	92	92	92	92	92	92		92	92
Q2 2011	94	94	94	94	94	94	94		94	94
Q3 2011	96	96	96	96	96	96	96		96	96
Q4 2011	95	92	92	92	92	92	92		92	92

Uptake at 12 months ~ Longford/Westmeath ~ HSE-Midland Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	93	94	94	94	94	94		94		
Q2 2007	89	92	92	92	92	92		92		
Q3 2007	88	94	94	94	94	94		94		
Q4 2007	94	93	93	93	93	93		93		
Q1 2008	92	95	95	95	95	95		95		
Q2 2008	97	94	94	94	94	94		94		
Q3 2008	95	94	94	94	94	94		94		
Q4 2008	89	95	95	95	95	95		95		
Q1 2009	93	94	94	94	94	94		94		
Q2 2009	96	93	93	93	93	93		93		
Q3 2009	na	na	na	na	na	na	na		na	na
Q4 2009	na	na	na	na	na	na	na		na	na
Q1 2010	na	na	na	na	na	na	na		na	na
Q2 2010	na	na	na	na	na	na	na		na	na
Q3 2010	94	88	88	88	88	88	88		88	88
Q4 2010	92	91	91	91	91	91	91		91	91
Q1 2011	93	94	94	94	94	94	94		94	94
Q2 2011	91	95	95	95	95	95	95		95	95
Q3 2011	94	97	97	97	97	97	97		97	97
Q4 2011	97	97	97	97	97	97	97		97	97

Immunisation Uptake Statistics at 12 months by LHO continued

Uptake at 12 months -Clare ~ HSE-Mid Western Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	96	88	88	88	88	88		88		
Q2 2007	98	87	87	87	87	87		87		
Q3 2007	98	91	91	91	91	91		91		
Q4 2007	98	87	87	87	87	87		87		
Q1 2008	98	90	90	90	90	90		90		
Q2 2008	97	89	89	89	89	89		89		
Q3 2008	97	90	90	90	90	90		na		
Q4 2008	99	91	91	91	91	91		92		
Q1 2009	96	89	89	89	89	89		89		
Q2 2009	99	91	91	91	91	91		89		
Q3 2009	99	93	93	93	93	93	93		na	93
Q4 2009	na	na	na	na	na	na	na		na	na
Q1 2010	98	93	93	93	93	93	93		na	92
Q2 2010	98	92	92	92	92	92	92		92	93
Q3 2010	97	93	93	93	93	93	93		93	93
Q4 2010	98	94	94	94	93	94	94		93	94
Q1 2011	97	92	92	92	92	92	92		91	91
Q2 2011	98	94	94	94	94	94	94		94	94
Q3 2011	98	92	92	92	92	92	92		92	92
Q4 2011	98	92	92	92	92	92	92		93	92

Uptake at 12 months -Limerick ~ HSE-Mid Western Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	99.5	89	89	89	89	89		89		
Q2 2007	97	88	88	88	88	88		88		
Q3 2007	98	89	89	89	89	89		89		
Q4 2007	98	87	87	87	87	87		87		
Q1 2008	99	89	89	89	89	89		88		
Q2 2008	95	87	87	87	87	87		86		
Q3 2008	97	90	90	90	90	90		na		
Q4 2008	98	89	89	89	89	89		90		
Q1 2009	95	89	89	89	89	89		89		
Q2 2009	97	89	89	89	89	89		86		
Q3 2009	97	92	92	92	92	92	92		na	91
Q4 2009	na	na	na	na	na	na	na		na	na
Q1 2010	98	93	93	93	93	93	93		na	92
Q2 2010	100	92	92	92	92	92	92		92	91
Q3 2010	94	92	92	92	92	92	92		92	91
Q4 2010	96	92	92	92	92	92	92		92	92
Q1 2011	96	91	91	91	91	91	91		92	93
Q2 2011	98	91	91	91	91	91	91		91	91
Q3 2011	97	91	91	91	91	91	91		91	91
Q4 2011	97	93	93	93	93	93	93		93	93

Uptake at 12 months-Tipperary North/East Limerick-HSE-Mid Western Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	94	89	89	89	89	89		88		
Q2 2007	95	90	90	90	90	90		89		
Q3 2007	96	90	90	90	90	90		89		
Q4 2007	97	93	93	93	93	93		92		
Q1 2008	95	90	90	90	90	90		90		
Q2 2008	93	90	90	90	90	90		89		
Q3 2008	96	91	91	91	91	91		na		
Q4 2008	95	92	92	92	92	92		92		
Q1 2009	96	90	90	90	90	90		90		
Q2 2009	95	92	92	92	92	92		91		
Q3 2009	95	91	91	91	91	91	91		na	92
Q4 2009	na	na	na	na	na	na	na		na	na
Q1 2010	97	91	91	91	91	91	90		na	91
Q2 2010	97	91	91	91	91	91	91		91	91
Q3 2010	98	93	93	93	93	93	93		93	92
Q4 2010	96	93	93	93	93	93	93		93	93
Q1 2011	96	92	92	92	92	92	92		91	92
Q2 2011	95	94	94	94	94	94	94		94	94
Q3 2011	97	92	92	92	92	92	92		92	92
Q4 2011	97	95	95	95	95	95	95		94	95

Uptake at 12 months - Cavan/Monaghan ~ HSE-North Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	89	89	89	89	89		86		
Q2 2007	na	92	92	92	92	92		91		
Q3 2007	na	92	92	92	92	92		88		
Q4 2007	na	91	91	91	91	92		89		
Q1 2008	na	91	91	91	91	91		89		
Q2 2008	na	91	91	91	91	91		88		
Q3 2008	na	91	91	91	91	91		90		
Q4 2008	na	92	92	92	92	92		91		
Q1 2009	na	93	93	93	93	93		88		
Q2 2009	na	90	90	90	91	90		88		
Q3 2009	na	94	94	94	94	94	93		93	89
Q4 2009	na	95	95	95	95	95	95		94	94
Q1 2010	na	96	96	96	96	96	96		95	95
Q2 2010	na	94	94	94	94	94	93		92	92
Q3 2010	na	93	93	93	93	93	93		91	91
Q4 2010	na	na	na	na	na	na	na		na	na
Q1 2011	na	91	91	91	91	91	91		90	89
Q2 2011	na	92	92	92	92	92	92		90	90
Q3 2011	na	92	92	92	92	92	92		92	92
Q4 2011	na	91	91	91	91	91	91		90	90

Immunisation Uptake Statistics at 12 months by LHO continued

Uptake at 12 months - Louth - HSE-North Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	89	89	89	89	89		86		
Q2 2007	na	91	91	91	91	91		91		
Q3 2007	na	91	91	91	91	91		89		
Q4 2007	na	91	91	91	91	91		88		
Q1 2008	na	87	87	87	87	87		85		
Q2 2008	na	90	90	90	90	90		88		
Q3 2008	na	86	86	86	86	86		84		
Q4 2008	na	88	88	88	88	88		88		
Q1 2009	na	89	89	89	89	89		88		
Q2 2009	na	90	90	90	90	90		86		
Q3 2009	na	91	91	91	91	91	91		89	86
Q4 2009	na	92	92	92	92	92	92		90	90
Q1 2010	na	92	92	92	92	92	92		90	90
Q2 2010	na	92	92	92	92	92	92		89	89
Q3 2010	na	93	93	93	93	93	93		91	91
Q4 2010	na	na	na	na	na	na	na		na	na
Q1 2011	na	93	93	93	93	93	93		91	91
Q2 2011	na	92	92	92	92	92	92		91	90
Q3 2011	na	90	90	90	90	90	90		90	90
Q4 2011	na	89	89	89	89	89	89		88	88

Uptake at 12 months - Donegal - HSE-North Western Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	96	92	92	92	92	92		92		
Q2 2007	96	91	91	91	91	91		91		
Q3 2007	92	90	90	90	90	90		89		
Q4 2007	90	91	91	91	91	91		90		
Q1 2008	93	90	90	90	90	90		90		
Q2 2008	92	92	92	92	92	92		91		
Q3 2008	94	90	90	90	90	90		90		
Q4 2008	92	93	93	93	93	93		93		
Q1 2009	94	94	94	94	94	94		94		
Q2 2009	93	92	92	92	92	92		88		
Q3 2009	94	92	92	92	93	92	92		91	92
Q4 2009	94	91	91	91	91	91	91		91	91
Q1 2010	95	93	93	93	93	93	92		93	93
Q2 2010	95	94	94	94	94	94	93		93	93
Q3 2010	95	95	95	95	95	95	94		94	94
Q4 2010	95	92	92	92	92	92	92		92	92
Q1 2011	96	94	94	94	94	94	94		94	95
Q2 2011	95	94	94	94	94	94	93		93	94
Q3 2011	95	93	93	93	93	93	92		92	93
Q4 2011	95	92	92	92	92	92	92		92	92

Uptake at 12 months - Meath - HSE-North Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	89	89	89	89	89		87		
Q2 2007	na	88	88	88	88	88		88		
Q3 2007	na	88	88	88	88	88		87		
Q4 2007	na	89	89	89	89	89		87		
Q1 2008	na	90	90	90	90	90		88		
Q2 2008	na	90	90	90	90	90		89		
Q3 2008	na	89	89	89	90	89		88		
Q4 2008	na	91	91	91	91	91		90		
Q1 2009	na	88	88	88	88	88		86		
Q2 2009	na	91	91	91	91	91		88		
Q3 2009	na	91	91	91	91	91	91		91	87
Q4 2009	na	93	93	93	93	93	93		91	91
Q1 2010	na	94	94	94	94	94	94		92	92
Q2 2010	na	91	91	91	91	91	91		89	90
Q3 2010	na	92	92	92	92	92	92		90	90
Q4 2010	na	na	na	na	na	na	na		na	na
Q1 2011	na	90	90	90	90	90	90		89	89
Q2 2011	na	90	90	90	90	90	90		89	89
Q3 2011	na	87	87	87	87	87	87		85	85
Q4 2011	na	84	84	84	84	84	83		83	83

Uptake at 12 months - Sligo/Leitrim - HSE-North Western Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	92	94	94	94	93	94		92		
Q2 2007	93	93	93	93	92	93		91		
Q3 2007	96	91	91	91	90	91		88		
Q4 2007	95	92	92	92	91	92		89		
Q1 2008	97	93	93	93	93	93		92		
Q2 2008	94	92	92	92	92	92		90		
Q3 2008	95	94	94	94	94	94		92		
Q4 2008	96	94	94	94	94	94		92		
Q1 2009	97	94	94	94	94	95		93		
Q2 2009	97	92	92	92	91	92		89		
Q3 2009	97	90	90	90	90	90	89		87	88
Q4 2009	95	87	87	87	87	87	86		87	87
Q1 2010	94	91	91	91	91	91	90		90	91
Q2 2010	98	92	92	92	92	92	92		91	92
Q3 2010	96	91	91	91	91	91	90		91	92
Q4 2010	97	96	96	96	96	96	96		95	95
Q1 2011	94	94	94	94	94	94	94		93	94
Q2 2011	97	95	95	95	95	95	95		94	95
Q3 2011	96	95	95	95	95	95	94		94	96
Q4 2011	94	93	93	93	93	93	92		91	94

Immunisation Uptake Statistics at 12 months by LHO continued

Uptake at 12 months - Carlow/Kilkenny - HSE-South Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	89	83	83	83	83	83		82		
Q2 2007	92	85	85	85	85	85		84		
Q3 2007	93	85	85	85	85	85		85		
Q4 2007	89	83	83	83	83	83		83		
Q1 2008	92	85	85	85	85	85		85		
Q2 2008	93	84	84	84	84	84		84		
Q3 2008	93	88	88	88	88	88		88		
Q4 2008	94	89	89	89	89	89		88		
Q1 2009	94	88	88	88	88	88		88		
Q2 2009	97	87	87	87	87	87		86		
Q3 2009	96	88	88	88	88	88	88		87	87
Q4 2009	95	88	88	88	88	88	89		88	88
Q1 2010	95	89	89	89	89	89	89		89	89
Q2 2010	97	87	87	87	87	87	87		88	87
Q3 2010	95	89	89	89	89	89	88		89	88
Q4 2010	94	87	87	87	87	87	87		87	88
Q1 2011	95	90	90	90	90	90	90		90	91
Q2 2011	95	88	88	88	88	88	88		87	89
Q3 2011	97	90	90	90	90	90	90		91	91
Q4 2011	96	93	93	93	93	93	93		93	93

Uptake at 12 months - Tipperary South - HSE-South Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	94	88	88	88	88	88		88		
Q2 2007	92	88	88	88	88	88		87		
Q3 2007	93	89	89	89	89	89		89		
Q4 2007	93	87	87	87	87	87		86		
Q1 2008	92	88	88	88	88	88		88		
Q2 2008	94	91	91	91	91	91		92		
Q3 2008	95	88	88	88	88	88		89		
Q4 2008	94	89	89	89	89	89		88		
Q1 2009	93	90	90	90	90	90		89		
Q2 2009	97	92	92	92	92	92		92		
Q3 2009	95	91	91	91	91	91	90		90	90
Q4 2009	95	93	93	93	93	93	93		93	93
Q1 2010	96	90	90	90	90	90	90		89	90
Q2 2010	95	88	88	88	88	88	88		88	88
Q3 2010	97	92	92	92	92	92	92		92	92
Q4 2010	96	92	92	92	92	92	92		91	92
Q1 2011	96	93	93	93	93	93	93		92	93
Q2 2011	94	92	92	92	92	92	92		92	92
Q3 2011	96	95	95	95	95	95	95		95	95
Q4 2011	95	94	94	94	94	94	94		93	94

Uptake at 12 months - Waterford - HSE-South Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	93	84	84	84	84	84		84		
Q2 2007	90	81	81	81	81	81		81		
Q3 2007	88	88	88	88	88	88		87		
Q4 2007	90	86	86	86	86	86		85		
Q1 2008	90	86	86	86	86	86		86		
Q2 2008	90	86	86	86	86	86		86		
Q3 2008	92	87	87	87	87	87		86		
Q4 2008	96	89	88	89	88	88		88		
Q1 2009	97	89	89	89	89	89		89		
Q2 2009	98	88	88	88	88	88		86		
Q3 2009	95	90	90	90	90	90	90		90	90
Q4 2009	92	88	88	88	88	88	88		88	88
Q1 2010	95	90	90	90	90	90	90		90	91
Q2 2010	96	89	89	89	89	89	89		89	89
Q3 2010	95	93	93	93	93	93	93		93	93
Q4 2010	93	93	93	93	93	93	93		93	93
Q1 2011	95	92	92	92	92	92	92		91	92
Q2 2011	96	92	92	92	92	92	92		92	90
Q3 2011	97	93	93	93	93	93	93		93	93
Q4 2011	96	95	95	95	95	95	95		95	95

Uptake at 12 months - Wexford - HSE-South Eastern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	93	84	84	84	84	84		84		
Q2 2007	94	87	87	87	87	87		87		
Q3 2007	91	89	89	89	89	89		89		
Q4 2007	93	87	87	87	87	87		87		
Q1 2008	93	87	87	87	87	87		86		
Q2 2008	92	90	90	90	90	90		88		
Q3 2008	93	90	90	90	89	90		89		
Q4 2008	93	91	91	91	91	91		90		
Q1 2009	96	91	91	91	91	91		90		
Q2 2009	97	89	89	89	89	89		87		
Q3 2009	96	92	92	92	92	92	92		92	92
Q4 2009	97	92	92	92	92	92	91		92	92
Q1 2010	95	91	91	91	91	91	91		91	91
Q2 2010	95	92	92	92	92	92	92		91	92
Q3 2010	98	91	91	91	91	91	91		91	91
Q4 2010	97	89	89	89	89	89	89		89	90
Q1 2011	96	88	88	88	88	88	88		88	89
Q2 2011	98	92	92	92	92	92	92		91	92
Q3 2011	97	94	94	94	94	94	94		93	95
Q4 2011	96	92	92	92	92	92	92		92	92

Immunisation Uptake Statistics at 12 months by LHO continued

Uptake at 12 months - North Cork - HSE-Southern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	82	82	82	82	82		83		
Q2 2007	na	83	83	83	83	83		82		
Q3 2007	na	82	82	82	82	82		82		
Q4 2007	na	83	83	83	83	83		83		
Q1 2008	na	85	85	85	85	85		85		
Q2 2008	na	79	79	79	79	79		79		
Q3 2008	na	88	88	88	88	88		87		
Q4 2008	na	86	86	86	86	86		86		
Q1 2009	na	88	88	88	88	88		88		
Q2 2009	na	86	86	86	86	86		86		
Q3 2009	na	na	na	na	na	na	na		na	na
Q4 2009	na	na	na	na	na	na	na		na	na
Q1 2010	na	na	na	na	na	na	na		na	na
Q2 2010	na	na	na	na	na	na	na		na	na
Q3 2010	na	86	86	86	86	86	87		85	85
Q4 2010	74	87	87	87	88	87	88		88	88
Q1 2011	67	87	87	87	87	87	87		84	83
Q2 2011	76	90	90	90	90	90	89		87	87
Q3 2011	81	90	90	90	90	90	89		86	86
Q4 2011	90	92	92	92	91	92	91		89	88

Uptake at 12 months - West Cork - HSE-Southern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	72	72	72	72	72		73		
Q2 2007	na	82	82	82	82	82		81		
Q3 2007	na	82	82	82	82	82		82		
Q4 2007	na	85	85	85	85	85		85		
Q1 2008	na	82	82	82	82	82		82		
Q2 2008	na	79	79	79	79	79		80		
Q3 2008	na	86	86	86	86	86		86		
Q4 2008	na	81	81	81	81	81		81		
Q1 2009	na	82	82	82	82	82		82		
Q2 2009	na	83	83	83	83	83		82		
Q3 2009	na	na	na	na	na	na	na		na	na
Q4 2009	na	na	na	na	na	na	na		na	na
Q1 2010	na	na	na	na	na	na	na		na	na
Q2 2010	na	na	na	na	na	na	na		na	na
Q3 2010	na	80	80	80	83	80	80		77	75
Q4 2010	87	82	82	82	81	82	82		79	83
Q1 2011	80	81	81	81	81	81	82		79	80
Q2 2011	89	85	85	85	85	85	85		80	76
Q3 2011	93	89	89	89	89	89	89		82	82
Q4 2011	93	90	90	90	90	90	89		87	86

Uptake at 12 months - NSL - HSE-Southern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	87	87	87	87	87		87		
Q2 2007	na	85	85	85	85	85		84		
Q3 2007	na	85	85	85	85	85		85		
Q4 2007	na	86	86	86	86	86		86		
Q1 2008	na	83	83	83	83	83		83		
Q2 2008	na	86	86	86	86	86		86		
Q3 2008	na	86	86	86	86	86		87		
Q4 2008	na	89	89	89	89	89		88		
Q1 2009	na	87	87	87	87	87		87		
Q2 2009	na	87	87	87	87	87		87		
Q3 2009	na	na	na	na	na	na	na		na	na
Q4 2009	na	na	na	na	na	na	na		na	na
Q1 2010	na	na	na	na	na	na	na		na	na
Q2 2010	na	na	na	na	na	na	na		na	na
Q3 2010	na	89	89	89	90	89	89		86	86
Q4 2010	91	87	87	87	87	87	87		86	86
Q1 2011	91	87	87	87	87	87	87		83	83
Q2 2011	91	90	90	90	90	90	90		87	86
Q3 2011	93	90	90	90	90	90	90		87	86
Q4 2011	93	92	92	92	92	92	91		89	89

Uptake at 12 months - Kerry - HSE-Southern Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	90	84	84	84	84	84		83		
Q2 2007	93	82	82	82	82	82		82		
Q3 2007	88	81	81	81	81	81		80		
Q4 2007	90	81	81	81	81	81		81		
Q1 2008	91	81	81	81	81	81		80		
Q2 2008	92	83	83	83	83	83		83		
Q3 2008	90	86	86	86	86	86		87		
Q4 2008	88	86	86	86	86	86		88		
Q1 2009	91	85	85	85	85	85		84		
Q2 2009	94	81	81	81	81	81		81		
Q3 2009	na	na	na	na	na	na	na		na	na
Q4 2009	na	na	na	na	na	na	na		na	na
Q1 2010	na	na	na	na	na	na	na		na	na
Q2 2010	na	na	na	na	na	na	na		na	na
Q3 2010	na	90	90	90	90	90	89		86	86
Q4 2010	90	87	87	87	87	87	87		86	87
Q1 2011	93	88	88	88	89	88	88		84	84
Q2 2011	90	87	87	87	87	87	87		82	84
Q3 2011	94	83	83	83	82	83	82		80	79
Q4 2011	93	89	89	89	89	89	88		87	87

Immunisation Uptake Statistics at 12 months by LHO continued

Uptake at 12 months ~ Galway ~ HSE-Western Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	84	84	84	84	84		86		
Q2 2007	na	85	85	85	85	85		85		
Q3 2007	na	84	84	84	84	84		85		
Q4 2007	na	83	83	83	83	83		84		
Q1 2008	na	86	86	86	86	86		85		
Q2 2008	na	85	85	85	85	85		85		
Q3 2008	na	88	88	88	88	88		87		
Q4 2008	na	87	87	87	87	87		87		
Q1 2009	na	88	88	88	88	88		87		
Q2 2009	na	86	86	86	86	86		83		
Q3 2009	na	85	85	85	85	85	85		86	86
Q4 2009	na	88	88	88	88	88	88		88	88
Q1 2010	na	89	89	89	89	89	88		88	89
Q2 2010	na	87	87	87	87	87	87		88	88
Q3 2010	na	89	89	89	89	89	89		88	90
Q4 2010	na	89	89	89	89	89	89		89	89
Q1 2011	na	90	90	90	90	90	90		90	90
Q2 2011	na	89	89	89	89	89	89		89	89
Q3 2011	na	91	91	91	91	91	91		90	91
Q4 2011	na	90	90	90	90	90	90		90	90

Uptake at 12 months ~ Roscommon ~ HSE-Western Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	94	94	94	94	94		94		
Q2 2007	na	93	93	93	93	93		93		
Q3 2007	na	93	93	93	93	93		94		
Q4 2007	na	94	94	94	93	94		95		
Q1 2008	na	97	97	97	97	97		95		
Q2 2008	na	94	94	94	94	94		94		
Q3 2008	na	93	93	93	93	93		94		
Q4 2008	na	98	98	98	97	98		97		
Q1 2009	na	95	95	95	95	95		95		
Q2 2009	na	95	95	95	95	95		93		
Q3 2009	na	96	96	96	95	96	94		95	95
Q4 2009	na	96	96	96	96	96	96		96	96
Q1 2010	na	97	97	97	97	97	95		96	97
Q2 2010	na	97	97	97	97	97	97		97	97
Q3 2010	na	95	95	95	95	95	95		95	95
Q4 2010	na	94	94	94	94	94	94		94	95
Q1 2011	na	93	93	93	93	94	94		94	93
Q2 2011	na	95	95	95	95	95	95		96	97
Q3 2011	na	96	96	96	96	96	96		95	98
Q4 2011	na	98	98	98	98	98	98		98	99

Uptake at 12 months ~ Mayo ~ HSE-Western Area										
	BCG	D ₃	P ₃	T ₃	Hib ₃	Polio ₃	HepB ₃	MenC ₃	MenC ₂	PCV ₂
Q1 2007	na	87	87	87	87	87		86		
Q2 2007	na	87	87	87	87	87		86		
Q3 2007	na	87	87	87	87	87		87		
Q4 2007	na	88	88	88	88	88		87		
Q1 2008	na	87	87	87	87	87		86		
Q2 2008	na	87	87	87	87	87		87		
Q3 2008	na	90	90	90	90	90		89		
Q4 2008	na	88	88	88	88	88		88		
Q1 2009	na	89	89	89	89	89		88		
Q2 2009	na	88	88	88	88	88		86		
Q3 2009	na	88	88	88	88	88	87		86	88
Q4 2009	na	87	87	87	87	87	88		86	88
Q1 2010	na	81	81	81	81	81	81		81	82
Q2 2010	na	82	82	82	82	82	82		81	83
Q3 2010	na	86	86	86	86	86	86		85	86
Q4 2010	na	88	88	88	88	88	88		87	88
Q1 2011	na	89	89	89	89	89	89		89	89
Q2 2011	na	91	91	91	91	91	91		91	92
Q3 2011	na	93	93	93	93	93	93		92	93
Q4 2011	na	92	92		92	92	92		93	93

Immunisation Uptake Statistics at 24 months by LHO

Uptake at 24 months ~ Dublin South ~ HSE-Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	86	86	86	87	68	86		87		83
Q2 2007	88	88	88	89	74	88		87		86
Q3 2007	92	92	92	92	74	92		91		88
Q4 2007	94	94	94	94	80	94		94		90
Q1 2008	91	91	91	91	73	91		91		91
Q2 2008	94	94	94	94	78	94		94		92
Q3 2008	97	97	97	97	82	97		na		95
Q4 2008	97	97	97	97	86	97		96		94
Q1 2009	96	96	96	95	86	96		94		95
Q2 2009	98	98	98	98	89	98		97		93
Q3 2009	96	96	96	96	88	96		96		94
Q4 2009	96	96	96	96	85	96		96		90
Q1 2010	95	95	95	94	93	95		92		92
Q2 2010	97	97	97	97	85	97		94		90
Q3 2010	93	93	93	93	81	93	92	75	82	87
Q4 2010	95	95	95	95	76	95	95	71	85	88
Q1 2011	91	91	91	91	83	91	91	81	88	89
Q2 2011	93	93	93	93	81	93	92	78	84	86
Q3 2011	93	93	93	93	85	93	92	80	88	89
Q4 2011	94	94	94	94	95	94	94	86	89	91

Uptake at 24 months ~ Dublin North West~ HSE-Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	86	86	86	86	70	86		86		81
Q2 2007	85	85	85	85	63	85		85		80
Q3 2007	90	90	90	90	61	90		90		82
Q4 2007	97	97	97	97	71	97		97		83
Q1 2008	90	90	90	90	75	90		90		84
Q2 2008	91	91	91	91	77	91		91		84
Q3 2008	90	90	90	90	78	90		na		84
Q4 2008	91	91	91	91	80	91		91		85
Q1 2009	93	93	93	92	85	93		93		88
Q2 2009	92	92	92	92	84	92		92		87
Q3 2009	92	92	92	91	87	92		92		87
Q4 2009	91	91	91	90	82	91		90		85
Q1 2010	92	92	92	92	76	92		91		85
Q2 2010	89	89	89	88	78	89		84		82
Q3 2010	93	93	93	93	79	93	93	75	83	84
Q4 2010	92	92	92	92	79	92	91	75	82	83
Q1 2011	89	89	89	89	77	89	89	73	82	81
Q2 2011	91	91	91	91	79	91	91	75	83	84
Q3 2011	93	93	93	93	82	93	92	79	86	86
Q4 2011	93	93	93	93	85	93	93	79	87	88

Uptake at 24 months ~ Dublin South East ~ HSE-Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	91	91	91	91	72	91		90		86
Q2 2007	95	95	95	95	70	95		94		92
Q3 2007	96	96	96	96	66	96		96		93
Q4 2007	98	98	98	97	67	98		96		95
Q1 2008	98	98	98	98	69	98		98		92
Q2 2008	96	96	96	96	76	96		95		94
Q3 2008	97	97	97	97	82	97		na		94
Q4 2008	96	96	96	96	81	96		97		91
Q1 2009	98	98	98	97	84	98		98		95
Q2 2009	96	96	96	96	88	96		97		93
Q3 2009	97	97	97	97	86	97		97		91
Q4 2009	98	98	98	98	87	98		97		92
Q1 2010	97	97	97	96	77	97		94		89
Q2 2010	96	96	96	96	80	96		86		92
Q3 2010	97	97	97	97	83	97	96	79	89	93
Q4 2010	94	94	94	94	82	94	93	81	90	92
Q1 2011	92	92	92	92	83	92	91	80	86	88
Q2 2011	93	93	93	93	84	93	93	81	89	91
Q3 2011	93	93	93	93	83	93	93	82	87	88
Q4 2011	90	90	90	90	89	90	90	81	86	88

Uptake at 24 months ~ Dublin North Central- HSE-Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	83	83	83	83	62	83		82		76
Q2 2007	80	80	80	80	61	80		80		75
Q3 2007	82	82	82	82	58	82		83		75
Q4 2007	83	83	83	83	67	83		82		79
Q1 2008	88	88	88	88	67	88		88		80
Q2 2008	90	90	90	90	66	90		89		85
Q3 2008	90	90	90	90	76	90		na		87
Q4 2008	92	92	92	91	78	92		90		88
Q1 2009	94	94	94	93	81	94		92		91
Q2 2009	94	94	94	93	80	94		93		89
Q3 2009	97	97	97	96	87	97		95		91
Q4 2009	94	94	94	93	84	94		92		90
Q1 2010	93	93	93	92	76	93		91		90
Q2 2010	95	95	95	94	84	95		89		90
Q3 2010	95	95	95	95	88	95	95	84	87	91
Q4 2010	93	93	93	93	87	93	92	81	86	90
Q1 2011	95	95	95	95	87	95	95	83	86	90
Q2 2011	95	95	95	95	88	95	95	83	87	91
Q3 2011	95	95	95	95	85	95	95	80	87	90
Q4 2011	94	94	94	94	96	94	94	83	86	90

Immunisation Uptake Statistics at 24 months by LHO continued

Uptake at 24 months ~ Dublin South City ~ HSE-Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	80	80	80	80	71	80		80		78
Q2 2007	82	82	82	82	63	82		82		75
Q3 2007	85	85	85	85	61	85		85		80
Q4 2007	84	84	84	84	63	84		84		76
Q1 2008	86	86	86	86	61	86		86		81
Q2 2008	87	87	87	88	68	87		87		82
Q3 2008	85	85	85	85	71	85		na		82
Q4 2008	86	86	86	86	70	86		86		81
Q1 2009	85	85	85	83	68	85		85		76
Q2 2009	87	87	87	87	76	87		87		82
Q3 2009	95	95	95	94	84	95		93		89
Q4 2009	92	92	92	91	81	92		89		86
Q1 2010	95	95	95	95	76	95		93		88
Q2 2010	97	97	97	96	86	97		92		92
Q3 2010	96	96	96	96	89	96	95	84	90	93
Q4 2010	96	96	96	96	87	96	95	83	89	93
Q1 2011	96	96	96	96	88	96	95	84	90	92
Q2 2011	97	97	97	97	87	97	96	84	92	94
Q3 2011	96	96	96	96	81	96	96	77	87	91
Q4 2011	97	97	97	97	95	97	96	87	90	94

The Q1 2009 HSE-Eastern Area D₃, T₃, P₃, Polio₃ and MMR₁ uptake data do not include those born on the 31/03/2007

Uptake at 24 months ~ Dublin North~ HSE-Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	90	90	90	90	75	90		90		87
Q2 2007	91	91	91	91	73	91		91		86
Q3 2007	92	92	92	92	74	92		92		88
Q4 2007	91	91	91	91	72	91		91		87
Q1 2008	90	90	90	90	72	90		89		85
Q2 2008	94	94	94	93	80	93		92		89
Q3 2008	94	94	94	93	77	94		na		89
Q4 2008	94	94	94	93	82	94		94		92
Q1 2009	93	93	93	92	83	93		93		91
Q2 2009	94	94	94	94	na	94		93		91
Q3 2009	95	95	95	94	88	95		93		92
Q4 2009	93	93	93	93	na	93		93		90
Q1 2010	94	94	94	93	na	94		93		89
Q2 2010	93	93	93	93	85	93		91		90
Q3 2010	94	94	94	94	87	94	94	84	90	92
Q4 2010	94	94	94	94	87	94	94	85	90	92
Q1 2011	95	95	95	95	90	95	95	87	91	92
Q2 2011	95	95	95	95	90	95	94	87	91	92
Q3 2011	94	94	94	94	89	94	94	86	91	92
Q4 2011	95	95	95	95	95	95	95	87	91	93

Uptake at 24 months ~ Dublin South West ~ HSE-Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	94	94	94	94	79	94		93		88
Q2 2007	97	97	97	97	74	98		95		94
Q3 2007	95	95	95	95	70	95		94		93
Q4 2007	96	96	96	96	76	96		95		92
Q1 2008	95	95	95	94	79	95		93		94
Q2 2008	95	95	95	95	79	95		93		93
Q3 2008	96	96	96	96	82	96		na		93
Q4 2008	96	96	96	95	82	96		95		94
Q1 2009	95	95	95	94	82	95		93		94
Q2 2009	96	96	96	95	87	96		94		95
Q3 2009	96	96	96	95	90	96		94		95
Q4 2009	94	94	94	94	87	94		92		93
Q1 2010	96	96	96	95	84	96		94		93
Q2 2010	96	96	96	96	88	96		93		94
Q3 2010	96	96	96	96	88	96	95	82	89	93
Q4 2010	95	95	95	95	87	95	94	83	90	92
Q1 2011	95	95	95	95	89	95	95	82	89	92
Q2 2011	95	95	95	95	87	95	95	81	88	91
Q3 2011	95	95	95	95	88	95	94	83	89	94
Q4 2011	94	94	94	94	94	94	93	84	89	92

Uptake at 24 months ~ Kildare/West Wicklow ~ HSE-Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	87	87	87	87	73	87		86		80
Q2 2007	90	90	90	90	66	90		90		82
Q3 2007	86	86	86	86	66	86		87		82
Q4 2007	85	85	85	85	67	85		85		79
Q1 2008	88	88	88	88	70	88		88		83
Q2 2008	89	89	89	89	73	89		89		82
Q3 2008	90	90	90	90	78	90		na		85
Q4 2008	90	90	90	90	79	90		90		86
Q1 2009	88	88	88	88	79	88		88		84
Q2 2009	89	89	89	89	79	89		89		84
Q3 2009	88	88	88	88	81	88		88		85
Q4 2009	90	90	90	90	82	90		89		86
Q1 2010	88	88	88	88	78	88		89		83
Q2 2010	90	90	90	90	80	90		88		86
Q3 2010	96	96	96	96	85	96	96	83	90	93
Q4 2010	97	97	97	97	89	97	97	88	93	95
Q1 2011	96	96	96	96	90	96	96	87	91	93
Q2 2011	97	97	97	97	91	97	97	87	92	94
Q3 2011	97	97	97	97	94	97	97	90	94	96
Q4 2011	96	96	96	96	98	96	96	90	95	96

Immunisation Uptake Statistics at 24 months by LHO continued

Uptake at 24 months ~ Dublin West ~ HSE-Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	88	88	88	88	74	88		88		81
Q2 2007	87	87	87	87	68	87		87		80
Q3 2007	90	90	90	90	66	90		89		83
Q4 2007	90	90	90	90	73	90		89		84
Q1 2008	92	92	92	91	73	92		90		86
Q2 2008	93	93	93	93	74	93		92		88
Q3 2008	91	91	91	90	76	91		na		85
Q4 2008	94	94	94	94	82	94		93		90
Q1 2009	91	91	91	89	77	91		90		87
Q2 2009	92	92	92	92	84	92		92		88
Q3 2009	93	93	93	93	86	93		92		89
Q4 2009	92	92	92	92	82	92		91		86
Q1 2010	91	91	91	91	79	91		89		85
Q2 2010	91	91	91	91	80	91		88		85
Q3 2010	92	92	92	92	81	92	91	78	86	88
Q4 2010	93	93	93	93	84	93	93	78	87	89
Q1 2011	92	92	92	92	82	92	92	78	87	88
Q2 2011	92	92	92	92	81	92	92	75	85	88
Q3 2011	93	93	93	93	84	93	93	77	87	90
Q4 2011	94	94	94	94	89	94	94	75	87	90

The Q1 2009 HSE-Eastern Area D₃, T₃, P₃, Polio₃ and MMR₁ uptake data do not include those born on the 31/03/2007

Uptake at 24 months ~ Wicklow ~ HSE-Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	87	87	87	87	68	87		86		82
Q2 2007	87	87	87	87	65	87		86		78
Q3 2007	90	90	90	90	69	90		89		87
Q4 2007	90	90	90	90	71	90		90		87
Q1 2008	94	94	94	93	64	94		92		87
Q2 2008	90	90	90	90	70	90		90		87
Q3 2008	92	92	92	92	76	92		na		86
Q4 2008	94	94	94	94	75	94		94		86
Q1 2009	91	91	91	90	79	91		91		85
Q2 2009	92	92	92	92	83	92		92		88
Q3 2009	91	91	91	91	80	91		90		82
Q4 2009	93	93	93	92	81	93		92		85
Q1 2010	93	93	93	93	83	93		93		88
Q2 2010	92	92	92	91	79	92		89		84
Q3 2010	91	91	91	91	75	91	91	69	84	85
Q4 2010	93	93	93	93	79	93	92	74	81	83
Q1 2011	93	93	93	93	75	93	93	71	84	85
Q2 2011	93	93	93	93	78	93	92	75	85	86
Q3 2011	92	92	92	92	85	92	92	81	88	89
Q4 2011	94	94	94	94	88	94	94	81	89	91

Uptake at 24 months ~ Laois/Offaly ~ HSE-Midland Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	98	98	98	98	87	98		98		95
Q2 2007	96	96	96	96	86	96		96		94
Q3 2007	97	97	97	97	92	97		97		95
Q4 2007	96	96	96	96	90	96		96		93
Q1 2008	95	95	95	95	89	95		95		92
Q2 2008	96	96	96	96	85	96		96		93
Q3 2008	96	96	96	96	93	96		96		94
Q4 2008	96	96	96	96	92	96		96		94
Q1 2009	94	94	94	94	93	94		94		94
Q2 2009	97	97	97	97	95	97		97		94
Q3 2009	95	95	95	95	89	95		95		91
Q4 2009	95	95	95	95	90	95		95		92
Q1 2010	na	na	na	na	na	na		na		na
Q2 2010	na	na	na	na	na	na		na		na
Q3 2010	91	91	91	91	78	91	91	78	88	88
Q4 2010	95	95	95	95	87	95	95	81	88	90
Q1 2011	98	98	98	98	91	98	98	87	94	96
Q2 2011	96	96	96	96	94	96	96	88	92	95
Q3 2011	97	97	97	97	97	97	97	89	94	97
Q4 2011	98	98	98	98	95	98	98	91	95	97

Uptake at 24 months ~ Longford/Westmeath ~ HSE-Midland Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	97	97	97	97	88	97		97		96
Q2 2007	98	98	98	98	87	98		98		94
Q3 2007	97	97	97	97	93	97		97		96
Q4 2007	97	97	97	97	93	97		97		95
Q1 2008	97	97	97	97	92	97		97		96
Q2 2008	97	97	97	97	89	97		97		95
Q3 2008	97	97	97	97	91	97		97		94
Q4 2008	97	97	97	97	93	97		97		93
Q1 2009	98	98	98	98	94	98		98		95
Q2 2009	97	97	97	97	96	97		97		95
Q3 2009	95	95	95	95	93	95		95		91
Q4 2009	99	99	99	99	94	99		99		95
Q1 2010	na	na	na	na	na	na		na		na
Q2 2010	na	na	na	na	na	na		na		na
Q3 2010	91	91	91	91	84	91	91	84	90	90
Q4 2010	96	96	96	96	87	96	96	85	92	92
Q1 2011	96	96	96	96	92	96	96	87	92	94
Q2 2011	97	97	97	97	93	97	97	90	95	95
Q3 2011	99	99	99	99	99	99	99	92	94	97
Q4 2011	98	98	98	98	95	98	98	91	94	96

Immunisation Uptake Statistics at 24 months by LHO continued

Uptake at 24 months -Clare - HSE-Mid Western Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	91	91	91	91	88	91		91		88
Q2 2007	90	89	90	90	79	90		90		87
Q3 2007	91	91	91	91	83	91		90		91
Q4 2007	97	97	97	97	87	97		96		94
Q1 2008	94	94	94	94	71	94		93		93
Q2 2008	94	94	94	94	87	94		94		91
Q3 2008	95	95	95	95	na	95		na		91
Q4 2008	94	94	94	94	91	94		94		91
Q1 2009	93	93	93	93	86	93		93		91
Q2 2009	92	92	92	92	88	92		92		90
Q3 2009	94	94	94	94	93	94		94		94
Q4 2009	na	na	na	na	na	na		na		na
Q1 2010	93	93	93	93	91	93		93		93
Q2 2010	96	96	96	96	91	96		94		94
Q3 2010	96	96	96	96	91	96	95	86	90	94
Q4 2010	95	95	95	95	90	95	95	86	90	92
Q1 2011	96	96	96	96	93	96	96	90	93	94
Q2 2011	94	94	94	94	93	94	94	89	92	93
Q3 2011	97	97	97	97	95	97	97	92	95	95
Q4 2011	96	96	96	96	90	96	96	86	92	93

Uptake at 24 months -Limerick - HSE-Mid Western Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	92	92	92	92	90	92		92		88
Q2 2007	90	90	90	91	84	91		90		89
Q3 2007	93	93	93	93	81	93		92		88
Q4 2007	92	92	92	92	86	92		92		91
Q1 2008	92	92	92	92	65	92		92		90
Q2 2008	93	93	93	93	87	93		93		91
Q3 2008	92	92	92	92	na	92		na		83
Q4 2008	91	91	91	91	84	91		92		86
Q1 2009	91	91	91	90	84	91		91		87
Q2 2009	91	91	91	91	86	91		90		89
Q3 2009	94	94	94	94	90	94		94		90
Q4 2009	na	na	na	na	na	na		na		na
Q1 2010	92	92	92	92	91	92		89		89
Q2 2010	94	94	94	94	88	94		91		89
Q3 2010	95	95	95	95	83	95	94	79	89	91
Q4 2010	95	95	95	95	89	95	95	87	93	94
Q1 2011	95	95	95	95	88	95	95	85	91	92
Q2 2011	95	95	95	95	85	95	95	82	91	92
Q3 2011	95	95	95	95	89	95	95	87	92	93
Q4 2011	93	93	93	93	86	93	93	83	90	92

Uptake at 24 months-Tipperary North/East Limerick -HSE-Mid Western Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	93	93	93	92	88	93		93		89
Q2 2007	93	93	93	93	83	93		93		90
Q3 2007	94	94	94	94	82	94		93		90
Q4 2007	94	94	94	94	86	94		93		93
Q1 2008	94	94	94	93	65	93		93		93
Q2 2008	93	93	93	93	91	93		93		91
Q3 2008	94	94	94	94	na	94		na		91
Q4 2008	94	94	94	94	93	94		94		95
Q1 2009	96	96	96	95	88	96		95		92
Q2 2009	95	95	95	95	90	95		95		94
Q3 2009	96	96	96	96	95	96		95		95
Q4 2009	na	na	na	na	na	na		na		na
Q1 2010	94	94	94	94	91	94		93		92
Q2 2010	94	94	94	94	91	94		93		92
Q3 2010	94	94	94	94	87	94	94	82	92	93
Q4 2010	96	96	96	96	89	96	96	86	92	93
Q1 2011	97	97	97	97	89	97	97	84	92	93
Q2 2011	95	95	95	95	89	95	95	85	91	93
Q3 2011	97	97	97	97	87	97	97	83	91	94
Q4 2011	97	97	97	97	91	97	97	87	93	94

Uptake at 24 months - Cavan/Monaghan - HSE-North Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	95	95	95	95	85	95		94		91
Q2 2007	95	95	95	95	88	95		94		90
Q3 2007	95	95	95	95	87	95		95		91
Q4 2007	94	94	94	94	88	94		93		92
Q1 2008	93	93	93	93	87	94		93		90
Q2 2008	95	95	95	96	87	96		95		91
Q3 2008	92	92	92	92	87	92		92		89
Q4 2008	95	95	95	95	92	96		96		93
Q1 2009	95	95	95	95	92	95		95		90
Q2 2009	95	95	95	94	91	95		95		91
Q3 2009	96	96	96	96	95	96		96		93
Q4 2009	95	95	95	94	91	95		97		95
Q1 2010	96	96	96	96	95	96		96		94
Q2 2010	94	94	94	93	92	94		94		92
Q3 2010	96	96	96	96	91	96	95	89	94	95
Q4 2010	na	na	na	na	na	na	na	na	na	na
Q1 2011	98	98	98	98	89	98	98	88	95	95
Q2 2011	97	97	97	97	91	97	97	88	94	95
Q3 2011	96	96	96	96	92	96	96	87	92	94
Q4 2011	97	97	97	97	90	97	97	88	93	94

Immunisation Uptake Statistics at 24 months by LHO continued

Uptake at 24 months ~ Louth ~ HSE-North Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	94	94	94	94	89	94		93		89
Q2 2007	89	89	89	89	84	89		89		89
Q3 2007	93	93	93	93	88	93		93		91
Q4 2007	94	94	94	94	91	94		94		91
Q1 2008	94	94	94	93	89	94		92		91
Q2 2008	96	96	96	96	90	96		95		90
Q3 2008	94	94	94	94	80	94		94		89
Q4 2008	94	94	94	94	90	94		95		91
Q1 2009	92	92	92	92	88	92		94		89
Q2 2009	93	93	93	92	90	93		94		89
Q3 2009	94	94	94	94	96	94		96		92
Q4 2009	94	94	94	94	93	94		95		94
Q1 2010	94	94	94	94	94	94		95		94
Q2 2010	96	96	96	95	92	96		95		93
Q3 2010	95	95	95	95	91	95	95	87	92	92
Q4 2010	na	na	na	na	na	na	na	na	na	na
Q1 2011	93	93	93	93	88	93	93	86	92	93
Q2 2011	94	94	94	94	89	94	94	85	91	92
Q3 2011	95	95	95	95	88	95	95	85	91	92
Q4 2011	95	95	95	95	88	95	95	84	90	90

Uptake at 24 months ~ Meath ~ HSE-North Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	91	91	91	91	88	91		91		89
Q2 2007	93	93	93	93	87	93		93		92
Q3 2007	93	93	93	93	86	93		93		90
Q4 2007	92	92	92	92	91	92		92		90
Q1 2008	94	94	94	94	92	95		94		90
Q2 2008	94	94	94	95	88	95		94		88
Q3 2008	92	92	92	92	89	92		92		90
Q4 2008	92	92	92	92	90	92		93		90
Q1 2009	93	93	93	93	89	93		94		91
Q2 2009	94	94	94	94	91	94		94		91
Q3 2009	94	94	94	94	94	94		96		92
Q4 2009	96	96	96	96	92	96		97		94
Q1 2010	94	94	94	93	92	94		94		91
Q2 2010	96	96	96	95	92	96		95		93
Q3 2010	96	96	96	96	90	96	95	87	90	91
Q4 2010	na	na	na	na	na	na	na	na	na	na
Q1 2011	97	97	97	97	91	97	97	88	93	93
Q2 2011	96	96	96	96	87	96	96	84	92	92
Q3 2011	95	95	95	95	86	95	95	83	91	91
Q4 2011	95	95	95	95	85	95	95	82	87	88

Uptake at 24 months ~ Donegal ~ HSE-North Western Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	96	96	96	95	89*	96		95		89
Q2 2007	98	98	98	97	90	98		96		91
Q3 2007	97	97	97	96	na	97		96		92
Q4 2007	98	98	98	97	88	98		96		93
Q1 2008	98	98	98	97	94	98		96		92
Q2 2008	97	97	97	96	94	97		94		93
Q3 2008	96	96	96	95	94	96		94		90
Q4 2008	96	96	96	96	93	96		94		91
Q1 2009	95	95	95	95	93	95		95		92
Q2 2009	97	97	97	97	94	97		96		93
Q3 2009	95	95	95	94	93	95		93		90
Q4 2009	98	98	98	97	94	98		97		94
Q1 2010	97	97	97	96	93	97		96		92
Q2 2010	95	95	95	94	90	95		92		90
Q3 2010	96	96	96	96	88	96	95	82	89	92
Q4 2010	96	96	96	96	85	96	95	82	90	91
Q1 2011	97	97	97	96	91	97	95	85	90	92
Q2 2011	97	97	97	97	92	97	95	87	92	94
Q3 2011	98	98	98	97	90	98	97	87	91	94
Q4 2011	97	97	97	97	93	97	95	86	90	92

Uptake at 24 months ~ Sligo/Leitrim ~ HSE-North Western Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	98	98	98	95	80*	98		92		95
Q2 2007	97	97	97	92	80	96		89		93
Q3 2007	96	96	96	91	na	95		87		93
Q4 2007	98	98	98	95	95	98		90		97
Q1 2008	98	98	98	94	97	96		91		96
Q2 2008	95	95	95	93	93	95		91		94
Q3 2008	96	96	96	93	97	96		90		93
Q4 2008	95	95	95	94	92	96		91		93
Q1 2009	98	98	98	97	95	98		95		95
Q2 2009	96	96	96	95	93	96		93		95
Q3 2009	95	95	95	96	91	96		92		91
Q4 2009	97	97	97	96	92	97		94		92
Q1 2010	97	97	97	95	94	97		94		95
Q2 2010	96	96	96	94	94	96		92		94
Q3 2010	95	95	95	95	87	95	93	80	86	92
Q4 2010	96	96	96	96	88	96	95	81	87	94
Q1 2011	97	97	97	97	93	97	97	84	87	95
Q2 2011	95	95	95	95	95	95	95	86	89	96
Q3 2011	97	97	97	96	95	97	96	85	88	95
Q4 2011	98	98	98	98	96	98	98	89	89	98

* HSE-NW Hib_b Q1-2007 figures were revised since the Q1-2007 report was first produced. HSE-NW Q1 2007-Q2 2010 were those who received four doses of Hib (i.e. including a booster dose >=12 months). The Q3 2010 figures are those who received the Hib booster >=12 months regardless of the number of previous doses.

Immunisation Uptake Statistics at 24 months by LHO continued

Uptake at 24 months ~ Carlow/Kilkenny ~ HSE-South Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	92	92	92	92	68	92		92		86
Q2 2007	90	90	90	90	63	90		89		85
Q3 2007	94	94	94	93	73	94		92		90
Q4 2007	93	93	93	92	55	93		91		90
Q1 2008	89	89	89	89	90	89		87		89
Q2 2008	90	90	90	90	na	90		90		88
Q3 2008	93	93	93	93	91	93		92		89
Q4 2008	92	92	92	91	91	92		90		89
Q1 2009	92	92	92	92	92	92		92		91
Q2 2009	93	93	93	93	91	93		92		91
Q3 2009	91	91	91	91	92	91		91		91
Q4 2009	90	90	90	90	87	90		89		91
Q1 2010	96	96	96	96	96	96		94		94
Q2 2010	95	95	95	95	95	95		94		94
Q3 2010	95	95	95	95	91	95	95	82	89	93
Q4 2010	94	94	94	93	87	94	93	80	89	92
Q1 2011	94	94	94	94	93	94	94	84	87	91
Q2 2011	95	95	95	95	93	95	95	82	88	92
Q3 2011	96	96	96	96	97	96	95	87	91	94
Q4 2011	95	95	95	95	92	95	95	87	91	94

Uptake at 24 months ~ Tipperary South ~ HSE-South Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	93	93	93	93	72	93		91		88
Q2 2007	91	91	91	91	63	91		91		91
Q3 2007	91	91	91	91	61	92		90		91
Q4 2007	92	92	92	90	50	92		89		89
Q1 2008	91	91	91	91	75	91		90		88
Q2 2008	94	94	94	93	na	94		92		87
Q3 2008	91	91	91	91	89	91		90		89
Q4 2008	90	90	90	89	86	90		89		87
Q1 2009	91	91	91	89	89	90		89		87
Q2 2009	95	95	95	94	89	95		93		91
Q3 2009	95	95	95	95	93	95		94		91
Q4 2009	93	93	93	92	89	93		91		93
Q1 2010	92	92	92	92	91	92		92		89
Q2 2010	94	94	94	93	93	94		92		94
Q3 2010	95	95	95	95	94	95	95	84	89	92
Q4 2010	97	97	97	97	96	97	97	89	94	96
Q1 2011	96	96	96	96	94	96	96	81	90	92
Q2 2011	95	95	95	95	97	95	94	85	90	92
Q3 2011	98	98	98	98	99	98	98	89	94	94
Q4 2011	98	98	98	98	97	98	98	90	94	96

Uptake at 24 months ~ Waterford ~ HSE-South Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	86	86	86	86	64	86		86		81
Q2 2007	85	85	85	85	60	85		84		81
Q3 2007	89	89	89	89	66	89		87		81
Q4 2007	90	90	90	91	51	90		90		85
Q1 2008	87	87	87	87	79	87		86		82
Q2 2008	89	89	89	89	na	89		88		82
Q3 2008	90	90	90	90	83	90		89		85
Q4 2008	91	91	91	91	85	91		89		87
Q1 2009	89	89	89	89	82	89		89		85
Q2 2009	89	89	89	89	89	89		89		86
Q3 2009	90	89	90	89	90	89		89		87
Q4 2009	92	91	92	91	86	91		90		88
Q1 2010	94	94	94	93	95	94		92		93
Q2 2010	93	93	93	93	94	93		92		93
Q3 2010	95	95	95	96	92	95	95	84	90	95
Q4 2010	92	92	92	92	92	92	92	84	89	91
Q1 2011	95	95	95	95	95	94	94	89	93	94
Q2 2011	94	94	94	94	94	94	94	86	90	92
Q3 2011	96	96	96	96	94	96	96	88	93	94
Q4 2011	95	95	95	95	92	95	95	88	93	94

Uptake at 24 months ~ Wexford ~ HSE-South Eastern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	89	89	89	88	64	88		89		83
Q2 2007	92	92	92	91	64	92		90		87
Q3 2007	93	93	93	92	74	93		92		88
Q4 2007	91	91	91	90	56	91		90		89
Q1 2008	91	91	91	90	84	91		90		87
Q2 2008	93	93	93	92	na	92		91		87
Q3 2008	92	92	92	91	86	91		90		88
Q4 2008	95	95	95	94	95	95		94		90
Q1 2009	93	93	93	93	93	93		92		90
Q2 2009	95	95	95	94	92	94		93		90
Q3 2009	93	93	93	93	92	93		93		92
Q4 2009	96	96	96	95	90	95		95		92
Q1 2010	95	95	95	94	97	95		94		95
Q2 2010	94	94	94	94	96	94		93		92
Q3 2010	96	96	96	96	92	96	96	85	92	95
Q4 2010	94	94	94	94	90	94	94	83	90	92
Q1 2011	93	93	93	93	91	93	93	84	89	91
Q2 2011	96	96	96	95	96	96	95	88	92	94
Q3 2011	98	98	98	97	97	98	98	88	93	94
Q4 2011	95	95	95	95	93	95	95	87	92	93

The Q1 2009 Waterford Hib_b figure may be low as personnel were required to work on the MMR campaign (in secondary schools)

The HSE-South Eastern Area Hib_b Q1-Q4 2007 rates probably underestimate uptake due to the data extraction method.

Immunisation Uptake Statistics at 24 months by LHO continued

Uptake at 24 months ~ North Cork ~ HSE-Southern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	94	94	94	94	77	94		93		87
Q2 2007	94	94	94	94	77	94		94		88
Q3 2007	94	94	94	94	73	94		95		85
Q4 2007	92	92	92	92	82	92		92		86
Q1 2008	95	95	95	95	82	95		95		88
Q2 2008	90	90	90	90	81	90		89		83
Q3 2008	89	89	89	89	75	89		89		81
Q4 2008	94	94	94	94	90	94		93		93
Q1 2009	96	96	96	96	91	96		97		92
Q2 2009	95	95	95	95	89	95		94		92
Q3 2009	96	96	96	96	90	96		96		93
Q4 2009	95	95	95	95	87	95		95		88
Q1 2010	na	na	na	na	na	na		na		na
Q2 2010	91	91	91	91	82	91		89		83
Q3 2010	93	93	93	95	77	93	93	76	86	86
Q4 2010	92	92	92	92	78	92	92	78	86	88
Q1 2011	91	91	91	91	76	91	92	78	88	87
Q2 2011	96	96	96	96	84	96	96	83	90	91
Q3 2011	95	95	95	94	86	95	94	86	92	91
Q4 2011	96	96	96	96	83	96	95	84	90	91

Uptake at 24 months ~ North South Lee ~ HSE-Southern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	94	94	94	94	77	94		94		90
Q2 2007	94	94	94	94	71	94		94		88
Q3 2007	96	96	96	96	73	96		96		91
Q4 2007	95	95	95	95	81	95		95		92
Q1 2008	95	95	95	95	82	95		95		90
Q2 2008	95	95	95	95	85	95		95		93
Q3 2008	94	94	94	94	85	94		94		92
Q4 2008	95	95	95	95	88	95		95		91
Q1 2009	95	95	95	95	90	95		95		92
Q2 2009	96	96	96	96	91	96		95		93
Q3 2009	97	97	97	97	92	97		97		95
Q4 2009	92	92	92	92	86	92		92		89
Q1 2010	na	na	na	na	na	na		na		na
Q2 2010	95	95	95	95	89	95		94		94
Q3 2010	93	93	93	95	76	93	91	75	85	87
Q4 2010	94	94	94	94	80	94	93	83	91	92
Q1 2011	97	97	97	97	83	97	96	87	93	94
Q2 2011	98	98	98	97	82	98	96	84	93	94
Q3 2011	98	98	98	98	83	98	96	85	94	96
Q4 2011	98	98	98	97	85	98	96	87	93	95

Uptake at 24 months ~ West Cork ~ HSE-Southern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	90	90	90	90	71	90		90		81
Q2 2007	93	93	93	93	68	93		93		83
Q3 2007	88	88	88	88	66	88		88		81
Q4 2007	86	86	86	86	64	86		85		76
Q1 2008	87	87	87	87	78	87		87		81
Q2 2008	91	91	91	91	80	91		89		83
Q3 2008	93	93	93	93	81	93		94		86
Q4 2008	91	91	91	91	85	91		90		87
Q1 2009	90	90	90	90	86	90		91		86
Q2 2009	88	88	88	88	78	88		88		81
Q3 2009	91	91	91	91	85	91		90		85
Q4 2009	88	88	88	88	80	88		88		83
Q1 2010	na	na	na	na	na	na		na		na
Q2 2010	88	88	88	88	78	88		87		80
Q3 2010	90	90	90	92	70	90	87	69	78	81
Q4 2010	87	87	87	87	62	87	87	64	71	75
Q1 2011	94	94	94	93	73	94	92	74	86	88
Q2 2011	87	87	87	87	70	87	86	71	78	81
Q3 2011	89	89	89	87	77	89	88	78	83	88
Q4 2011	90	90	90	89	78	90	90	80	84	86

Uptake at 24 months ~ Kerry ~ HSE-Southern Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	94	94	94	94	75	94		93		82
Q2 2007	93	93	93	93	74	93		93		83
Q3 2007	92	92	92	92	72	92		92		84
Q4 2007	89	89	89	89	72	89		89		83
Q1 2008	88	88	88	88	74	88		88		80
Q2 2008	91	91	91	91	76	91		91		83
Q3 2008	88	88	88	88	77	88		88		84
Q4 2008	92	92	92	92	83	92		92		87
Q1 2009	91	91	91	91	85	91		91		87
Q2 2009	91	91	91	91	83	91		90		85
Q3 2009	92	92	92	92	83	92		91		86
Q4 2009	92	92	92	92	85	92		91		88
Q1 2010	na	na	na	na	na	na		na		na
Q2 2010	93	93	93	93	86	93		92		91
Q3 2010	93	93	93	94	77	93	92	76	86	88
Q4 2010	94	94	94	94	81	94	94	83	89	87
Q1 2011	95	95	95	94	79	95	93	82	90	91
Q2 2011	97	97	97	97	81	97	95	82	90	90
Q3 2011	98	98	98	97	86	98	96	89	93	94
Q4 2011	95	95	95	94	82	95	94	83	90	92

Immunisation Uptake Statistics at 24 months by LHO continued

Uptake at 24 months ~ Galway ~ HSE-Western Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	93	93	93	93	na	93		92		83
Q2 2007	92	92	92	92	70	92		92		86
Q3 2007	92	92	92	92	66	92		92		84
Q4 2007	90	90	90	90	61	90		90		84
Q1 2008	92	92	92	92	80	92		93		87
Q2 2008	93	93	93	93	85	93		93		89
Q3 2008	94	94	94	94	83	94		94		89
Q4 2008	93	93	93	93	86	93		94		90
Q1 2009	93	93	93	93	87	93		94		90
Q2 2009	96	96	96	96	84	96		92		89
Q3 2009	93	93	93	93	87	93		93		90
Q4 2009	92	92	92	92	85	92		92		89
Q1 2010	92	92	92	92	86	92		93		89
Q2 2010	92	92	92	92	83	92		91		87
Q3 2010	91	91	91	91	71	91	90	72	82	84
Q4 2010	92	92	92	92	76	92	92	77	85	86
Q1 2011	92	92	92	92	74	92	92	74	85	86
Q2 2011	93	93	93	93	77	93	93	77	87	88
Q3 2011	94	94	94	94	81	94	94	81	89	90
Q4 2011	93	93	93	93	81	93	93	81	88	89

Uptake at 24 months ~ Mayo ~ HSE-Western Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	94	94	94	94	na	94		93		83
Q2 2007	92	92	92	91	62	92		92		81
Q3 2007	94	94	94	94	60	94		94		83
Q4 2007	94	94	94	94	61	94		94		83
Q1 2008	90	90	90	90	68	90		89		80
Q2 2008	91	91	91	91	69	91		90		80
Q3 2008	94	94	94	94	72	94		94		82
Q4 2008	95	95	95	95	77	95		94		88
Q1 2009	93	93	93	93	78	93		93		86
Q2 2009	93	93	93	93	85	93		94		90
Q3 2009	93	93	93	93	84	93		93		89
Q4 2009	91	91	91	91	80	91		92		83
Q1 2010	94	94	94	93	80	94		93		87
Q2 2010	91	91	91	91	77	91		89		84
Q3 2010	94	94	94	94	74	94	94	72	83	87
Q4 2010	95	95	95	95	75	95	95	76	85	86
Q1 2011	93	93	93	93	74	93	93	73	86	87
Q2 2011	94	94	94	94	80	94	94	80	88	89
Q3 2011	96	96	96	96	82	96	96	82	90	90
Q4 2011	96	96	96	96	83	96	96	84	92	92

Uptake at 24 months ~ Roscommon ~ HSE-Western Area										
	D ₃	P ₃	T ₃	Hib ₃	Hib _b	Polio ₃	HepB ₃	MenC ₃	PCV ₃	MMR ₁
Q1 2007	96	96	96	95	na	96		96		93
Q2 2007	97	97	97	97	82	97		98		92
Q3 2007	97	97	97	97	83	97		96		91
Q4 2007	96	96	96	96	90	96		97		93
Q1 2008	97	97	97	97	89	97		96		90
Q2 2008	97	97	97	97	94	97		98		94
Q3 2008	97	97	97	96	96	97		98		95
Q4 2008	98	98	98	96	97	98		99		95
Q1 2009	99	99	99	99	98	99		99		98
Q2 2009	98	98	98	96	97	98		99		96
Q3 2009	98	98	98	97	98	98		98		96
Q4 2009	99	99	99	98	98	99		98		97
Q1 2010	100	100	100	98	97	100		99		97
Q2 2010	99	99	99	98	96	99		98		96
Q3 2010	98	98	98	98	92	98	98	92	95	94
Q4 2010	98	98	98	98	95	98	98	94	97	96
Q1 2011	100	100	100	100	97	100	100	96	99	98
Q2 2011	98	98	98	98	97	98	98	97	99	98
Q3 2011	98	98	98	98	97	98	98	96	98	97
Q4 2011	96	96	96	96	96	96	96	95	97	96

na=not available