

Disease

Acute anterior poliomyelitis
 Acute infectious gastroenteritis
 Ano-genital warts
 Anthrax
 Bacillus cereus food-borne infection/intoxication
 Bacterial meningitis (not otherwise specified)
 Botulism
 Brucellosis
 Campylobacter infection
 Chancroid
 Chlamydia trachomatis infection (genital)
 Cholera
 Clostridium perfringens (type A) food-borne disease
 Creutzfeldt Jakob disease
 nv Creutzfeldt Jakob disease
 Cryptosporidiosis
 Diphtheria
 Echinococcosis
 Enterococcal bacteraemia
 Enterohaemorrhagic Escherichia coli
 Escherichia coli infection (invasive)
 Giardiasis
 Gonorrhoea
 Granuloma inguinale
 Haemophilus influenzae disease (invasive)
 Hepatitis A (acute)
 Hepatitis B (acute and chronic)
 Hepatitis C
 Herpes simplex (genital)
 Influenza
 Legionellosis
 Leptospirosis
 Listeriosis
 Lymphogranuloma venereum
 Malaria
 Measles
 Meningococcal disease
 Mumps
 Non-specific urethritis
 Noroviral infection
 Paratyphoid
 Pertussis
 Plague
 Q Fever
 Rabies
 Rubella
 Salmonellosis
 Severe Acute Respiratory Syndrome (SARS)
 Shigellosis
 Smallpox
 Staphylococcal food poisoning
 Staphylococcus aureus bacteraemia
 Streptococcus group A infection (invasive)
 Streptococcus pneumoniae infection (invasive)
 Syphilis
 Tetanus
 Toxoplasmosis
 Trichinosis
 Trichomoniasis
 Tuberculosis
 Tularemia
 Typhoid
 Typhus
 Viral encephalitis
 Viral meningitis
 Viral haemorrhagic fevers

Causative Pathogen

Polio virus
 *
 Bacillus anthracis
 Bacillus cereus
 Clostridium botulinum
 Brucella species
 Campylobacter species
 Haemophilus ducreyi
 Chlamydia trachomatis
 Vibrio cholerae
 Clostridium perfringens
 Cryptosporidium parvum
 Corynebacterium diphtheriae
 Echinococcus species
 Enterococcus species (blood)
 Escherichia coli of serogroup known to be toxin-producing
 Escherichia coli (blood, CSF)
 Giardia lamblia
 Neisseria gonorrhoeae
 Haemophilus influenzae (blood, CSF or other normally sterile site)
 Hepatitis A virus
 Hepatitis B virus
 Hepatitis C virus
 Herpes simplex virus
 Influenza A and B virus
 Legionella species
 Leptospira species
 Listeria monocytogenes
 Plasmodium falciparum, vivax, ovale, malariae
 Measles virus
 Neisseria meningitidis
 Mumps virus
 Norovirus
 Salmonella paratyphi
 Bordetella pertussis
 Yersinia pestis
 Coxiella burnetii
 Rabies virus
 Rubella virus
 Salmonella enterica
 SARS-associated coronavirus
 Shigella species
 Variola virus
 Enterotoxigenic Staphylococcus aureus
 Staphylococcus aureus (blood)
 Streptococcus pyogenes (blood, CSF or other normally sterile site)
 Streptococcus pneumoniae (blood, CSF or other normally sterile site)
 Treponema pallidum
 Clostridium tetani
 Toxoplasma gondii
 Trichinella species
 Trichomonas vaginalis
 Mycobacterium tuberculosis complex
 Francisella tularensis
 Salmonella typhi
 Rickettsia prowazekii
 Lassa virus, Marburg virus, Ebola virus, Crimean-Congo haemorrhagic fever virus
 Yellow Fever virus
 Yersinia enterocolitica, Yersinia pseudotuberculosis

*See Case Definition booklet, available at www.hpsc.ie

As agreed with Department of Health and Children in April 2008, *Clostridium difficile* became notifiable under acute infectious gastroenteritis (AIG) from 4th May 2008. Therefore, under this disease category *C. difficile*, rotavirus and AIG of unknown aetiology are now notifiable.