





# **Epidemiology of COVID-19 in Ireland**

Report prepared by HPSC on 24/06/20 for National Public Health Emergency Team

Summary characteristics of confirmed COVID-19 cases notified in Ireland up to midnight 22/06/2020

	Number	Percent
Total number of confirmed cases	25,391	
National cumulative incidence of confirmed cases per 100,000 population	533.22	
Total number of cases hospitalised	3,292	12.97
Total number of cases admitted to ICU	434	1.71
Total number of deaths among confirmed cases	1,467	5.78
Case fatality ratio (CFR, %)	5.78	
National cumulative incidence of confirmed deaths per 100,000 population	30.81	
Total number of outbreaks/clusters	1,212	
Total number of cases associated with clusters	11,289	44.46
Total number of imported cases	378	1.49
Number of cases in healthcare workers	8,177	32.2
Males	10,853	42.74
Females	14,508	57.14
M:F ratio	0.75	
Median age (years)	48	
Mean age (years)	51	
Age range (years)	0 - 106	




Figure 1a: Number\* and cumulative number of confirmed COVID-19 cases notified in Ireland by notification date\* to midnight 22/06/2020

\*Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates




Figure 1b: Number and cumulative number of confirmed COVID-19 cases notified in Ireland by epidemiological date\*\* to midnight 22/06/2020

<sup>\*\*</sup>Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.





Figure 2: Cumulative 14 day incidence rate of confirmed COVID-19 cases per 100,000 population notified in Ireland by notification\* and epidemiological date\*\* to midnight 22/06/2020

<sup>\*</sup> Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates

<sup>\*\*</sup>Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

Table 1: Characteristics of confirmed COVID-19 cases notified in Ireland up to midnight on 22/06/2020

Characteristic		Number of cases	Percent
Total number of confirmed cases		25,391	100
Sex	Male:Female ratio	0.75	
	Male	10,853	42.74
	Female	14,508	57.14
	Unknown	30	0.12
Age	Median age (years)	48	
	Mean age (years)	51	
	Age range (years)	0 - 106	
	0-4 yrs	170	0.67
	5-14 yrs	327	1.29
	15-24 yrs	1,884	7.42
	25-34 yrs	4,256	16.76
	35-44 yrs	4,471	17.61
	45-54 yrs	4,562	17.97
	55-64 yrs	3,247	12.79
	65-74 yrs	1,801	7.09
	75-84 yrs	2,287	9.01
	85+ yrs	2,364	9.31
	Unknown	22	0.09



Cumulative age- and sex-specific rate per 100,000 population

■ Female ■ Male

Figure 3: Cumulative age- and sex-specific incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 22/06/2020 (excluding 22 cases for whom age is unknown, 29 cases for whom sex is unknown and 1 case for whom both are unknown)




Figure 4: Cumulative incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 22/06/2020

Please do not directly compare county shades to previous maps. The numbers of cases by county are increasing and as such the categories listed will broaden which may result in changes to the map shading.

Table 2: Number of confirmed COVID-19 cases by county notified to midnight 22/06/2020

Table 2: Italiber	or commined covid :	o cacco by county
County Name	Number of cases	Percent
Carlow	175	0.69
Cavan	861	3.39
Clare	369	1.45
Cork	1,535	6.05
Donegal	464	1.83
Dublin	12,218	48.12
Galway	485	1.91
Kerry	310	1.22
Kildare	1,476	5.81
Kilkenny	354	1.39
Laois	265	1.04
Leitrim	78	0.31
Limerick	583	2.3
Longford	285	1.12
Louth	780	3.07
Mayo	572	2.25
Meath	808	3.18
Monaghan	536	2.11
Offaly	483	1.9
Roscommon	345	1.36
Sligo	125	0.49
Tipperary	543	2.14
Waterford	156	0.61
Westmeath	672	2.65
Wexford	216	0.85
Wicklow	697	2.75
Total	25,391	100

Table 3: Number of confirmed COVID-19 cases by WHO transmission classification notified to midnight 22/06/2020

Transmission classification*	Count of Events	%
Community transmission, incl. possible community transmission	9,015	35.50%
Local transmission, incl. possible local transmission	15,780	62.15%
Travel abroad, incl. possible travel abroad	591	2.33%
Unknown	5	0.02%
Total	25,391	100.00%

<sup>\*</sup>See technical note 3 for definition of WHO transmission classification

Cases which were notified more than 2 weeks ago and have not yet been reported as imported or linked to an outbreak are classified as possible community transmission.

Table 4: Cumulative number of confirmed cases of COVID-19 notified in Ireland by age group and hospital, ICU and vital status as of midnight 22/06/2020

Age Group (years)	Number of cases (n)	Cases hospitalised (n)	Cases hospitalised (%)	Cases admitted to ICU (n)	Cases admitted to ICU (%)
0-4 yrs	170	21	0.64	0	0
5-14 yrs	327	16	0.49	2	0.46
15-24 yrs	1884	70	2.13	5	1.15
25-34 yrs	4256	197	5.98	15	3.46
35-44 yrs	4471	265	8.05	35	8.06
45-54 yrs	4562	445	13.52	90	20.74
55-64 yrs	3247	490	14.88	126	29.03
65-74 yrs	1801	579	17.59	110	25.35
75-84 yrs	2287	737	22.39	45	10.37
85+ yrs	2364	470	14.28	6	1.38
Unknown	22	2	0.06	0	0
Total	25,391	3,292	100	434	100

Table 5: Number and proportion of confirmed cases of COVID-19 notified in Ireland by age-group, hospitalisation and ICU admission 22/06/2020

	0-4 yrs	5-14 yrs	15-24 yrs	25-34 yrs	35-44 yrs	45-54 yrs	55-64 yrs	65-74 yrs	75-84 yrs	85+ yrs	Unknow n
Number of cases (n)	170	327	1,884	4,256	4,471	4,562	3,247	1,801	2,287	2,364	22
Cases hospitalised (n)	21	16	70	197	265	445	490	579	737	470	2
Cases hospitalised (%)	12.35	4.89	3.72	4.63	5.93	9.75	15.09	32.15	32.23	19.88	9.09
Cases admitted to ICU (n)	0	2	5	15	35	90	126	110	45	6	0
Cases admitted to ICU (%)	0	0.61	0.27	0.35	0.78	1.97	3.88	6.11	1.97	0.25	0
Deaths (n)	0	0	2	5	11	23	63	216	503	644	0
Case fatality ratio (%)	0	0	0.11	0.12	0.25	0.5	1.94	11.99	21.99	27.24	0

# **Outbreaks of COVID-19**

Table 6: Number of clusters/outbreaks COVID-19 by location and HSE area notified to midnight 22/06/2020

Outbreak Location	E	M	MW	NE	NW	S	SE	w	Total
Private house	182	6	52	118	5	83	28	26	500
Nursing home	127	10	15	38	5	9	17	36	257
Residential institution	112	9	8	17	4	20	10	4	184
Hospital	60	3	2	14	2	11	4	6	102
Other*	11	8	26	6	5	20	6	9	91
Workplace	8	5	5	14	1	8	3	4	48
Comm. Hosp/Long-stay unit	4	3	2		4	6	5	5	29
Unknown						1			1
Total	504	44	110	207	26	158	73	90	1,212

<sup>\*</sup>Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.




Figure 5: Trend in number of COVID-19 clusters by location and week notified to midnight 22/06/2020

\*Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.

Note: In week 24 and 25, 200 new COVID-19 outbreaks were reported on CIDR, of which 187 were family outbreaks. Of these, 78 family outbreaks occurred in March, 67 family outbreaks occurred in April and 16 family outbreaks occurred in May 2020.

# **Deaths among COVID-19 cases**

Table 7: Summary of deaths in all COVID-19 cases notified in Ireland up to midnight 22/06/2020

	Number	Percent
Total number of deaths	1,725	
Confirmed	1,467	85.04
Probable	98	5.68
Possible	160	9.28
Total number of cases hospitalised	723	41.91
Cases admitted to ICU	91	5.28
Cases not admitted to ICU	632	36.64
Total number of imported cases	5	0.29
Number of cases in healthcare workers	7	0.41
Number with underlying clinical conditions	1,593	92.35
Total number of male cases	854	49.51
M:F ratio	0.98	
Median age (years)	84	
Mean age (years)	82	
Age range (years)	17 - 105	

Table 8: Number of deaths in all COVID-19 cases by sex and age group notified in Ireland up to midnight 22/06/2020

Age group (years)	Female	Male	Total	Percent
15-24 yrs	<5	<5	2	0.12
25-34 yrs	<5	<5	5	0.29
35-44 yrs	5	7	12	0.7
45-54 yrs	10	15	25	1.45
55-64 yrs	24	44	68	3.94
65-74 yrs	87	155	242	14.03
75-84 yrs	267	321	588	34.09
85+ yrs	472	309	781	45.28
Unknown	<5	<5	2	0.12
Total	871	854	1,725	100
Percent	50.49	49.51		




Figure 6: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total to midnight 22/06/2020

Please note: a lag in time between reporting of deaths and data extraction is expected and as such most recent dates will not yet reflect all deaths on that date

<sup>\*</sup> Date of death is not yet available for seven cases

# Acknowledgements

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in this report. This includes staff in ICU units, notifying clinicians, laboratory staff, public health doctors, nurses, surveillance scientists, microbiologists and administrative staff.

Report prepared by COVID-19 Epidemiology Team, HPSC

## **Technical Notes**

#### 1. Data Source

Data are based on statutory notifications and were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:19 on 6/24/20. Data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.

#### 2. Epidemiological date

Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

## 3. Population data

Population data were taken from Census 2016. Data were aggregated into the following age groups for the analysis: 0-4 years, 5-14 years, 15-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years and ≥ 85 years.

#### 3. Transmission classification

Transmission classification is based on country of infection as well as enhanced exposure data (international travel; close contact of a case) recorded in CIDR. Transmission is classified as 'unknown' due to incomplete data on CIDR.

WHO definition of transmission classification is specified below:

- Community transmission is evidenced by the inability to relate confirmed cases through chains of transmission for a large number of cases, or by increasing positive tests through routine screening of sentinel samples.
- Local transmission indicates locations where the source of infection is within the reporting location.
- Imported cases only indicates locations where all cases have been acquired outside the location of reporting.

## 4. HSE areas

The counties covered by each HSE area are as follows:

HSE East (E): Dublin, Kildare & Wicklow;

HSE Midlands (M): Laois, Longford, Offaly & Westmeath;

HSE Midwest (MW): Clare, Limerick & N. Tipperary;

HSE Northeast (NE): Cavan, Louth, Meath & Monaghan;

HSE Northwest (NW): Donegal, Leitrim & Sligo;

HSE South (S): Kerry & Cork;

HSE Southeast (SE): Carlow, Kilkenny, S. Tipperary, Waterford & Wexford;

HSE West (W): Galway, Mayo & Roscommon.

#### 5. Outbreak location

Where an outbreak location is reported as a residential facility (RF) this includes nursing homes, community hospitals, long-stay units and residential institutions including mental health facilities, prisons and direct provision centres.

Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.