





Epidemiology of COVID-19 in Ireland

Report prepared by HPSC on 10/11/2020 for National Public Health Emergency Team

Summary characteristics of confirmed COVID-19 cases notified in Ireland up to midnight 08/11/2020

	Number	Percent
Total number of confirmed cases	65,619	
National cumulative incidence of confirmed cases per 100,000 population	1,378.01	
Total number of cases hospitalised	4,676	7.13
Total number of cases admitted to ICU	575	0.88
Total number of deaths among confirmed cases	1,703	2.6
Case fatality ratio (CFR, %)	2.6	
National cumulative incidence of confirmed deaths per 100,000 population	35.76	
Total number of outbreaks/clusters	7,313	
Total number of cases associated with clusters	32,236	49.13
Total number of imported cases*	632	0.96
Number of cases in healthcare workers*	10,944	16.68
Males	30,827	46.98
Females	34,772	52.99
M:F ratio	0.89	
Median age (years)	39	
Mean age (years)	42	
Age range (years)	0 - 106	

^{*}Data are incomplete for these variables

Note: Data were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:15 on 10/11/2020 and are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.




Figure 1a: Number* and cumulative number of confirmed COVID-19 cases notified in Ireland by notification date* to midnight 08/11/2020

*Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates




Figure 1b: Number and cumulative number of confirmed COVID-19 cases notified in Ireland by epidemiological date** to midnight 08/11/2020

^{**}Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.





Figure 2: Cumulative 14 day incidence rate of confirmed COVID-19 cases per 100,000 population notified in Ireland by notification* and epidemiological date** to midnight 08/11/2020

* Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates

**Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

Table 1: Characteristics of confirmed COVID-19 cases notified in Ireland up to midnight on 08/11/2020

Characteristic		Number of cases	Percent
Total number of confirmed cases		65,619	100
Sex	Male:Female ratio	0.89	
	Male	30,827	46.98
	Female	34,772	52.99
	Unknown	20	0.03
Age	Median age (years)	39	
	Mean age (years)	42	
	Age range (years)	0 - 106	
	0-4 yrs	1,577	2.4
	5-14 yrs	3,848	5.86
	15-24 yrs	11,382	17.35
	25-34 yrs	11,122	16.95
	35-44 yrs	10,305	15.7
	45-54 yrs	10,005	15.25
	55-64 yrs	7,169	10.93
	65-74 yrs	3,824	5.83
	75-84 yrs	3,364	5.13
	85+ yrs	2,991	4.56
	Unknown	32	0.05



Cumulative age- and sex-specific rate per 100,000 population

■ Female ■ Male

Figure 3: Cumulative age- and sex-specific incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 08/11/2020 (excluding 31 cases for whom age is unknown, 19 cases for whom sex is unknown and 1 case for whom both are unknown)




Figure 4: Cumulative incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 08/11/2020

Please do not directly compare county shades to previous maps. The numbers of cases by county are increasing and as such the categories listed will broaden which may result in changes to the map shading.

Table 2: Number of confirmed COVID-19 cases by county notified to midnight 08/11/2020

Tubio 2: Italiiboi	31 0011111110G 00 VIB 1	o cacco by county
County Name	Number of cases	Percent
Carlow	575	0.88
Cavan	2,096	3.19
Clare	1,379	2.1
Cork	5,832	8.89
Donegal	2,422	3.69
Dublin	24,960	38.04
Galway	2,432	3.71
Kerry	1,220	1.86
Kildare	3,851	5.87
Kilkenny	848	1.29
Laois	904	1.38
Leitrim	239	0.36
Limerick	2,270	3.46
Longford	600	0.91
Louth	1,771	2.7
Mayo	1,288	1.96
Meath	3,119	4.75
Monaghan	1,158	1.76
Offaly	1,070	1.63
Roscommon	827	1.26
Sligo	686	1.05
Tipperary	1,302	1.98
Waterford	816	1.24
Westmeath	1,464	2.23
Wexford	1,135	1.73
Wicklow	1,355	2.06
Total	65,619	100

Table 3: Number of confirmed COVID-19 cases by WHO transmission classification notified to midnight 08/11/2020

Transmission classification*	Count of Events	%
Community transmission, incl. possible community transmission	21,667	33.02%
Local transmission, incl. possible local transmission	40,998	62.48%
Travel abroad, incl. possible travel abroad	939	1.43%
Unknown	2,015	3.07%
Total	65,619	100.00%

^{*}See technical note 3 for definition of WHO transmission classification

Cases which were notified more than 2 weeks ago and have not yet been reported as imported or linked to an outbreak are classified as possible community transmission.

Table 4: Cumulative number of confirmed cases of COVID-19 notified in Ireland by age group, hospitalisation and ICU admission as of midnight 08/11/2020

Age Group (years)	Number of cases (n)	Cases hospitalised (n)	Cases hospitalised (%)	Cases admitted to ICU (n)	Cases admitted to ICU (%)
0-4 yrs	1577	48	1.03	1	0.17
5-14 yrs	3848	47	1.01	4	0.7
15-24 yrs	11382	143	3.06	8	1.39
25-34 yrs	11122	295	6.31	17	2.96
35-44 yrs	10305	378	8.08	48	8.35
45-54 yrs	10005	601	12.85	106	18.43
55-64 yrs	7169	690	14.76	154	26.78
65-74 yrs	3824	840	17.96	163	28.35
75-84 yrs	3364	1,012	21.64	66	11.48
85+ yrs	2991	620	13.26	8	1.39
Unknown	32	2	0.04	0	0
Total	65,619	4,676	100	575	100

Table 5: Number and proportion of confirmed cases of COVID-19 notified in Ireland by age-group, hospitalisation, ICU admission and vital status 08/11/2020

	0-4 yrs	5-14 yrs	15-24 yrs	25-34 yrs	35-44 yrs	45-54 yrs	55-64 yrs	65-74 yrs	75-84 yrs	85+ yrs	Unknow n
Number of cases (n)	1,577	3,848	11,382	11,122	10,305	10,005	7,169	3,824	3,364	2,991	32
Cases hospitalised (n)	48	47	143	295	378	601	690	840	1,012	620	2
Cases hospitalised (%)	3.04	1.22	1.26	2.65	3.67	6.01	9.62	21.97	30.08	20.73	6.25
Cases admitted to ICU (n)	1	4	8	17	48	106	154	163	66	8	0
Cases admitted to ICU (%)	0.06	0.1	0.07	0.15	0.47	1.06	2.15	4.26	1.96	0.27	0
Deaths (n)	0	0	1	7	12	30	79	262	581	731	0
Case fatality ratio (%)	0	0	0.01	0.06	0.12	0.3	1.1	6.85	17.27	24.44	0

Outbreaks of COVID-19

Table 6: Number of clusters/outbreaks COVID-19 by location and HSE area notified to midnight 08/11/2020

Outbreak Location	Е	M	MW	NE	NW	s	SE	W	HPSC	Total
									55	
Private house	2953	69	176	386	303	416	537	486		5326
Other*	211	56	145	59	98	191	56	110	2	928
Nursing home	163	16	20	50	8	21	19	43		340
Residential institution	138	16	16	33	10	29	14	9		265
Workplace	84	16	20	43	31	20	18	22		254
Hospital	90	7	8	19	6	16	5	7		158
Comm. Hosp/Long-stay unit	6	4	2		4	6	5	5		32
Unknown	9				1					10
Total	3654	184	387	590	461	699	654	682	2	7313

^{*}Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.




Figure 5: Trend in number of COVID-19 clusters by location and week notified to midnight 08/11/2020

*Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.

Note: 6,475 COVID-19 outbreaks were reported on CIDR between week 24 and week 45 2020 (9th June to 8th Nov). Of these, 5,056 were family outbreaks. Based on the earliest date associated with each outbreak, some of these family outbreaks occurred earlier and were reported between weeks 24 and 45 as a result of data validation: 1 occurred in February, 636 in March, 474 in April, 94 in May, 126 in June, 127 in July, 533 in August, 1,493 in September, 1,481 in October and 91 to date in November.

Deaths among COVID-19 cases

Table 7: Summary of deaths in all COVID-19 cases notified in Ireland up to midnight 08/11/2020

	Number	Percent
Total number of deaths	1,962	
Confirmed	1,703	86.8
Probable	95	4.84
Possible	164	8.36
Total number of cases hospitalised	866	44.14
Cases admitted to ICU	122	6.22
Cases not admitted to ICU	744	37.92
Total number of imported cases	7	0.36
Number of cases in healthcare workers	8	0.41
Number with underlying clinical conditions	1,819	92.71
Total number of male cases	991	50.51
M:F ratio	1.02	
Median age (years)	83	
Mean age (years)	81	
Age range (years)	17 - 105	

Table 8: Number of deaths in all COVID-19 cases by sex and age group notified in Ireland up to midnight 08/11/2020

Age group (years)	Female	Male	Total	Percent
15-24 yrs	<5	<5	1	0.05
25-34 yrs	<5	5	7	0.36
35-44 yrs	6	7	13	0.66
45-54 yrs	12	20	32	1.63
55-64 yrs	27	58	85	4.33
65-74 yrs	106	184	290	14.78
75-84 yrs	299	364	663	33.79
85+ yrs	516	353	869	44.29
Unknown	<5	<5	2	0.1
Total	971	991	1,962	100
Percent	49.49	50.51		




Figure 6a: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total to midnight 08/11/2020




Figure 6b: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total, 01/09/2020 to midnight 08/11/2020

Please note: a lag in time between reporting of deaths and data extraction is expected and as such most recent dates will not yet reflect all deaths on that date

^{*} Date of death is not yet available for six cases

Acknowledgements

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in these reports. This includes the HSE COVID-19 Contact Management Programme (CMP), staff in ICU units, notifying clinicians, laboratory staff, public health doctors, nurses, surveillance scientists, microbiologists and administrative staff.

Report prepared by COVID-19 Epidemiology Team, HPSC

Technical Notes

1. Data Source

Data are based on statutory notifications and were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:15 on 10/11/2020. Data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.

2. Epidemiological date

Epidemiological date is derived from the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

3. Population data

Population data were taken from Census 2016. Data were aggregated into the following age groups for the analysis: 0-4 years, 5-14 years, 15-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years and ≥ 85 years.

3. Transmission classification

Transmission classification is based on country of infection as well as enhanced exposure data (international travel; close contact of a case) recorded in CIDR. Transmission is classified as 'unknown' due to incomplete data on CIDR.

WHO definition of transmission classification is specified below:

- Community transmission is evidenced by the inability to relate confirmed cases through chains of transmission for a large number of cases, or by increasing positive tests through routine screening of sentinel samples.
- Local transmission indicates locations where the source of infection is within the reporting location.
- Imported cases only indicates locations where all cases have been acquired outside the location of reporting.

4. HSE areas

The counties covered by each HSE area are as follows:

HSE East (E): Dublin, Kildare & Wicklow;

HSE Midlands (M): Laois, Longford, Offaly & Westmeath;

HSE Midwest (MW): Clare, Limerick & N. Tipperary;

HSE Northeast (NE): Cavan, Louth, Meath & Monaghan;

HSE Northwest (NW): Donegal, Leitrim & Sligo;

HSE South (S): Kerry & Cork;

HSE Southeast (SE): Carlow, Kilkenny, S. Tipperary, Waterford & Wexford;

HSE West (W): Galway, Mayo & Roscommon.

5. Outbreak location

Where an outbreak location is reported as a residential facility (RF) this includes nursing homes, community hospitals, long-stay units and residential institutions including mental health facilities, prisons and direct provision centres.

Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.