

Weekly Report on COVID-19 Outbreaks in Nursing Homes and Community Hospitals



Week 14 2022

Health Protection Surveillance Centre, April 12th 2022

Dates to note:

- •Week 14 2022 (April 3rd -9th 2022)
- •Week 10 2020 (1st to 7th March 2020) -The beginning of the pandemic in Ireland
- •Wave 5 of the pandemic in Ireland (Week 51 (week commencing 19th December 2021) to date)

Note: The epidemiological weeks in this report, run from Sunday to Saturday, please refer to the surveillance resources on the HPSC website for a complete list of epidemiological weeks with start and end dates.

Note: Data were extracted from the Computerised Infectious Disease Reporting (CIDR) system on 12/04/2022. These data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.



Notes

The following report provides information on COVID-19 outbreaks/clusters notified on CIDR to midnight April 9th 2022 (week 14) and extracted from CIDR at 9 am on April 12th 2022.

Data are provisional and subject to ongoing review, validation and updating. For this reason, data reported may not match data previously reported or outbreaks data reported in the future for the same time period. Furthermore, the number of linked cases is based on the number of linked cases at the time of extraction from CIDR and an outbreak may increase in size since the time of extraction due to more cases occurring or more information becoming available on CIDR.

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in this report, particularly under the current challenging circumstances. This includes the HSE COVID-19 Contact Management Programme (CMP), staff in ICU units, notifying clinicians, laboratory staff, Public Health doctors, Nurses, Surveillance Scientists, Microbiologists and Administrative staff.

COVID-19 outbreaks in Nursing Homes and Community Hospitals, Waves 1-5




| | Outbreak | | Linked confirmed cases | | | | | |
|---------------------------------------|---------------------|------------------|------------------------|------------------------|------------------------------|------------------------------------|--------------------|--|
| Wave | Number of outbreaks | Number of cases* | Number | Number hospitalised | Number admitted to ICU | Number hospitalised and died | Number who died | |
| Wave 1 (weeks 10-31 2020) | 301 | 6658 | 6251 | 476 | 16 | 195 | 886 | |
| Wave 2 (weeks 32-47 2020) | 80 | 1571 | 1555 | 90 | <5 | 25 | 134 | |
| Wave 3 (week 48 2020 - week 25 2021) | 267 | 8375 | 8328 | 577 | 12 | 199 | 1027 | |
| Wave 4 (weeks 26-50 2021) | 202 | 2818 | 2708 | 190 | <5 | 50 | 206 | |
| Wave 5 (weeks 51 2021 – week 14 2022) | 672 | 12487 | 8629 | 342 | 6 | 37 | 164 | |
| Total | 1522 | 31909 | 27471 | 1675 | 38 | 506 | 2417 | |

^{*}the larger between the aggregate number of confirmed cases reported or the number of confirmed linked cases. In wave5, includes cases confirmed by PCR or Antigen testing

- Overall, there have been 1,522 COVID-19 outbreaks in Nursing homes and Community Hospitals
- 1,675 of 27,471 laboratory confirmed outbreak cases have been hospitalised (6.1%)
- 2,417 deaths have been reported among confirmed outbreak cases in these settings (8.8%)

Weekly number of COVID-19 outbreaks in Nursing Homes and Community Hospitals, Waves 1-5





Large peaks occurred in the number of outbreaks in wave 1 (72 outbreaks in a single week) and wave 3 (57 outbreaks in a single week). In week 14 2022, 56 outbreaks were reported in these settings

Burden of disease associated with COVID-19 outbreaks in Nursing Homes and Community Hospitals, Wave 5 (weeks 51 2021 to week 14 2022)



| | Outbreak | | Linked confirmed cases | | | | | |
|---------------------------|---------------------|------------------|------------------------|------------------------|------------------------------|------------------------------------|--------------------|--|
| Outbreaks Location | Number of outbreaks | Number of cases* | Number | Number hospitalised | Number admitted to ICU | Number hospitalised and died | Number who died | |
| Comm. Hosp/Long-stay unit | 76 | 1007 | 738 | 65 | <5 | <5 | 7 | |
| Nursing home | 596 | 11480 | 7891 | 277 | 5 | 34 | 157 | |
| Total | 672 | 12487 | 8629 | 342 | 6 | 37 | 164 | |

^{*}the larger between the aggregate number of confirmed cases reported or the number of confirmed linked cases. In wave5, includes cases confirmed by PCR or Antigen testing

Wave 5:


- 672 outbreaks in wave 5
- 12,487 cases were reported associated with these outbreaks, of which there was disaggregate data available on 8,629 cases (69%)
- 342 of the 8,629 outbreak-linked cases (4.0%) were hospitalised (age range 18-99 years, median 82 years).
- 164 of the 8,629 outbreak-linked cases (1.9%) cases died (age range 52-101 years, median 87 years). Five additional deaths were reported among probable cases linked to wave 5 outbreaks.

Week 14 2022

Fifty-six new outbreaks -473 associated cases (range 0-33 cases per outbreak)

Weekly number of COVID-19 outbreaks in Nursing Homes and Community Hospitals, Waves 5 (week 51 2021 – week 14 2022)






Waves 5:

- 672 nursing home and community hospital/long stay unit COVID-19 outbreaks notified
- The number of outbreaks in these settings increased to 62 outbreaks in week 2 2022, decreased to 24 outbreaks in week 6 2022, and was 56 in week 14 2022

Regional distribution of outbreaks in Nursing Home and Community Hospitals, Waves 5 (week 51 2021 – week 14 2022)






Wave 5:

- The highest number of outbreaks was reported in CHO4 (96 outbreaks) followed by CHO2 (87 outbreaks)
- Nine CHOs were represented in the 56 outbreaks notified in week 14 2022

New and active outbreaks by week in Nursing Home and Community Hospitals, Wave 5 (week 51 2021 to week 14 2022)






Wave 5:

The number of active outbreaks
(those with a case notified that
week) peaked at 179 in week 4 2022.
Fewer outbreaks had cases reported
in weeks 5-14 2022 although the
number of known active outbreaks
in the most recent weeks may
increase as more data become
available

Note: linked case information is only available for 8,629/12,487 (69%) cases in wave 5

Cases associated with COVID-19 outbreaks in Nursing Homes and Community Hospitals, Waves 1 to 5






For outbreaks reported in week 14 2022, the number of outbreak associated cases was 473. The peak in weekly case numbers in wave 5 was in outbreaks reported in week 2 2022 with 1693 cases. This is more than 6 times the peak weekly number of cases in wave 4 (n=265), and 81% of the peak weekly number of cases in wave 3 (n=2092)

Note: Numbers of associated cases are based on the larger between the aggregate number of confirmed cases reported and the number of confirmed linked cases

Cases associated with COVID-19 outbreaks in Nursing Homes and Community Hospitals by healthcare worker status, Waves 1 to 5






In week 14, 137 outbreak associated cases (29%) were among staff and 283 (60%) among residents; the HCW status of 53 cases (11%) were not reported

Note: Numbers of associated cases are based on the larger between the aggregate number of confirmed cases reported and the number of confirmed linked cases. Staff and clients case numbers were derived from aggregate data provided on the number of staff and clients cases.

Deaths among confirmed cases linked to COVID-19 outbreaks in Nursing Homes and Community Hospitals by week of death, waves 1 -5





- In wave 5, the highest number of weekly deaths (by date of death) is
 21 in week 4 2022
- Note: only 69% of outbreak-associated cases in wave 5 have been electronically linked to outbreaks, and were thus available for inclusion in this figure
- Also, the data on linked deaths for recent outbreaks is likely an underestimate, as deaths may still accrue among known cases

Outcomes among confirmed cases linked to COVID-19 outbreaks in Nursing Homes and Community Hospitals by age group, Wave 5 (week 51 2021 to week 13 2022)



| Age group | Number | Number hospitalised | % hospitalised | Number admitted to ICU | % ICU | Number who died | % died |
|-----------|--------|------------------------|-------------------|------------------------------|-------|--------------------|--------|
| <45 yrs | 2087 | 26 | 1.2% | <5 | 0.0% | <5 | 0.0% |
| 45-64 yrs | 1422 | 30 | 2.1% | <5 | 0.0% | <5 | 0.3% |
| 65-74 yrs | 644 | 33 | 5.1% | <5 | 0.2% | 9 | 1.4% |
| 75-84 yrs | 1817 | 118 | 6.5% | <5 | 0.1% | 49 | 2.7% |
| 85+ yrs | 2659 | 135 | 5.1% | <5 | 0.1% | 102 | 3.8% |
| Total | 8629 | 342 | 4.0% | 6 | 0.1% | 164 | 1.9% |

Note: disease severity information is only available for 8,629/12,487 (69%) cases in wave 5, and deaths may still accrue among known cases

Comparison of disease severity among confirmed cases linked to outbreaks in Nursing Homes and Community Hospitals by wave and age group




| | | | • | | | | | |
|--------------|--------|--------|------------------------|-------------------|------------------------|-------|--------------------|--------|
| Age group | Wave | Number | Number hospitalised | % hospitalised | Number admitted to ICU | % ICU | Number who died | % died |
| <65 yrs | Wave 1 | 2672 | 88 | 3.3% | 5 | 0.2% | 20 | 0.7% |
| | Wave 2 | 779 | 15 | 1.9% | <5 | 0.0% | <5 | 0.1% |
| | Wave 3 | 4032 | 101 | 2.5% | 8 | 0.2% | 18 | 0.4% |
| | Wave 4 | 1177 | 16 | 1.4% | <5 | 0.2% | 7 | 0.6% |
| | Wave 5 | 3509 | 56 | 1.6% | <5 | 0.0% | <5 | 0.1% |
| 65+ yrs | Wave 1 | 3577 | 388 | 10.8% | 11 | 0.3% | 866 | 24.2% |
| | Wave 2 | 776 | 75 | 9.7% | <5 | 0.1% | 133 | 17.1% |
| | Wave 3 | 4296 | 476 | 11.1% | <5 | 0.1% | 1009 | 23.5% |
| | Wave 4 | 1531 | 174 | 11.4% | <5 | 0.1% | 199 | 13.0% |
| | Wave 5 | 5120 | 286 | 5.6% | 5 | 0.1% | 160 | 3.1% |
| All ages | Wave 1 | 6251 | 476 | 7.6% | 16 | 0.3% | 886 | 14.2% |
| | Wave 2 | 1555 | 90 | 5.8% | <5 | 0.1% | 134 | 8.6% |
| | Wave 3 | 8328 | 577 | 6.9% | 12 | 0.1% | 1027 | 12.3% |
| | Wave 4 | 2708 | 190 | 7.0% | <5 | 0.1% | 206 | 7.6% |
| | Wave 5 | 8629 | 342 | 4.0% | 6 | 0.1% | 164 | 1.9% |

The percentage of cases 65 years or older who died among confirmed cases linked to outbreaks notified in wave 4 was 13.0% and in wave 5 was 3.1%, compared to between 17.1% and 24.2% in waves 1-3

Note: disease severity information is only available 8,629/12,487 (69%) cases in wave 5, and deaths may still accrue among known cases

Distribution of outbreak size* by month of outbreak notification






The median outbreak size has remained relatively low since the vaccination programme commenced in January/February 2021

The median outbreak size for outbreaks reported in January 2022 increased to 19 and reduced to 14 in February, and to 13 in March (Note: data for March and April likely incomplete)

^{*}Number of associated cases is based on the larger between the aggregate number of confirmed cases reported and the number of confirmed linked cases

Distribution of number of deaths per outbreak by month of outbreak notification





The median number of deaths per outbreak has remained relatively low since the vaccination programme commenced in January/February 2021.


The monthly median number of deaths per outbreak has remained at zero since November 2021 (Note: data for February and March likely incomplete)

Note: Later outbreaks in the series may still be accruing cases and deaths

Note: Only outbreaks with linked case information are included in this calculation

Distribution of outbreak case fatality by month of outbreak notification





The median outbreak case fatality has remained relatively low since the vaccination programme commenced in January/February 2021.


The monthly median outbreak case fatality has remained at zero since November 2021 (Note: data for February and March likely incomplete)

Note: Later outbreaks in the series may still be accruing cases and deaths

Note: Only outbreaks with linked case information are included in this calculation

Distribution of outbreak case fatality in cases 65 years or over by month of outbreak notification [in outbreaks with cases over 65 years]





The median outbreak case fatality in cases 65 years or over has remained at zero since November 2021 (note: data for February and March likely incomplete)

Note: Later outbreaks in the series may still be accruing cases and deaths

Note: Only outbreaks with linked case information are included in this calculation