



Weekly report on the epidemiology of COVID-19 in Ireland

Week 17, 2022

- The epidemiological weeks in this report, run from Sunday to Saturday. Please refer to the HPSC website for a complete list of epidemiological weeks with start and end dates for 2020-2022.
- Reference dates:
 - Week 10, 2020 (01/03/2020 to 07/03/2020) the beginning of the pandemic in Ireland, also the start of the first wave
 - Week 32, 2020 (02/08/2020 to 08/08/2020) the beginning of the 2nd wave
 - Week 48, 2020 (22/11/2020 to 28/11/2020) the beginning of the 3rd wave
 - Week 26, 2021 (26/06/2021 to 03/07/2021) the beginning of the 4th wave
 - Week 51, 2021 (19/12/2021 to 25/12/2021) the beginning of the 5th wave
 - Week 17, 2022 (24/04/2022 to 30/04/2022) most recent epidemiological week
- Data for this report are based on case notified on the Computerised Infectious Disease Reporting
 (CIDR) and HSE Positive Antigen Portal up to midnight 30/04/2022. Data were extracted from CIDR
 system on 03/05/2022. Data are provisional and subject to ongoing review, validation and update.
 As a result, figures in this report may differ from previously published figures.
- A confirmed case of COVID-19 is any person for whom SARS-CoV-2 is detected by PCR. At
 present, antigen testing undertaken outside the governance of the public laboratory service is not
 recognised for the purpose of notification of COVID-19. For surveillance purposes, a selfadministered positive antigen test registered on the HSE Antigen Portal is not considered to be a
 confirmed COVID-19 case as it is not subject to data validation and linkage to previous or
 subsequent PCR results is not feasible.
- In this report, confirmed cases notified on CIDR and cases who have registered a positive antigen test result on the HSE Antigen Portal are presented separately.
- Data from both sources (CIDR and the HSE Antigen Portal) should be interpreted in the context of
 the current testing policy. Testing policies can affect the number and age distribution of confirmed
 cases notified on CIDR. Information on the current testing policy in Ireland can be found here
- Data for late December 2021, and January 2022, do not accurately reflect trends. Due to a surge in case numbers the turnaround time for processing notifications increased. Notifications between 19/12/2021 and 15/01/2022 (week 51, 2021 to week 2, 2022) are reduced, while notifications between 16/01/2022 and 29/01/2022 (weeks 3 and 4, 2022) are inflated compared to cases diagnosed during these weeks.

Key points

Notified confirmed cases

- In week 17 (between April 24 and April 30 2022) there were 6,371 new confirmed COVID-19 cases reported on CIDR. This is a decrease of 26.7% compared to week 16 when there were 8,691 confirmed COVID-19 cases notified.
- The highest number of new confirmed COVID-19 cases in week 17 was in the age group of 35-44 years with 19.7% of notified cases in week 17.

Laboratory data of SARS-CoV-2 PCR tests

In week 17, a total of 42,488 SARS-CoV-2 tests were performed, of which 6,605 (15.5%) were
positive.

Self-reported antigen positive cases

 In week 17, a total of 8,063 positive antigen test results were registered on the HSE Positive Antigen Portal. This is a decrease of 25.47% reported results compared to week 16 when 10,819 cases were registered.

Deaths

• Since the start of the pandemic 7,092 COVID-19 deaths among notified COVID-19 cases have been reported on CIDR. Of these, 14 had a date of death in week 17.

Table 1: Summary characteristics of COVID-19 cases notified in Ireland during week 17, 2022

	Number	Percentage
Total number of confirmed cases	6,371	
Incidence rate of confirmed cases per 100,000 population	133.8	
Severe cases		
Number of cases hospitalised	454*	7.13
Number of cases admitted to ICU	3*	0.05
Number of deaths among confirmed cases	6*	0.09
Case fatality ratio CFR (%)	0.09	
Incidence rate of deaths among confirmed cases per 100,000 population	0.13	

^{*} The number of cases hospitalised, cases admitted to ICU and deaths described in the above table relate only to COVID-19 cases who were notified during this reporting period, and where the outcome is known at the time of reporting. It does not reflect all hospitalisations, ICU admissions and deaths related to COVID-19 which occurred during the period covered by the report. It also does not reflect the final number of cases hospitalised, admitted to ICU or deaths for these cases notified during this period as the outcome may not yet have occurred, or is yet to be notified

Confirmed cases of COVID-19

Since the start of the pandemic, 1,518,021 confirmed COVID-19 cases have been notified on CIDR. In the past week, week 17 2022, 6,371 COVID-19 cases were reported on CIDR. This is a decrease of 26.7% compared to week 16 when 8,691 confirmed COVID-19 cases were notified. Figure 1 shows the epidemiological curve of COVID-19 cases notified in Ireland from week 1 2021 to week 17 2022.




Figure 1: Number of confirmed COVID-19 cases by notification week and epidemiological date in Ireland between week 1, 2021 and week 17, 2022. The red bars represent the number of confirmed cases by notification date. The purple line represents the number of cases by epidemiological date. The pink horizontal lines indicate when a new wave starts. The dark blue horizontal lines indicate a change in test policy¹, ²


¹ Since 14/01/2022 (week 2), a confirmatory PCR test after a positive antigen test was no longer needed for those in the community aged between 4 and 39 years of age outside of a risk group.

² Since 28/02/2022 (week 9), PCR testing is only needed for symptomatic people in the community within certain risk groups: those who have not had booster vaccination and are aged 55 years and older; those with a high-risk medical conditions; those who are immunocompromised; those who live in the same household as a person who is immunocompromised; those who provide care or support for person they know to be immunocompromised; those who are pregnant; Healthcare Workers.

Confirmed COVID-19 cases by age and sex

Table 2: Summary characteristics by age and sex of COVID-19 cases notified in Ireland during week 17, 2022

	Number	Percentage
Gender		
Males	2,584	40.6
Females	3,782	59.4
M:F ratio	0.68	
Age (years)		
Mean age	46	
Median age	45	
Age range	0 - 102	
Age groups (years)		
0-4	190	3.0
5-12	210	3.3
13-18	183	2.9
19-24	290	4.6
25-34	1,000	15.7
35-44	1,256	19.7
45-54	1,082	17.0
55-64	934	14.7
65-74	598	9.4
75-84	439	6.9
85+	189	3.0



*Excluding 0 for whom age is unknown, 5 for whom sex is unknown and 0 for whom both are unknown

Figure 2: Cumulative age and sex specific incidence rates of confirmed COVID-19 cases per 100,000 population for current week 17, 2022




Figure 3: Heat map of weekly age-specific incidence rates of confirmed COVID-19 cases per 100,000 population in Ireland for the last 8 weeks

Cases and incidence by county

Table 3: Characteristics of confirmed COVID-19 cases by county and descending incidence rate per 100,000 notified in Ireland, during week 17, 2022

County	Number of cases	Percent	M:F ratio	Median age	Incidence rate per 100,000
Tipperary	314	4.9	0.7	48.0	196.8
Carlow	110	1.7	0.4	51.0	193.2
Offaly	147	2.3	0.7	48.0	188.6
Limerick	329	5.2	0.7	43.0	168.8
Galway	376	5.9	0.6	43.0	145.7
Kilkenny	143	2.2	0.6	45.0	144.1
Leitrim	46	0.7	0.8	46.0	143.6
Kerry	211	3.3	0.8	52.0	142.9
Wicklow	200	3.1	0.7	47.5	140.4
Kildare	306	4.8	0.7	42.0	137.5
Waterford	158	2.5	0.7	54.0	136.0
Clare	161	2.5	0.7	42.0	135.5
Dublin	1,816	28.5	0.6	42.0	134.8
Westmeath	115	1.8	0.7	44.0	129.5
Cavan	96	1.5	0.8	51.0	126.0
Cork	654	10.3	0.8	46.0	120.5
Mayo	155	2.4	0.7	45.0	118.8
Sligo	77	1.2	0.5	47.0	117.5
Donegal	184	2.9	0.7	52.0	115.6
Longford	47	0.7	1.0	43.0	115.0
Louth	148	2.3	0.8	43.0	114.8
Wexford	165	2.6	0.8	46.0	110.2
Meath	210	3.3	0.5	41.0	107.7
Laois	89	1.4	1.1	50.0	105.1
Roscommon	60	0.9	0.5	44.0	93.0
Monaghan	54	0.8	0.9	49.5	88.0




Figure 4: Heat map of weekly incidence rates of confirmed COVID-19 cases per 100,000 population, by county, notified in Ireland for the last 8 weeks

Hospitalisations




Figure 5: Hospitalisations among confirmed COVID-19 cases notified on CIDR in Ireland between week 10, 2020 and week 17, 2022

Table 4: Number of COVID-19 cases and hospital admissions by age group in Ireland for week³17, 2022 based on week of notification⁴

	Total cases	Hospitalised cases		
Age group	Number of cases	Number of cases	Percentage	
0-4	190	15	7.9	
5-12	210	6	2.9	
13-18	183	11	6	
19-24	290	12	4.1	
25-34	1000	36	3.6	
35-44	1256	37	2.9	
45-54	1082	30	2.8	
55-64	934	44	4.7	
65-74	598	72	12	
85+	189	68	36	
Unknown	0	<5	-	

³ Hospitalisations may be underestimated for recent weeks as the outcome may not yet have occurred or may not yet have been reported to CIDR

⁴ Data are based on the date the case was notified on CIDR, and not the date of hospital admission




Figure 6: Age distribution of hospitalised confirmed COVID-19 cases notified on CIDR in Ireland between week 1, 2022 and week 17, 2022




Figure 7: Incidence rate by age group of hospitalisations among confirmed COVID-19 cases on CIDR in Ireland between week 1, 2022 and week 17, 2022

Laboratory data of SARS-CoV-2 PCR tests

In week 17, a total of 42,488 SARS-CoV-2 tests were performed, of which 6,605 (15.5%) were positive.




Figure 8: Number of completed laboratory tests by result and % positive tests⁵ in Ireland between week 1, 2021 and week 17, 2022. Data source: Deloitte Ireland LLP⁶, ⁷

⁵ Positive tests refer to all positive specimens and includes duplicates and individuals who were retested.

⁶ Since 14/01/2022 (week 2), a confirmatory PCR test after a positive antigen test was no longer needed for those in the community aged between 4 and 39 years of age outside of a risk group.

⁷ Since 28/02/2022 (week 9), PCR testing is only needed for symptomatic people in the community within certain risk groups: those who have not had booster vaccination and are aged 55 years and older; those with a high-risk medical conditions; those who are immunocompromised; those who live in the same household as a person who is immunocompromised; those who provide care or support for person they know to be immunocompromised; those who are pregnant; Healthcare Workers.

Self-reported antigen positive cases

The following figures and tables are based on cases who registered a self-administered positive antigen test on the HSE Positive Antigen Portal. The are not considered confirmed cases and have undergone no data validation.

Table 5: Characteristics of COVID-19 cases who registered a positive antigen test to the HSE Positive Antigen Portal

	Week 2, 2022 - 17, 2022		Week 17, 2022	
	Number	Percentage	Number	Percentage
Total number of registered cases	508,050		8,063	
Incidence rate of registered cases per 100,000 population	10,669.1		169.3	
Gender				
Males	218,311	43.0	3,220	39.9
Females	280,082	55.1	4,505	55.9
M:F ratio	0.78		0.71	
Age (years)				
Mean age	31		38	
Median age	31		38	
Age range	0 - 105		0 - 94	




Figure 9: Number of COVID-19 cases who registered a positive antigen test on the HSE Positive Antigen Portal by week of registration⁸, and week of epidemiological date in Ireland between week 1, 2022 and week 17, 2022⁹




Figure 10: Age distribution of COVID-19 cases who registered a positive antigen test on the HSE Positive Antigen Portal by week of registration 10 in Ireland between week 2^8 , 2022 and week 17, 2022

⁸ Reporting to the HSE Positive Antigen Portal commenced on Friday 14th January 2022, and therefore week 2 only includes 2 days.

⁹ Some cases reported a date of positive test much earlier than the date it was registered in the portal. Dates of positive test earlier than week 1, 2022 are not shown in the number of case by date of positive test. Dates of positive test which erronously were reported to be later than the current epi week are excluded.

¹⁰ Please note, the week of registration on the HSE Positive Antigen Portal may differ from the week the positive test was obtained.

Notes

Technical Notes

Data Source

Data are based on statutory notifications and were extracted from Computerised Infectious Disease Reporting (CIDR) system and the HSE COVID care tracker. Data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures. Slide with Laboratory testing for SARS-CoV-2 data provided by Deloitte Ireland LLP

2. Epidemiological date

Epidemiological date is based on the earliest of dates available on the case and taken from date of onset of symptoms, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date or event creation date/notification date on CIDR. By using this date rather than event creation/ notification date, adjusts for any delays in testing/notification. Further information on epidemiological dates and weeks can be found on the HPSC website.

3. Population data

Population data were taken from Census 2016. Data were aggregated into the following age groups for the analysis: 0-4 years, 5-12 years, 13-18 years, 19-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years and ≥ 85 years.

Acknowledgements

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in these reports. This includes the HSE COVID-19 Contact Management Programme (CMP), staff in ICU units, notifying clinicians, laboratory staff, public health doctors, nurses, surveillance scientists, microbiologists and administrative staff.

Please refer to the Health Protection Surveillance (HPSC) website for

- Epidemiology of COVID-19 in Ireland infohub
- Outbreaks/clusters in Ireland COVID-19 weekly report
- Weekly report on COVID-19 deaths reported in Ireland
- SARS-CoV-2 wastewater surveillance programme weekly reports
- Healthcare Workers COVID-19 cases in Ireland monthly reports
- Weekly reports on vaccination status of COVID-19 deaths and cases admitted to ICU in Ireland
- Epidemiology of COVID-19 in Ireland cases aged 0-18 years