



COVID-19 Vaccination Uptake in Ireland

Weekly Report

Spring Campaign 2024

Week ending Sunday 12th May 2024

Latest Summary Statistics Absolute Numbers of COVID-19 Spring 2024 Campaign Doses and Percentage Uptake of the Census 2022 Population between 01/03/2024 and 12/05/2024, midnight

Age Group	No. Booster Doses	Census 2022 Population	No. Booster doses as % Uptake Census 2022 Population
5-11yrs	23	491930	0.00
12-69yrs	7459	3823623	0.20
70-79yrs	22432	357144	6.28
80+yrs	39790	181027	21.98

Spring 2024 COVID-19 Campaign Target Groups



- The COVID-19 Spring 2024 vaccination campaign officially began on 22/04/2024, but for the purposes of presenting a summary account of the uptake, the investigation period has been set at 01/03/2024.
- The administration of vaccine doses follows the guidelines set down by the National Immunisation Advisory Committee (NIAC), which are available here at https://rcpi.access.preservica.com/uncategorized/IO_43750ce7-2657-44a3-9e2b-48d245f0fc4d/.
- The primary target groups of the Spring COVID-19 2024 vaccine campaign include:
 - those aged 80 years and older;
 - those aged 70 to 79 years who, following discussion with a health care provider (e.g., GP, pharmacist or vaccination centre), request vaccination;
 - those living in long term care facilities for older adults; and
 - those aged 5 years and older with immunocompromise associated with a suboptimal response to vaccination.
- For pregnant women, a single primary vaccination dose is recommended. A booster dose is recommended all year and is not seasonal and can be given if it is more than six months since their previous dose or infection at any stage in pregnancy. The booster is ideally given between 20-34 weeks' gestation. If it is more than 12 months since their previous COVID-19 vaccine or infection administration earlier in pregnancy should be considered.
- For health care workers who were not previously vaccinated, a single primary dose is recommended. A booster dose is not recommended as part of the Spring COVID-19 2024 vaccine campaign unless immunocompromised.

Vaccination status definitions and primary and booster courses completed

- Over the course of a campaign, the vaccination status of individuals can change. For COVID-19 vaccination, individuals must first complete their primary course treatment before being offered a booster dose. Currently, the inter dose period (since last vaccine dose or SARS-CoV-2 infection) is six months, although in exceptional circumstances a minimum interval of three months may be used. Furthermore, completion of a primary course requires receiving one or more primary doses depending in part on the immunocompromised status.
- In broad terms, there are two main vaccination courses: a primary course with primary doses and a booster course with booster doses. On the IIS COVID-19 dashboard, there features a third ‘additional’ course, where an additional dose is offered to those who are immunocompromised to complete their primary course treatment. For the purposes of reporting here , an additional dose is categorised as a primary dose.
- The number of individuals who have not yet completed their primary course treatment or who have, or who have completed a booster course is determined by a combination of factors: dose type (primary and booster), age and immunocompromised status at the time of vaccination administration. The colour coded Table A below illustrates how the total counts of primary and booster courses are calculated from the different combinations of dose types, age (6 months to 4 years or 5 years of age or older) and immunocompromised status details.
- Table A** How counts of completed primary and booster courses are calculated based on combination of dose type, age and immunocompromised status at time of last vaccination of individuals

Last Dose Course	Last Dose Classification/Type	6 months-4 years of age & Immunocompromised Status Not Differentiated	5+ years of age & Not Immunocompromised	5+ years of age & Immunocompromised
Primary Course	Primary Dose 1	Not Primary Course Completed	Primary Course Completed	Not Primary Course Completed
Primary Course	Primary Dose 2	Primary Course Completed	Primary Course Completed	Primary Course Completed
Primary Course	Primary Dose 3	Primary Course Completed	Primary Course Completed	Primary Course Completed
Primary Course	Primary Additional Dose*	Not Applicable	Booster Course Completed*	Primary Course Completed
Course 2	Booster Dose	Not Recommended	Booster Course Completed	Booster Course Completed

* A primary additional dose given to a person who is 5+ year of age and is not immunocompromised is incorrect and is in fact a booster dose

Methodology



- *Data were provided by OCIO based on data in the data lake PROD environment (includes COVAX registered vaccinations and GP administered vaccinations).*
- *DENOMINATOR USE: In this report, uptake is calculated based on Census 2022 population. See <https://www.cso.ie/en/releasesandpublications/ep/p-cpsr/censusofpopulation2022-summaryresults/populationchanges/>*

Summary Findings



Between 01/03/2024 and 12/05/2024 (last date of the third week of the Spring 2024 COVID-19 vaccination campaign)

- 617 primary course completions were recorded;
- 128 individuals have yet to complete their primary course;
- 69,856 booster course completions were reported;
- Booster course completion uptake among 70-79 year-olds was 6.3% and among 80+ year olds, it was 22.0%;
- 56.5% of booster doses were administered in GP clinics, 22.7% in HSE clinics and 20.8% in pharmacies;
- 99.8% of all booster courses completed were Pfizer BioNTech – Comirnaty Omicron XBB.1.5;
- Uptake was highest at 10.9% among 70–79-year-olds in Co. Wexford and 29.1% among 80+ years olds in Co. Dublin;
- Uptake among residential care facility residents was highest in Co. Dublin, accounting for 30.9% of booster courses completed;
- Uptake among the immunocompromised was highest in Co. Dublin at 35.1% and in Co. Cork at 20.6% of booster courses completed;
- 146 booster completed courses among pregnant women aged between 18 and 59 years

COVID-19 vaccination course completions administered between 01/03/2024 and 12/05/2024, midnight



Primary courses

- Between 01/03/2024 and 12/05/2024, a total of 151 primary course completions were recorded. There are 128 individuals who have yet to complete their primary course. During the third week of the campaign, 06/05/2024 to 12/05/2024, a total of a total of 74 primary course completions were recorded.


Booster courses

- Between 01/03/2024 and 12/05/2024, there were 69,856 booster course completions. During the third week of the campaign, 06/05/2024 to 12/05/2024, a total of a total of 54,567 booster course completions were recorded.


COVID-19 Booster Course Completions by Age Group between 01/03/2024 and 12/05/2024, midnight

Age Group	No. Boosters	Census 2022 Population	No. Booster doses % Uptake Population Census 2022
All Ages	69704	5149139	1.35
6months+	69704	5120241	1.36
6months-49yrs	1785	3424088	0.05
5+yrs	69704	4853724	1.44
12+yrs	69681	4361794	1.60
12-17yrs	21	431222	0.00
18+yrs	69660	3930572	1.77
50+yrs	67919	1696153	4.00
60+yrs	66178	1048985	6.31
50-69yrs	5697	1157982	0.49
65+yrs	64653	776315	8.33
70+yrs	62222	538171	11.56
5-11yrs	23	491930	0.00
12-69yrs	7459	3823623	0.20
70-79yrs	22432	357144	6.28
80+yrs	39790	181027	21.98


Percentage of Spring 2024 Booster Completed Courses by Age Group and Week administered between 01/03/2024 and 12/05/2024, midnight




Percentage of Spring 2024 Booster Completed Courses by Distribution Channel administered between 01/03/2024 and 12/05/2024, midnight



Uptake of Spring 2024 Booster Courses Completed by county as a percentage of the Census 2022 population among 70-79 year olds between 01/03/2024 and 12/05/2024, midnight



Uptake of Spring 2024 Booster Courses Completed by county as a percentage of the Census 2022 population among 80+ year olds between 01/03/2024 and 12/05/2024, midnight



Uptake of Spring 2024 Booster Doses Among Fair Deal residents in residential care facilities from 01/03/2024 to 06/05/2024



529 residential care facilities were identified from the matched dataset.

COVID-19 Vaccination Uptake

- Overall uptake among 22,951 residents was 35.5% with 3 (0.6%) of the 528 RCFs reporting 100% uptake.
- There were 283 locations (53.6%) where no vaccinations were reported, or uptake was $\leq 10\%$.
- 97 out of 528 RCFs (18.3%) RCFs had an uptake range between $>10\%$ and $<75\%$ and 145 RCF (27.4%) had an uptake range between $>75\%$ and $<90\%$.
- Overall uptake ranged from 0% in county Longford to 79.3% in county Leitrim.
- CHO 4 reported the lowest uptake at 29.0% and CHO 1 reported the highest at 58.2%

Acknowledgements

Sincere thanks to the following for providing the data for this report:

- National Immunisation Office (NIO)
- Office of the Chief Information Officer (OCIO)
- HSE Integrated Information Services (IIS) and COVAX Implementation team of Salesforce, IBM, PWC, EY
- HSE procurement/acute hospitals/CHOs/vaccinating teams and administrators/IT staff
- HSE Health Intelligence, Strategic Planning & Transformation Unit
- NHSS for Fair Deal Resident Data
- HR-Sap for HSE HCW Data



@hpscireland



@hpscireland

www.hpsc.ie



Caveats



- Uptake data reported refers to the period up to midnight of the last day of the latest epidemiological week Monday to Sunday.
- Where county and/or age group calculation of estimated uptake exceeds 100% due to data capture issues within Coax or where the numerator exceeds the population estimate/denominator then the uptake will be rounded down to **99.9%** (unless otherwise indicated in the report).
- Total reported doses in this report now includes all vaccination doses on the IIS/COVAX data system, including those received abroad by Irish residents.
- Reported figures excludes vaccination records where the death of the individual has been recorded.
- While data is presented in terms of total number of people receiving boosters as a proportion of total population, it should be noted that not all people within these populations will be eligible for vaccination at a given time for example if they have recently had COVID-19 infection.
- It was not possible to accurately summarise the number of individuals aged between 6 months and 4 years and between 5 and 11 years with underlying medical conditions and therefore eligible for primary vaccination because those details in the IIS/COVAX extract are combined in a complex way with target groupings.