Influenza Surveillance in Ireland - Weekly Report

Influenza Week 19th 2020 (4th May – 11th May 2020)











Summary

The sentinel GP Influenza-like illness (ILI) consultation rate decreased during week 19 2020 to 12 per 100,000 compared to an updated rate 19.9 per100,000 in week 18 2020. The elevated rate in recent weeks is reflective of the current COVID-19 pandemic rather than influenza activity. Please see HPSC COVID-19 webpage for current reports on COVID-19 activity in Ireland. Testing for influenza has been reduced significantly due to the need to allocate resources to the COVID-19 pandemic response.

<u>Influenza-like illness (ILI):</u> The sentinel GP influenza-like illness (ILI) consultation rate was 12 per 100,000 population in week 19 2020 and in now below baseline (figure 1).

- During week 19, 51 (85%) of the 60 sentinel GP practices reported data (266,605 reporting population)
- ILI age specific rate was highest in those aged 15-64 years (8.4/100,000) and ≤65_years (16/100,000) and lowest in those aged 5-14 years (2.6/100,000) and was not reported in those ages 0-4 years.
- On the 09/03/2020, GP consultations for ILI changed from face to face consultations to phone consultations. On the 7th May, all cases with at least one of the following: cough, fever, shortness of breath are referred for COVID-19 testing, categories for priority testing no longer apply.
- <u>GP Out of Hours:</u> The proportion of influenza–related calls to GP Out-of-Hours services was 0.2% and remains at low levels. Five services provided data for Week 19 (figure 3)
- National Virus Reference Laboratory (NVRL):
 - No influenza positive non-sentinel specimens were reported by the NVRL (49 samples were tested) during week 19 2020 or for the previous five weeks.
 - Due to the testing demand of COVID-19, influenza testing in sentinel GP specimens ceased at the end of March and specimens are being tested retrospectively.
- Hospitalisations and Critical Care admissions: During week 19 2020, no confirmed influenza
 hospitalised cases were notified to HPSC. For the 2019/2020 season to date, 4323 confirmed
 influenza hospitalised cases have been notified. No confirmed influenza cases were admitted to
 critical care units and reported to HPSC during week 19 2020. During the 2019/2020 season to date,
 152 confirmed influenza cases have been reported as admitted to ICU.
- <u>Influenza notifications:</u> During week 19, one influenza B cases was notified to HPSC. The case was a late notification (week 14). For the 2019/2020 season to date, 11,110 confirmed influenza cases have been notified to HPSC.
- Mortality: During week 19, no deaths in notified influenza cases were reported notified to HPSC.
 During the 2019/2020 season to date, 103 deaths have been reported to HPSC in notified influenza cases.
- Outbreaks: No outbreaks of influenza were reported to the HPSC during week 19 2020. During the 2019/2020 season to date, 105 influenza outbreaks were reported to HPSC.
- <u>International</u>: For international updates on influenza activity in the European Regions please refer to
 <u>ECDC</u> and <u>Flu News Europe</u>. For updates on the current influenza epidemiological and virology data
 from WHO please refer to <u>WHO</u>
 - WHO vaccine strain selection committee issued recommendations for the composition of influenza virus vaccines for use in the 2020-2021 northern hemisphere influenza season, please see WHO Vaccine Recommendations for further information.




Figure 1: ILI sentinel GP consultation rates per 100,000 population, baseline ILI threshold, medium and high intensity ILI thresholds^{*} and number of positive influenza A and B specimens tested by the NVRL, by influenza week and season. Source: ICGP and NVRL





Figure 2: Age specific sentinel GP ILI consultation rate per 100,000 population by week during the summer of 2019 and the 2019/2020 influenza season to date. *Source: ICGP*

07/05/2020

Influenza Surveillance Report Page 2 of 4

^{*} For further information on the Moving Epidemic Method (MEM) to calculate ILI thresholds: http://www.ncbi.nlm.nih.gov/pubmed/22897919






Figure 3: Self-reported influenza-related calls as a proportion of total calls to Out-of-Hours GP Co-ops and sentinel GP ILI consultation rate per 100,000 population by week and season. Source: GP Out-Of-Hours services in Ireland (collated by HSE-NE) & ICGP.

Further information on influenza in Ireland is available at www.hpsc.ie

Acknowledgements

This report was prepared by Maeve Mc Enery, Rachel Fiegenbaum, Paula Dempsey and Suzanne Cotter, HPSC.

HPSC wishes to thank the sentinel GPs, the ICGP, NVRL, Departments of Public Health, ICSI and HSE-NE for providing data for this report.