




**Table 1. Uptake of DTaP-IPV (4 in 1) and MMR Vaccines among Jr Infants/4 to 5 years by season, 2011-2012 to date, nationally, by HSE administrative areas only and GP-administered areas only**

Nationally							
Season	CHO (Community Health Organisation)	4 in 1			MMR		
		Cohort	Number children who have received 1 dose 4-in-1 vaccine	% 4 in 1 Uptake	Cohort	Number children who have received 1 dose MMR vaccine	% MMR Uptake
2011-12	HSE & GP Admin Areas	60,492	50,893	84.1%	60,879	51,007	83.8%
2012-13	HSE & GP Admin Areas	70,079	59,587	85.0%	66,360	58,735	88.5%
2013-14	HSE & GP Admin Areas	73,257	67,070	91.6%	73,257	66,951	91.4%
2014-15	HSE & GP Admin Areas	72,295	66,158	91.5%	72,293	66,045	91.4%
2015-16	HSE & GP Admin Areas	72,988	66,998	91.8%	73,029	66,824	91.5%
2016-17	HSE & GP Admin Areas	70,221	64,302	91.6%	70,221	64,152	91.4%
2017-18	HSE & GP Admin Areas including home schooled	69,578	63,439	91.2%	69,517	63,139	90.8%
2018-19	HSE & GP Admin Areas including home schooled	69,398	63,418	91.4%	69,398	63,291	91.2%

HSE Admin area							
Season	CHO (Community Health Organisation)	4 in 1			MMR		
		Cohort	Number children who have received 1 dose 4-in-1 vaccine	% 4 in 1 Uptake	Cohort	Number children who have received 1 dose MMR vaccine	% MMR Uptake
2011-12	Total HSE Admin Areas	50,210	43,305	86.2%	56,017	46,892	83.7%
2012-13	Total HSE Admin Areas	53,556	48,424	90.4%	59,057	52,604	89.1%
2013-14	Total HSE Admin Areas	69,258	63,384	91.5%	69,258	63,243	91.3%
2014-15	Total HSE Admin Areas	68,406	62,569	91.5%	68,404	62,476	91.3%
2015-16	Total HSE Admin Areas	69,023	63,413	91.9%	69,064	63,227	91.5%
2016-17	Total HSE Admin Areas	66,519	60,892	91.5%	66,519	60,755	91.3%
2017-18	Total HSE Admin Areas	65,758	59,893	91.1%	65,697	59,606	90.7%
2018-19	Total HSE Admin Areas	65,696	60,039	91.4%	65,696	59,911	91.2%

GP Admin area							
Season	CHO (Community Health Organisation)	4 in 1			MMR		
		Cohort	Number children who have received 1 dose 4-in-1 vaccine	% 4 in 1 Uptake	Cohort	Number children who have received 1 dose MMR vaccine	% MMR Uptake
2011-12	Total GP Admin Areas	10,282	7,588	73.8%	4,862	4,115	84.6%
2012-13	Total GP Admin Areas	16,523	11,163	67.6%	7,303	6,131	84.0%
2013-14	Total GP Admin Areas	3,999	3,686	92.2%	3,999	3,708	92.7%
2014-15	Total GP Admin Areas	3,889	3,589	92.3%	3,889	3,569	91.8%
2015-16	Total GP Admin Areas	3,965	3,585	90.4%	3,965	3,597	90.7%
2016-17	Total GP Admin Areas	3,702	3,410	92.1%	3,702	3,397	91.8%
2017-18	Total GP Admin Areas	3,791	3,519	92.8%	3,791	3,506	92.5%
2018-19	Total GP Admin Areas	3,660	3,353	91.6%	3,660	3,353	91.6%

**Figures 1-3** Uptake of DTaP-IPV (4 in 1) and MMR Vaccines among Jr Infants/4 to 5 years by season, 2011-2012 to date, nationally, by HSE administrative areas only and GP-administered areas only



**Table 2. Uptake of DTaP-IPV (4 in 1) and MMR Vaccines among Jr Infants/4 to 5 years by season, 2011-2012 to date by Community Health Organisation (CHO)**

CHO	Season	% Uptake in Junior Infants	
		4 in 1	MMR
CHO 1	2011-12	86.8%	86.6%
	2012-13	86.5%	86.3%
	2013-14	91.5%	91.8%
	2014-15	91.3%	90.5%
	2015-16	91.7%	91.9%
	2016-17	92.4%	92.2%
	2017-18	91.9%	91.7%
	2018-19	92.4%	92.5%
CHO 2	2011-12	67.3%	67.4%
	2012-13	40.9%	77.5%
	2013-14	93.5%	93.1%
	2014-15	86.3%	86.8%
	2015-16	91.0%	90.4%
	2016-17	91.8%	91.4%
	2017-18	91.8%	91.6%
	2018-19	92.2%	92.4%
CHO 3	2011-12	93.0%	92.6%
	2012-13	89.4%	89.1%
	2013-14	89.1%	89.0%
	2014-15	85.2%	85.3%
	2015-16	91.5%	91.6%
	2016-17	90.1%	90.0%
	2017-18	92.9%	92.2%
	2018-19	94.2%	93.8%
CHO 4	2011-12	78.5%	77.7%
	2012-13	87.9%	87.9%
	2013-14	92.8%	92.8%
	2014-15	93.1%	93.1%
	2015-16	94.8%	94.8%
	2016-17	94.0%	93.7%
	2017-18	90.7%	90.2%
	2018-19	91.2%	91.3%
CHO 5	2011-12	86.5%	86.6%
	2012-13	96.8%	98.2%
	2013-14	96.1%	95.0%
	2014-15	95.0%	95.3%
	2015-16	95.3%	94.1%
	2016-17	93.7%	93.4%
	2017-18	93.0%	92.6%
	2018-19	93.9%	93.6%
CHO 6	2011-12	89.1%	89.5%
	2012-13	90.4%	90.2%
	2013-14	92.4%	91.8%
	2014-15	90.9%	91.1%
	2015-16	91.1%	90.5%
	2016-17	91.4%	91.0%
	2017-18	89.4%	88.5%
	2018-19	93.0%	91.6%
CHO 7	2011-12	86.9%	86.7%
	2012-13	89.8%	89.6%
	2013-14	91.5%	91.4%
	2014-15	94.8%	94.6%
	2015-16	91.8%	91.6%
	2016-17	89.9%	89.7%
	2017-18	91.8%	91.8%
	2018-19	90.1%	90.2%
CHO 8	2011-12	93.9%	93.9%
	2012-13	81.6%	93.2%
	2013-14	92.1%	91.7%
	2014-15	93.8%	93.1%
	2015-16	93.1%	92.9%
	2016-17	92.5%	92.7%
	2017-18	91.1%	90.5%
	2018-19	92.8%	92.5%
CHO 9	2011-12	82.8%	82.3%
	2012-13	85.1%	84.8%
	2013-14	85.5%	86.0%

	2014-15	88.8%	88.4%
	2015-16	85.3%	85.2%
	2016-17	88.5%	88.2%
	2017-18	88.8%	88.8%
	2018-19	85.7%	85.6%




## NOTES

**CHO (Community Health Organisation):** CHO1: Donegal; Sligo/Leitrim/West Cavan; Cavan/Monaghan; CHO 2: Galway; Roscommon; Mayo; CHO 3: Clare; Limerick; North Tipperary/East Limerick; CHO 4: Kerry; North Cork; North Lee; South Lee; West Cork; CHO 5: South Tipperary; Carlow/Kilkenny; Waterford; Wexford; CHO 6: Wicklow; Dun Laoghaire; Dublin South East; CHO 7: Kildare/West Wicklow; Dublin West; Dublin South City; Dublin South West; CHO 8: Laois/Offaly; Longford/Westmeath; Louth/Meath; CHO 9: Dublin North; Dublin North Central; Dublin North West




**GP Admin area:** Donegal; Sligo/Leitrim/West Cavan

**HSE Admin area:** Galway; Roscommon; Mayo; Clare; Limerick; North Tipperary/East Limerick; Kerry; North Cork; North Lee; South Lee; West Cork; South Tipperary; Carlow/Kilkenny; Waterford; Wexford; Wicklow; Dun Laoghaire; Dublin South East; Kildare/West Wicklow; Dublin West; Dublin South City; Dublin South West; Laois/Offaly; Longford/Westmeath; Louth/Meath; Dublin North; Dublin North Central; Dublin North West

**Figures 4-6.** Uptake of DTaP-IPV (4 in 1) and MMR Vaccines among Jr Infants/4 to 5 years by season, 2011-2012 to date by Community Health Organisation 1-3



**Figures 7-9.** Uptake of DTaP-IPV (4 in 1) and MMR Vaccines among Jr Infants/4 to 5 years by season, 2011-2012 to date by Community Health Organisation 4-6



**Figures 10-12.** Uptake of DTaP-IPV (4 in 1) and MMR Vaccines among Jr Infants/4 to 5 years by season, 2011-2012 to date by Community Health Organisation 7-9

