CONTACT RESTRICTIONS

Non Health Care Worker

Exposure Risk Category	Movement Restriction	Work and Social activity Restriction
High Risk	Should not travel outside Ireland, as per WHO advice Remain reachable during the active monitoring period.	Generally no work restrictions or restrictions in social activities, but this should be assessed on a case by case basis.
	Discuss travel within Ireland with PHD/OHS and advise them of their location so that arrangements can be put in place to continue active daily monitoring and to provide support to access healthcare if become symptomatic or as required	Use barrier contraception or avoid unprotected sex for 21 days Defer blood donation for at least 2 months from date of last exposure to VHF.
Low risk	Generally no travel restrictions, but this should be assessed on a case by case basis. Remain reachable during monitoring period.	No work restrictions or restrictions in social activities. Use barrier contraception or avoid unprotected sex for 21 days. Defer blood donation for at least 2 months from date of last exposure to VHF.

Health Care Worker *

Exposure Risk Category	Movement Restriction	Work and Social activity Restriction
High risk	Should not travel Ireland, as per WHO advice Remain reachable during the active monitoring period. Discuss travel within Ireland with PHD/OHS and advise them of their location so that arrangements can be put in place to continue active daily monitoring and to provide support to access healthcare if become symptomatic or as required.	Can attend office-based work. No clinical care or work in patient care areas. Generally no restrictions in social activities, but this should be assessed on a case by case basis, depending on level of exposure. Use barrier contraception or avoid unprotected sex for 21 days Defer blood donation for at least 2 months from date of last exposure to VHF.
Low risk	Generally no travel restrictions, but this should be assessed on a case by case basis. Should remain reachable during the active monitoring period. Discuss travel within Ireland with PHD/OHS and advise them of their location so that arrangements can be put in place to continue active daily monitoring and to provide support to access healthcare if become symptomatic or as required	No work restrictions. No restrictions in social activities Use barrier contraception or avoid unprotected sex for 21 days Defer blood donation for at least 2 months from date of last exposure to VHF.

^{*} HCW contacts of a case in Ireland will be managed by their hospital's Occupational Health Service