






# Epidemiology of COVID-19 in Ireland

Report prepared by HPSC on 04/06/2020 for National Public Health Emergency Team

Summary characteristics of confirmed COVID-19 cases notified in Ireland up to midnight 02/06/2020


	Number	Percent
Total number of confirmed cases	25,104	
National cumulative incidence of confirmed cases per 100,000 population	527.19	
Total number of cases hospitalised	3,311	13.19
Total number of cases admitted to ICU	410	1.63
Total number of deaths among confirmed cases	1,404	5.59
Case fatality ratio (CFR, %)	5.59	
National cumulative incidence of confirmed deaths per 100,000 population	29.48	
Total number of outbreaks/clusters	876	
Total number of cases associated with clusters	10,094	40.21
Total number of imported cases	360	1.43
Number of cases in healthcare workers	8,025	31.97
Males	10,715	42.68
Females	14,358	57.19
M:F ratio	0.75	
Median age (years)	48	
Mean age (years)	51	
Age range (years)	0 - 106	

Note: Data were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:15 on 04/06/2020 and are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.




## Figure 1a: Number\* and cumulative number of confirmed COVID-19 cases notified in Ireland by notification date\* to midnight 02/06/2020

\*Between 05/04/2020 - 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 - 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates



## Figure 1b: Number and cumulative number of confirmed COVID-19 cases notified in Ireland by epidemiological date\*\* to midnight 02/06/2020

\*\*Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.




# Figure 2: Cumulative 14 day incidence rate of confirmed COVID-19 cases per 100,000 population notified in Ireland by notification\* and epidemiological date\*\* to midnight 02/06/2020

\* Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates

\*\*Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

Table 1: Characteristics of confirmed COVID-19 cases notified in Ireland up to midnight on 02/06/2020
Table 1. Characteristics of commete COVID-19 cases notified in relatid up to mutight on 02/06/2020


		-	-	
Characteristic		Number of cases	Percent	
Total number of confirmed cases		25,104	100	
Sex	Male:Female ratio	0.75		
	Male	10,715	42.68	
	Female	14,358	57.19	
	Unknown	31	0.12	
Age	Median age (years)	48		
	Mean age (years)	51		
	Age range (years)	0 - 106		
	0-4 yrs	156	0.62	
	5-14 yrs	319	1.27	
	15-24 yrs	1,842	7.34	
	25-34 yrs	4,209	16.77	
	35-44 yrs	4,416	17.59	
	45-54 yrs	4,511	17.97	
	55-64 yrs	3,221	12.83	
	65-74 yrs	1,791	7.13	
	75-84 yrs	2,272	9.05	
	85+ yrs	2,344	9.34	
	Unknown	23	0.09	





Female Male

Figure 3: Cumulative age- and sex-specific incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 02/06/2020 (excluding 23 cases for whom age is unknown, 31 cases for whom sex is unknown)



# Figure 4: Cumulative incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 02/06/2020

Please do not directly compare county shades to previous maps. The numbers of cases by county are increasing and as such the categories listed will broaden which may result in changes to the map shading.

### Table 2: Number of confirmed COVID-19 cases by county notified to midnight 02/06/2020

County Name	Number of cases	Percent
Carlow	169	0.67
Cavan	846	3.37
Clare	369	1.47
Cork	1,521	6.06
Donegal	477	1.9
Dublin	12,109	48.24
Galway	481	1.92
Kerry	308	1.23
Kildare	1,419	5.65
Kilkenny	339	1.35
Laois	260	1.04
Leitrim	83	0.33
Limerick	582	2.32
Longford	284	1.13
Louth	776	3.09
Мауо	570	2.27
Meath	802	3.19
Monaghan	521	2.08
Offaly	479	1.91
Roscommon	337	1.34
Sligo	129	0.51
Tipperary	540	2.15
Waterford	152	0.61
Westmeath	670	2.67
Wexford	213	0.85
Wicklow	668	2.66
Total	25,104	100

Table 3: Number of confirmed COVID-19 cases by WHO transmission classification notified to midnight 02/06/2020

Transmission classification*	Count of Events	%
Community transmission, incl. possible community transmission	9,777	38.95%
Local transmission, incl. possible local transmission	14,710	58.60%
Travel abroad, incl. possible travel abroad	573	2.28%
Unknown	44	0.18%
Total	25,104	100.00%

\*See technical note 3 for definition of WHO transmission classification

Cases which were notified more than 2 weeks ago and have not yet been reported as imported or linked to an outbreak are classified as possible community transmission.

Table 4: Cumulative number of confirmed cases of COVID-19 notified in Ireland by age group and hospital, ICU and vital status as of midnight 02/06/2020

Age Group (years)	Number of cases (n)	Cases hospitalised (n)	Cases hospitalised (%)	Cases admitted to ICU (n)	Cases admitted to ICU (%)
0-4 yrs	156	19	0.57	0	0
5-14 yrs	319	18	0.54	3	0.73
15-24 yrs	1842	73	2.2	5	1.22
25-34 yrs	4209	197	5.95	15	3.66
35-44 yrs	4416	257	7.76	34	8.29
45-54 yrs	4511	443	13.38	83	20.24
55-64 yrs	3221	487	14.71	118	28.78
65-74 yrs	1791	581	17.55	104	25.37
75-84 yrs	2272	751	22.68	41	10
85+ yrs	2344	482	14.56	7	1.71
Unknown	23	3	0.09	0	0
Total	25,104	3,311	100	410	100

## Table 5: Number and proportion of confirmed cases of COVID-19 notified in Ireland by age-group, hospitalisation and ICU admission 02/06/2020

	0-4 yrs	5-14 yrs	15-24 yrs	25-34 yrs	35-44 yrs	45-54 yrs	55-64 yrs	65-74 yrs	75-84 yrs	85+ yrs	Unknow n
Number of cases (n)	156	319	1,842	4,209	4,416	4,511	3,221	1,791	2,272	2,344	23
Cases hospitalised (n)	19	18	73	197	257	443	487	581	751	482	3
Cases hospitalised (%)	12.18	5.64	3.96	4.68	5.82	9.82	15.12	32.44	33.05	20.56	13.04
Cases admitted to ICU (n)	0	3	5	15	34	83	118	104	41	7	0
Cases admitted to ICU (%)	0	0.94	0.27	0.36	0.77	1.84	3.66	5.81	1.8	0.3	0
Deaths (n)	0	0	2	5	10	23	60	204	480	620	0
Case fatality ratio (%)	0	0	0.11	0.12	0.23	0.51	1.86	11.39	21.13	26.45	0

#### **Outbreaks of COVID-19**

Table 6: Number of clusters/outbreaks COVID-19 by location and HSE area notified to midnight 02/06/2020

Outbreak Location	E	м	MW	NE	NW	S	SE	w	Total
Nursing home	123	16	13	38	6	10	16	36	258
Other*	19	14	49	22	9	81	31	33	258
Residential institution	113	12	6	16	4	19	10	5	185
Hospital	60	3	2	14	2	12	3	6	102
Workplace	8	5	4	13	1	8	3	2	44
Comm. Hosp/Long-stay unit	4	4	2		4	6	5	4	29
Total	327	54	76	103	26	136	68	86	876

\*Other outbreak location includes all outbreaks locations other than residential facilities, acute hospitals and workplaces. This includes community, extended family, hotel, private house, public house, retail outlet, travel related and all other locations.




Figure 5: Trend in number of COVID-19 clusters by location and week notified to midnight 02/06/2020

\*Other outbreak location includes all outbreaks locations other than residential facilities, acute hospitals and workplaces. This includes community, extended family, hotel, private house, public house, retail outlet, travel related and all other locations.


### **Deaths among COVID-19 cases**

Table 7: Summary of deaths in all COVID-19 cases notified in Ireland up to midnight 02/06/2020

	Number	Percent
Total number of deaths	1664	
Confirmed	1404	84.38
Probable	96	5.77
Possible	164	9.86
Total number of cases hospitalised	697	41.89
Cases admitted to ICU	82	4.93
Cases not admitted to ICU	615	36.96
Total number of imported cases	6	0.36
Number of cases in healthcare workers	7	0.42
Number with underlying clinical conditions	1501	90.20
Total number of male cases	822	49.40
M:F ratio	0.98	
Median age (years)	84	
Mean age (years)	82	
Age range (years)	17 - 105	

Table 8: Number of deaths in all COVID-19 cases by sex and age group notified in Ireland up to midnight 02/05/2020

Age group (years)	Female	Male	Total	Percent
15-24 yrs	<5	<5	2	0.12
25-34 yrs	<5	<5	5	0.30
35-44 yrs	5	6	11	0.66
45-54 yrs	10	15	25	1.50
55-64 yrs	22	43	65	3.91
65-74 yrs	81	147	228	13.70
75-84 yrs	257	307	564	33.89
85+ yrs	461	301	762	45.79
Unknown	<5	<5	2	0.12
Total	842	822	1664	100
Percent	50.6	49.4		



# Figure 6: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total to midnight 02/06/2020

\* Date of death is not yet available for six cases

Please note: a lag in time between reporting of deaths and data extraction is expected and as such most recent dates will not yet reflect all deaths on that date

### Acknowledgements

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in this report. This includes staff in ICU units, notifying clinicians, laboratory staff, public health doctors, nurses, surveillance scientists, microbiologists and administrative staff.

Report prepared by COVID-19 Epidemiology Team, HPSC

### **Technical Notes**

#### 1. Data Source

Data are based on statutory notifications and were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:15 on 04/06/2020. Data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.

#### 2. Epidemiological date

Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

#### 3. Population data

Population data were taken from Census 2016. Data were aggregated into the following age groups for the analysis: 0-4 years, 5-14 years, 15-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years and  $\geq$  85 years.

### 3. Transmission classification

Transmission classification is based on country of infection as well as enhanced exposure data (international travel; close contact of a case) recorded in CIDR. Transmission is classified as 'unknown' due to incomplete data on CIDR.

WHO definition of transmission classification is specified below:

- Community transmission is evidenced by the inability to relate confirmed cases through chains of transmission for a large number of cases, or by increasing positive tests through routine screening of sentinel samples.

- Local transmission indicates locations where the source of infection is within the reporting location.

- Imported cases only indicates locations where all cases have been acquired outside the location of reporting.

### 4. HSE areas

The counties covered by each HSE area are as follows:

HSE East (E): Dublin, Kildare & Wicklow;

HSE Midlands (M): Laois, Longford, Offaly & Westmeath;

HSE Midwest (MW): Clare, Limerick & N. Tipperary;

HSE Northeast (NE): Cavan, Louth, Meath & Monaghan;

HSE Northwest (NW): Donegal, Leitrim & Sligo;

HSE South (S): Kerry & Cork;

HSE Southeast (SE): Carlow, Kilkenny, S. Tipperary, Waterford & Wexford;

HSE West (W): Galway, Mayo & Roscommon.

### 5. Outbreak location

Where an outbreak location is reported as a residential facility (RF) this includes nursing homes, community hospitals, long-stay units and residential institutions including mental health facilities, prisons and direct provision centres.

Other outbreak location includes all outbreaks locations other than residential facilities and acute hospitals. This includes community, extended family, hotel, private house, public house, retail outlet, travel related and all other locations.