





# Epidemiology of COVID-19 in Ireland

Report prepared by HPSC on 03/11/2020 for National Public Health Emergency Team

Summary characteristics of confirmed COVID-19 cases notified in Ireland up to midnight 01/11/2020

	Number	Percent
Total number of confirmed cases	62,726	
National cumulative incidence of confirmed cases per 100,000 population	1,317.26	
Total number of cases hospitalised	4,449	7.09
Total number of cases admitted to ICU	560	0.89
Total number of deaths among confirmed cases	1,663	2.65
Case fatality ratio (CFR, %)	2.65	
National cumulative incidence of confirmed deaths per 100,000 population	34.92	
Total number of outbreaks/clusters	6,708	
Total number of cases associated with clusters	29,739	47.41
Total number of imported cases*	626	1
Number of cases in healthcare workers*	10,583	16.87
Males	29,403	46.88
Females	33,288	53.07
M:F ratio	0.88	
Median age (years)	39	
Mean age (years)	42	
Age range (years)	0 - 106	

\* Data are incomplete for these variables

Note: Data were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:15 on 03/11/2020 and are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.






Figure 1a: Number\* and cumulative number of confirmed COVID-19 cases notified in Ireland by notification date\* to midnight 01/11/2020

\*Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates



## Figure 1b: Number and cumulative number of confirmed COVID-19 cases notified in Ireland by epidemiological date\*\* to midnight 01/11/2020

\*\*Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.




# Figure 2: Cumulative 14 day incidence rate of confirmed COVID-19 cases per 100,000 population notified in Ireland by notification\* and epidemiological date\*\* to midnight 01/11/2020

\* Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates

\*\*Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

### Table 1: Characteristics of confirmed COVID-19 cases notified in Ireland up to midnight on 01/11/2020

Characteristic		Number of cases	Percent
Total number of confirm	ned cases	62,726	100
Sex	Male:Female ratio	0.88	
	Male	29,403	46.88
	Female	33,288	53.07
	Unknown	35	0.06
Age	Median age (years)	39	
	Mean age (years)	42	
	Age range (years)	0 - 106	
	0-4 yrs	1,463	2.33
	5-14 yrs	3,548	5.66
	15-24 yrs	10,921	17.41
	25-34 yrs	10,623	16.94
	35-44 yrs	9,848	15.7
	45-54 yrs	9,596	15.3
	55-64 yrs	6,897	11
	65-74 yrs	3,646	5.81
	75-84 yrs	3,243	5.17
	85+ yrs	2,911	4.64
	Unknown	30	0.05



#### Cumulative age- and sex-specific rate per 100,000 population

Female Male

Figure 3: Cumulative age- and sex-specific incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 01/11/2020 (excluding 29 cases for whom age is unknown and 34 cases for whom sex is unknown and 1 case for whom both are unknown)




Figure 4: Cumulative incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 01/11/2020

Please do not directly compare county shades to previous maps. The numbers of cases by county are increasing and as such the categories listed will broaden which may result in changes to the map shading.

## Table 2: Number of confirmed COVID-19 cases by county notified to midnight 01/11/2020

County Name	Number of cases	Percent
Carlow	554	0.88
Cavan	2,062	3.29
Clare	1,311	2.09
Cork	5,572	8.88
Donegal	2,180	3.48
Dublin	24,109	38.44
Galway	2,330	3.71
Kerry	1,092	1.74
Kildare	3,763	6
Kilkenny	775	1.24
Laois	838	1.34
Leitrim	230	0.37
Limerick	2,075	3.31
Longford	578	0.92
Louth	1,700	2.71
Мауо	1,191	1.9
Meath	2,974	4.74
Monaghan	1,119	1.78
Offaly	1,043	1.66
Roscommon	789	1.26
Sligo	642	1.02
Tipperary	1,223	1.95
Waterford	752	1.2
Westmeath	1,418	2.26
Wexford	1,096	1.75
Wicklow	1,310	2.09
Total	62,726	100

Table 3: Number of confirmed COVID-19 cases by WHO transmission classification notified to midnight 01/11/2020

Transmission classification*	Count of Events	%
Community transmission, incl. possible community transmission	19,677	31.37%
Local transmission, incl. possible local transmission	38,016	60.61%
Travel abroad, incl. possible travel abroad	922	1.47%
Unknown	4,111	6.55%
Total	62,726	100.00%

\*See technical note 3 for definition of WHO transmission classification

Cases which were notified more than 2 weeks ago and have not yet been reported as imported or linked to an outbreak are classified as possible community transmission.

Table 4: Cumulative number of confirmed cases of COVID-19 notified in Ireland by age group, hospitalisation, and ICU admissions\* as of midnight 01/11/2020

Age Group (years)	Number of cases (n)	Cases hospitalised (n)	Cases hospitalised (%)	Cases admitted to ICU (n)	Cases admitted to ICU (%)
0-4 yrs	1463	45	1.01	1	0.18
5-14 yrs	3548	43	0.97	4	0.71
15-24 yrs	10921	134	3.01	6	1.07
25-34 yrs	10623	278	6.25	17	3.04
35-44 yrs	9848	359	8.07	46	8.21
45-54 yrs	9596	575	12.92	101	18.04
55-64 yrs	6897	666	14.97	154	27.5
65-74 yrs	3646	797	17.91	160	28.57
75-84 yrs	3243	958	21.53	63	11.25
85+ yrs	2911	592	13.31	8	1.43
Unknown	30	2	0.04	0	0
Total	62,726	4,449	100	560	100

Table 5: Number and proportion of confirmed cases of COVID-19 notified in Ireland by age-group, hospitalisation, ICU admission, and vital status as of midnight 01/11/2020

	0-4 yrs	5-14 yrs	15-24 yrs	25-34 yrs	35-44 yrs	45-54 yrs	55-64 yrs	65-74 yrs	75-84 yrs	85+ yrs	Unknow n
Number of cases (n)	1,463	3,548	10,921	10,623	9,848	9,596	6,897	3,646	3,243	2,911	30
Cases hospitalised (n)	45	43	134	278	359	575	666	797	958	592	2
Cases hospitalised (%)	3.08	1.21	1.23	2.62	3.65	5.99	9.66	21.86	29.54	20.34	6.67
Cases admitted to ICU (n)	1	4	6	17	46	101	154	160	63	8	0
Cases admitted to ICU (%)	0.07	0.11	0.05	0.16	0.47	1.05	2.23	4.39	1.94	0.27	0
Deaths (n)	0	0	1	7	12	29	78	254	568	714	0
Case fatality ratio (%)	0	0	0.01	0.07	0.12	0.3	1.13	6.97	17.51	24.53	0

### **Outbreaks of COVID-19**

Table 6: Number of clusters/outbreaks COVID-19 by location and HSE area notified to midnight 01/11/2020

Outbreak Location	E	м	MW	NE	NW	S	SE	W	HPSC	Total
Private house	2843	67	166	338	270	354	374	409		4821
Other*	186	55	137	54	88	170	49	93	2	834
Nursing home	162	15	20	50	8	20	19	43		337
Residential institution	135	15	15	32	10	29	14	8		258
Workplace	79	16	20	39	28	20	17	20		239
Hospital	81	7	6	20	5	16	5	7		147
Unknown	38				2					40
Comm. Hosp/Long-stay unit	6	4	2		4	6	5	5		32
Total	3530	179	366	533	415	615	483	585	2	6708

\*Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.




Figure 5: Trend in number of COVID-19 clusters by location and week notified to midnight 01/11/2020

\*Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.

Note: 5,870 COVID-19 outbreaks were reported on CIDR between week 24 and week 45 2020 (9th June to 1st Nov). Of these, 4,624 were family outbreaks. Based on the earliest date associated with each outbreak, a large proportion of these family outbreaks occurred earlier and were reported between weeks 24 and 44 as a result of data validation: 1 occurred in February, 636 in March, 474 in April, 94 in May, 126 in June, 127 in July, 533 in August, 1,498 in September and 1134 in October.

## Deaths among COVID-19 cases

Table 7: Summary of deaths in all COVID-19 cases notified in Ireland up to midnight 01/11/2020

	Number	Percent
Total number of deaths	1,922	
Confirmed	1,663	86.52
Probable	95	4.94
Possible	164	8.53
Total number of cases hospitalised	840	43.7
Cases admitted to ICU	112	5.83
Cases not admitted to ICU	728	37.88
Total number of imported cases	7	0.36
Number of cases in healthcare workers	8	0.42
Number with underlying clinical conditions	1,792	93.24
Total number of male cases	964	50.16
M:F ratio	1.01	
Median age (years)	83	
Mean age (years)	81	
Age range (years)	17 - 105	

## Table 8: Number of deaths in all COVID-19 cases by sex and age group notified in Ireland up to midnight 01/11/2020

Age group (years)	Female	Male	Total	Percent
15-24 yrs	<5	<5	1	0.05
25-34 yrs	<5	5	7	0.36
35-44 yrs	6	7	13	0.68
45-54 yrs	11	20	31	1.61
55-64 yrs	27	57	84	4.37
65-74 yrs	103	179	282	14.67
75-84 yrs	296	354	650	33.82
85+ yrs	510	342	852	44.33
Unknown	<5	<5	2	0.1
Total	958	964	1,922	100
Percent	49.84	50.16		




Figure 6a: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total to midnight 01/11/2020




Figure 6b: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total, 01/09/2020 to midnight 01/11/2020

\* Date of death is not yet available for six cases

Please note: a lag in time between reporting of deaths and data extraction is expected and as such most recent dates will not yet reflect all deaths on that date

## Acknowledgements

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in these reports. This includes the HSE COVID-19 Contact Management Programme (CMP), staff in ICU units, notifying clinicians, laboratory staff, public health doctors, nurses, surveillance scientists, microbiologists and administrative staff.

Report prepared by COVID-19 Epidemiology Team, HPSC

## **Technical Notes**

## 1. Data Source

Data are based on statutory notifications and were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:15 on 03/11/2020. Data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.

## 2. Epidemiological date

Epidemiological date is derived from the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

### 3. Population data

Population data were taken from Census 2016. Data were aggregated into the following age groups for the analysis: 0-4 years, 5-14 years, 15-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years and  $\geq$  85 years.

## 3. Transmission classification

Transmission classification is based on country of infection as well as enhanced exposure data (international travel; close contact of a case) recorded in CIDR. Transmission is classified as 'unknown' due to incomplete data on CIDR.

WHO definition of transmission classification is specified below:

- Community transmission is evidenced by the inability to relate confirmed cases through chains of transmission for a large number of cases, or by increasing positive tests through routine screening of sentinel samples.

- Local transmission indicates locations where the source of infection is within the reporting location.

- Imported cases only indicates locations where all cases have been acquired outside the location of reporting.

#### 4. HSE areas

The counties covered by each HSE area are as follows:

- HSE East (E): Dublin, Kildare & Wicklow;
- HSE Midlands (M): Laois, Longford, Offaly & Westmeath;
- HSE Midwest (MW): Clare, Limerick & N. Tipperary;
- HSE Northeast (NE): Cavan, Louth, Meath & Monaghan;
- HSE Northwest (NW): Donegal, Leitrim & Sligo;
- HSE South (S): Kerry & Cork;
- HSE Southeast (SE): Carlow, Kilkenny, S. Tipperary, Waterford & Wexford;
- HSE West (W): Galway, Mayo & Roscommon.

## 5. Outbreak location

Where an outbreak location is reported as a residential facility (RF) this includes nursing homes, community hospitals, long-stay units and residential institutions including mental health facilities, prisons and direct provision centres.

Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.