





# Epidemiology of COVID-19 in Ireland

Report prepared by HPSC on 07/09/2020 for National Public Health Emergency Team

Summary characteristics of confirmed COVID-19 cases notified in Ireland up to midnight 05/09/2020

	Number	Percent
Total number of confirmed cases	29,672	
National cumulative incidence of confirmed cases per 100,000 population	623.12	
Total number of cases hospitalised	3,427	11.55
Total number of cases admitted to ICU	448	1.51
Total number of deaths among confirmed cases	1,519	5.12
Case fatality ratio (CFR, %)	5.12	
National cumulative incidence of confirmed deaths per 100,000 population	31.9	
Total number of outbreaks/clusters	2,878	
Total number of cases associated with clusters	16,207	54.62
Total number of imported cases	538	1.81
Number of cases in healthcare workers	8,771	29.56
Males	13,049	43.98
Females	16,593	55.92
M:F ratio	0.79	
Median age (years)	46	
Mean age (years)	48	
Age range (years)	0 - 106	

Note: Data were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:15 on 07/09/2020 and are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.





Figure 1a: Number\* and cumulative number of confirmed COVID-19 cases notified in Ireland by notification date\* to midnight 05/09/2020

\*Between 05/04/2020 - 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 - 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates



### Figure 1b: Number and cumulative number of confirmed COVID-19 cases notified in Ireland by epidemiological date\*\* to midnight 05/09/2020

\*\*Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.





Figure 2: Cumulative 14 day incidence rate of confirmed COVID-19 cases per 100,000 population notified in Ireland by notification\* and epidemiological date\*\* to midnight 05/09/2020

\* Between 05/04/2020 – 19/04/2020, the daily number of COVID-19 events notified in Ireland is inflated due to batch reporting of cases with specimen dates between from 19/03/2020 – 01/04/2020 in addition to real-time reporting of cases with contemporaneous specimen dates

\*\*Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

#### Table 1: Characteristics of confirmed COVID-19 cases notified in Ireland up to midnight on 05/09/2020

Characteristic		Number of cases	Percent	
Total number of confirmed cases		29,672	100	
Sex	Male:Female ratio	0.79		
	Male	13,049	43.98	
	Female	16,593	55.92	
	Unknown	30	0.1	
Age	Median age (years)	46		
	Mean age (years)	48		
	Age range (years)	0 - 106		
	0-4 yrs	328	1.11	
	5-14 yrs	640	2.16	
	15-24 yrs	2,792	9.41	
	25-34 yrs	5,203	17.54	
	35-44 yrs	5,183	17.47	
	45-54 yrs	5,148	17.35	
	55-64 yrs	3,581	12.07	
	65-74 yrs	1,975	6.66	
	75-84 yrs	2,383	8.03	
	85+ yrs	2,415	8.14	
	Unknown	24	0.08	



#### Cumulative age- and sex-specific rate per 100,000 population

Female Male

Figure 3: Cumulative age- and sex-specific incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 05/09/2020 (excluding 23 cases for whom age is unknown and 29 cases for whom sex is unknown and 1 case for whom both are unknown)




Figure 4: Cumulative incidence rates of confirmed cases of COVID-19 per 100,000 population notified in Ireland to midnight 05/09/2020

Please do not directly compare county shades to previous maps. The numbers of cases by county are increasing and as such the categories listed will broaden which may result in changes to the map shading.

### Table 2: Number of confirmed COVID-19 cases by county notified to midnight 05/09/2020

County Name	Number of cases	Percent
Carlow	255	0.86
Cavan	900	3.03
Clare	479	1.61
Cork	1,660	5.59
Donegal	547	1.84
Dublin	13,812	46.55
Galway	534	1.8
Kerry	340	1.15
Kildare	2,320	7.82
Kilkenny	416	1.4
Laois	396	1.33
Leitrim	90	0.3
Limerick	817	2.75
Longford	304	1.02
Louth	840	2.83
Мауо	592	2
Meath	920	3.1
Monaghan	578	1.95
Offaly	644	2.17
Roscommon	365	1.23
Sligo	158	0.53
Tipperary	728	2.45
Waterford	211	0.71
Westmeath	695	2.34
Wexford	310	1.04
Wicklow	761	2.56
Total	29,672	100

Table 3: Number of confirmed COVID-19 cases by WHO transmission classification notified to midnight 05/09/2020

Transmission classification*	Count of Events	%
Community transmission, incl. possible community transmission	8,976	30.25%
Local transmission, incl. possible local transmission	19,688	66.35%
Travel abroad, incl. possible travel abroad	730	2.46%
Unknown	278	0.94%
Total	29,672	100.00%

\*See technical note 3 for definition of WHO transmission classification

Cases which were notified more than 2 weeks ago and have not yet been reported as imported or linked to an outbreak are classified as possible community transmission.

Table 4: Cumulative number of confirmed cases of COVID-19 notified in Ireland by age group and hospital, ICU and vital status as of midnight 05/09/2020

Age Group (years)	Number of cases (n)	Cases hospitalised (n)	Cases hospitalised (%)	Cases admitted to ICU (n)	Cases admitted to ICU (%)
0-4 yrs	328	26	0.76	1	0.22
5-14 yrs	640	20	0.58	2	0.45
15-24 yrs	2792	83	2.42	5	1.12
25-34 yrs	5203	209	6.1	16	3.57
35-44 yrs	5183	278	8.11	38	8.48
45-54 yrs	5148	459	13.39	93	20.76
55-64 yrs	3581	505	14.74	129	28.79
65-74 yrs	1975	603	17.6	110	24.55
75-84 yrs	2383	760	22.18	48	10.71
85+ yrs	2415	483	14.09	6	1.34
Unknown	24	1	0.03	0	0
Total	29,672	3,427	100	448	100

Table 5: Number and proportion of confirmed cases of COVID-19 notified in Ireland by age-group, hospitalisation and ICU admission 05/09/2020

	0-4 yrs	5-14 yrs	15-24 yrs	25-34 yrs	35-44 yrs	45-54 yrs	55-64 yrs	65-74 yrs	75-84 yrs	85+ yrs	Unknow n
Number of cases (n)	328	640	2,792	5,203	5,183	5,148	3,581	1,975	2,383	2,415	24
Cases hospitalised (n)	26	20	83	209	278	459	505	603	760	483	1
Cases hospitalised (%)	7.93	3.13	2.97	4.02	5.36	8.92	14.1	30.53	31.89	20	4.17
Cases admitted to ICU (n)	1	2	5	16	38	93	129	110	48	6	0
Cases admitted to ICU (%)	0.3	0.31	0.18	0.31	0.73	1.81	3.6	5.57	2.01	0.25	0
Deaths (n)	0	0	1	5	12	25	68	228	521	659	0
Case fatality ratio (%)	0	0	0.04	0.1	0.23	0.49	1.9	11.54	21.86	27.29	0

#### **Outbreaks of COVID-19**

Table 6: Number of clusters/outbreaks COVID-19 by location and HSE area notified to midnight 05/09/2020

Outbreak Location	E	HPSC	М	MW	NE	NW	S	SE	w	Total
Private house	1,427		27	105	143	55	125	104	32	2,018
Nursing home	134		10	19	44	5	14	17	36	279
Residential institution	114		10	11	20	4	21	10	4	194
Other*	19	2	11	49	8	12	39	13	11	164
Hospital	63		4	4	14	2	10	5	6	108
Workplace	28		10	8	16	2	9	7	5	85
Comm. Hosp/Long-stay unit	4		4	2		4	6	5	5	30
Total	1,789	2	76	198	245	84	224	161	99	2,878

\*Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.




Figure 5: Trend in number of COVID-19 clusters by location and week notified to midnight 05/09/2020

500 -

\*Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.

Note: 2,040 COVID-19 outbreaks were reported on CIDR between week 24 and week 36 2020 to date (9th June to 5th September). Of these, 1,878 were family outbreaks. Based on the earliest date associated with each outbreak, a large proportion of these family outbreaks occurred earlier and were reported between weeks 24 and 36 as a result of data validation: 1 occurred in February, 635 in March, 472 in April, 94 in May, 127 in June, 125 in July, 406 in August and 18 in September to date.

### Deaths among COVID-19 cases


Table 7: Summary of deaths in all COVID-19 cases notified in Ireland up to midnight 05/09/2020

	Number	Percent
Total number of deaths	1,777	
Confirmed	1,519	85.48
Probable	99	5.57
Possible	159	8.95
Total number of cases hospitalised	758	42.66
Cases admitted to ICU	94	5.29
Cases not admitted to ICU	664	37.37
Total number of imported cases	6	0.34
Number of cases in healthcare workers	8	0.45
Number with underlying clinical conditions	1,677	94.37
Total number of male cases	874	49.18
M:F ratio	0.97	
Median age (years)	84	
Mean age (years)	82	
Age range (years)	17 - 105	


# Table 8: Number of deaths in all COVID-19 cases by sex and age group notified in Ireland up to midnight 05/09/2020

Age group (years)	Female	Male	Total	Percent
15-24 yrs	<5	<5	1	0.06
25-34 yrs	<5	<5	5	0.28
35-44 yrs	6	7	13	0.73
45-54 yrs	10	17	27	1.52
55-64 yrs	25	48	73	4.11
65-74 yrs	94	159	253	14.24
75-84 yrs	279	326	605	34.05
85+ yrs	484	314	798	44.91
Unknown	<5	<5	2	0.11
Total	903	874	1,777	100
Percent	50.82	49.18		

## Figure 6a: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total to midnight 05/09/2020



\* Date of death is not yet available for six case



# Figure 6b: Daily and 7 day moving average number of deaths among COVID-19 cases notified in Ireland by date of death and cumulative total, 01/07/2020 to midnight 05/09/2020

Please note: a lag in time between reporting of deaths and data extraction is expected and as such most recent dates will not yet reflect all deaths on that date

### Acknowledgements

Sincere thanks are extended to all those who are participating in the collection of data and reporting of data used in these reports. This includes the HSE COVID-19 Contact Management Programme (CMP), staff in ICU units, notifying clinicians, laboratory staff, public health doctors, nurses, surveillance scientists, microbiologists and administrative staff.

Report prepared by COVID-19 Epidemiology Team, HPSC

### **Technical Notes**

### 1. Data Source

Data are based on statutory notifications and were extracted from Computerised Infectious Disease Reporting (CIDR) system at 09:15 on 07/09/2020. Data are provisional and subject to ongoing review, validation and update. As a result, figures in this report may differ from previously published figures.

### 2. Epidemiological date

Epidemiological date is derived from epidemiological date, which is the earliest of onset date, date of diagnosis, laboratory specimen collection date, laboratory received date, laboratory reported date, event creation/notification date.

#### 3. Population data

Population data were taken from Census 2016. Data were aggregated into the following age groups for the analysis: 0-4 years, 5-14 years, 15-24 years, 25-34 years, 35-44 years, 45-54 years, 55-64 years, 65-74 years, 75-84 years and  $\geq$  85 years.

### 3. Transmission classification

Transmission classification is based on country of infection as well as enhanced exposure data (international travel; close contact of a case) recorded in CIDR. Transmission is classified as 'unknown' due to incomplete data on CIDR.

WHO definition of transmission classification is specified below:

- Community transmission is evidenced by the inability to relate confirmed cases through chains of transmission for a large number of cases, or by increasing positive tests through routine screening of sentinel samples.

- Local transmission indicates locations where the source of infection is within the reporting location.

- Imported cases only indicates locations where all cases have been acquired outside the location of reporting.

- Imported cases only indicates locations where all cases have been acquired outside the location of reporting.

### 4. HSE areas

The counties covered by each HSE area are as follows:

- HSE East (E): Dublin, Kildare & Wicklow;
- HSE Midlands (M): Laois, Longford, Offaly & Westmeath;
- HSE Midwest (MW): Clare, Limerick & N. Tipperary;
- HSE Northeast (NE): Cavan, Louth, Meath & Monaghan;
- HSE Northwest (NW): Donegal, Leitrim & Sligo;
- HSE South (S): Kerry & Cork;
- HSE Southeast (SE): Carlow, Kilkenny, S. Tipperary, Waterford & Wexford;
- HSE West (W): Galway, Mayo & Roscommon.

### 5. Outbreak location

Where an outbreak location is reported as a residential facility (RF) this includes nursing homes, community hospitals, long-stay units and residential institutions including mental health facilities, prisons and direct provision centres.

Other outbreak location includes community, extended family, hotel, public house, retail outlet, travel related and all other locations.